# Annex I

# ACTIVITIES IMPLEMENTED JOINTLY REVISED UNIFORM REPORTING FORMAT (URF 01)

# A. Governmental acceptance, approval or endorsement

- Date of this report: 15/03/2005
- This report is a (*please underline*):
  - First report
  - Interim report (Sixth report. First report was submitted 1999)
  - Final report
- Please indicate here which sections were modified since the last report (*e.g. B.2, E.2.4, F.2*): Report is newly completed on the Revised Uniform Reporting Format.

# **B.** Summary of AIJ project

# B.1 Title of project

Kuressaare, Combined fuel switching and energy efficiency project in Kuressaare, Estonia

# **B.2** Participants

*Please describe briefly the role(s) of the main participating organization(s) and provide detailed contact information in annex 1:* 

- The donor country is Sweden, represented by a governmental institution Swedish Energy Agency (STEM).
- The host country local organisation, which owns or operates the facility, where investment is made is DH company Kuressaare Soojus Ltd.
- The host country primary institution responsible for the Framework Convention on Climate Change and all other climate related issues is The Ministry of Environment.
- The technical assistance during project implementation and follow-up activities were provided by STEM consultants (ÅF-International).
- Projects performance data collection and reporting activities are carried out by Regional Energy Centres in Estonia.
- Independent technical assessment of project performance was carried out by Tallinn University of Technology (Thermal Engineering Department).

# B.3 Activity summary

#### B.3.1 General description

Kuressaare town with its 16100 inhabitants is the administrative and economic centre of the biggest Estonian island Saaremaa (Ösel). Saaremaa is an attractive area for tourists. There are two boiler plants supplying heat by the main DH network to the residents and institutions of Kuressaare. A wood fuel fired boiler has been installed in the main boiler house in Kuressaare town. The equipment consisted of, fuel

storage, fuel conveyors, pre-furnace, flue gas cleaning equipment, boiler and ash handling system. The project also included automation and rebuilding of two DE 16-14 boilers in boiler house no 4 (peak load boiler house), as well as partly rebuilding of the network. PC software has been delivered by Estonian companies. The installed boiler with 5 MW heat output will be used as the base-load boiler.

# B.3.2 Type of activity

Sector	Activity
Energy	Fuel-switching (from heavy oil to bio fuels)
	Improving energy efficiency

#### B.3.3 Location (e.g. city, region, state):

Kuressaare town, Saare County, Estonia

- B.3.4 Stage of activity (*Please <u>underline</u> the appropriate option*):
- Pre-feasibility study completed
- Feasibility study completed
- In start-up or construction phase (e.g. ensuring financing, construction of site, purchase of land, installation of new equipment)
- B.3.4 Stage of activity (continued)
- <u>In operation</u>

(e.g. new windmill plant is connected, converted boiler reconnected, etc. and real, measurable and long-term GHG emission reductions or removals by sinks are generated)

B.3.5 Lifetime of AIJ project activity:

- Approval date: 06/03/1997 (Letter of Intent) (Date at which the AIJ project activity was mutually approved by designated national authorities of **all** Parties involved.)
- Starting date: March 1998 (In operation from) (Date at which real, measurable and long-term GHG reductions or removals by sinks will begin or began to be generated.)
- Ending date (expected): 31/03/2007 (loan expire date) (Date at which AIJ project activity is expected to no longer generate GHG reductions or removals by sinks.)
- Ending date (actual): In operation (Date at which AIJ project no longer generated GHG reductions or removals by sinks or was terminated.)
- Ending of the operational life of the project if different from the ending date of the AIJ project activity: Expected technical lifetime is 25 years which means that the converted boiler is expected to be in operation till 2023.
- Reasons for the choice of lifetime dates (*Describe briefly (up to half a page*)):

The lifetime criteria have been arranged in different groups depending on type of implemented activities. This classification assumes a level of operation and maintenance, which is normal in western countries.

# Heat production plants (bio fuel)

25 years	New installation of all main equipment parts (fuel handling system, firing equipment and boiler) and modernisation of secondary equipment.
15 years	Conversion of existing boiler but new installation fuel handling system and firing equipment. Modernisation of secondary equipment.
10 years	Limited installation of new equipment (only one part of the three main parts, normally the firing equipment). Modernisation of other equipment.

#### Heat distribution systems and sub-stations

25 years	Pre-fabricated pipes and installations using certified contractors and supervisor according to EN norms and applicable district heating practise
15 years	Pre-fabricated pipes and installations without using certified contractors and supervisor
	supervisor
10 years	Modernisation of existing pipes.

# **Energy efficiency in buildings**

25 years	Additional insulation roofs walls etc. with Scandinavian technology.
	New installed heating systems.
15 years	Renovation and balancing of heating systems including thermostat valves.
10 years	Weather stripping windows, doors etc.

\* if a combination of measures is done a reasonable lifetime for the project have to be calculated.

# **B.4** Determination of the baseline

- B.4.1 Date of completing the baseline determination: 1999 (first report)
- B.4.2 Carried out by (name): STEM/ÅF-International (*Please provide detailed contact information in annex 1*)
- B.4.3 Type of baseline methodology applied and described in detail in section E.1 (*Please underline the appropriate option(s)*)
- Project-specific by:
  - I. Simulating a likely situation that would have existed without the project
  - II. Taking an actual reference case project
  - III. Other (*Please specify (insert lines as needed*)):
- Multi-project by using (please specify briefly):

# B.4.4 Describe the scope of the project boundary (*Please summarize briefly the related information provided in section E. 2*):

The project activity is heat production in the Kuressaare Soojus Ltd boiler houses connected to the Kuressaare town main DH network and this includes emissions from combustion of fossil fuels and bio fuels in the main (base load) boiler house. The operation of the peak load boiler house will be controlled with automatic control system from the main boiler house. The project and baseline heat production

activity is assumed to be equal. Only heat production will be reduced after implementation of automatic control system. The emission reduction from the project is based on the difference in fossil fuels consumption in the main boiler house before and after the implementation of the project activity.

B.4.5 Describe the degree of aggregation of the multi-project baseline (*Please summarize* briefly the related information provided in section E. 1):

# C. General compatibility with and supportiveness of national economic development and socioeconomic and environment priorities and strategies

Describe briefly, to the extent that information is available (up to one page) and refer to documents, decisions and laws, as appropriate:

The project meets the following objectives in the Act on Sustainable Development, Estonian National Environmental Strategy, Estonian National Environmental Action Plan, the Long-term Development Plan for the Estonian Fuel and Energy Sector, District Heating Act, Electricity Market Act and Energy Saving Programme:

- efficient and sustainable use of energy resources;
- to provide the sufficient and stable fuel and energy supply in conformity with the required quality and with optimal prices for the consistent regional development;
- to provide the political and economical independence of the state by the fuel and energy supply as a strategic branch of economy;

- to increase the share of renewable energy sources in the primary energy supply from present (2000) 10.5% up to 13% - 15% to the year 2010;

- by 2010 indicative target to produce 5.1% of gross consumption of electricity from renewables (including bio fuels);

- to reduce the environmental damage arising from fuel and energy production, transport, conversion and distribution;

- to create the reliable energy conservation system stimulating the implementation of energy conservation measures by consumers;

- creation and usage of energy efficient technologies, fuel/energy consuming and diagnostic equipment;

- stimulation of environmental awareness and environmentally friendly consumption patterns;

- to attract foreign investments for projects which ensure better use natural resources as well as environmental improvement;

- to develop co-operation between Baltic, Nordic and Central European countries

# **D.** Environmental, economic and social and cultural impacts

#### D.1 Environmental impact (positive and/or negative)

The environmental impact for the project activity is mainly positive. Reduction on mazout consumption will considerably reduce the local pollution of  $SO_2$  and NOx and the emission of  $CO_2$  as shown below:

• Annual emission reduction:

Projected:	Actual 2005
12072 tons CO <sub>2</sub>	11424 tons CO <sub>2</sub>
194.7 tons SO <sub>2</sub>	184.2 tons SO <sub>2</sub>
16.6 tons NOx	15.7 tons NOx

#### 2006-03-15

Page 5 Kuressaare 2006

• Emission measurements have been carried out on 1998 by Tallinn University of Technology

#### D.2 Economic impact (positive and/or negative)

- Decreased fuel costs per energy production approx. 7 EUR/MWh.
- Decreased import fuel costs approx. 226000 EUR per year.
- The economic impact issues are also including in the following reports:
  Kuressaare Town Energy Plan, 1998

#### D.3 Social and cultural impact (positive and/or negative)

- More stable energy supply, specially DHW supply in the summertime
- Improved working conditions, increased motivation
- More employment (new fuel and service companies)
- Improved trade balance in the island
- More stable heat price for consumers
- The social and cultural impact issues are also including in the following reports:
  - Kuressaare Town Energy Plan, 1998

# **E.** Calculation of real, measurable and long-term environmental benefits related to the mitigation of climatic change, that would not have occurred otherwise

#### E.1 Assumptions and characteristics of the baseline

#### E.1.1 Assumptions of the baseline

#### (Describe (up to 1 page)):

The project based status quo baseline had been assumed to be static for the project. The key parameters for the used baseline are:

- Baseline fuel heavy fuel oil (mazout);
- Baseline efficiency of the fossil fuel boilers;
- Total heat production of the boiler plant before boiler conversion.

It has been assumed that these parameters used for baseline will not change during whole period. The numerical data are presented in section E.1.4.

For an energy efficiency project (energy efficiency improvement in the heat production in Kuressaare) the decrease in emissions reflects the amount of fuel that is saved through the project. In the case that the system uses renewable fuels, the reduction is calculated comparing the amount of fossil fuels that was used before the conversion to renewable fuels.

#### E.1.2 Describe the baseline

(Please describe the baseline as well as leakage effects (up to 1 page)):

The project baseline is status quo baseline (total main boiler plant heat production and emissions in the period before the conversion to renewable fuel). The most important factor in calculation baseline emission is the annual efficiency of fossil fuel boilers. Baseline efficiency of the fossil fuel boilers has been derived from available heat production data, boiler house energy balance, technical specifications or expert judgement.

There was not assumed any indirect effects outside project boundary and leakages in the baseline emission calculation.

The project baseline boundary includes direct main boiler plant emissions, i.e. emissions from combustion of fossil fuels. Emissions related e.g. to the transport of fuels to the project site are not included.

# E.1.3 Reasons for selecting a baseline and its methodology *(Describe (up to 1 page))*:

The project specific baseline as status quo case has been initially selected to start reporting on AIJ with the future plans to re-evaluate chosen baseline at pre-determined intervals in order to account for developments in the heating sector and indirect effects.

E.1.4 Calculation of values reported in 'Baseline scenario' in table E.5.1 column (A):

 $CO_2$  emissions values are calculated according to the Regulations No. 94 of 16 July 2004 of the Ministry of Environment "The method of determination of the volume of emissions of carbon dioxide". Estonian Regulation is based on the IPCC Guidelines (1996). Carbon Emission Factors (CEF) are used to calculate CO<sub>2</sub> emitted during fuel combustion. There is presented a table in the Regulation to calculate CO<sub>2</sub> emission (M<sub>CO2</sub>). Instead of the table calculation it is possible to present a formula for this calculation as follows:

 $(M_{CO2})_b = (Q_{fb} + Q_{eb}) \times K_c \times 3.6 \times 44 \times q_c)/\eta_b \times 12 \times 1000)$  tons/year,

were,

 $\begin{array}{l} Q_{fb} - \mbox{ boiler(s) heat production, MWh/year,} \\ Q_{eb} - \mbox{ energy saving in the heat production, MWh/year,} \\ K_c - \mbox{ fraction of carbon oxidised,} \\ q_c - \mbox{ carbon emission factor, tC/TJ,} \\ \eta_b - \mbox{ annual efficiency of boiler(s), i.e. baseline efficiency of fossil fuel boilers.} \end{array}$ 

Documentation box (*Please provide numerical data referred to in this section*):

The following data are used for calculation of the baseline scenario CO<sub>2</sub> emission reductions:

Total heat production of the boiler plant before fuel switch – 52000 MWh/y Baseline efficiency of the fossil fuel boilers – 82% Carbon emission factor for heavy fuel oil – 21,1 tC/TJ Fraction of carbon oxidised – 0,99

# E.2 Assumptions and characteristics of the project scenario

# E.3.1 Assumptions for the AIJ project activity and its boundary

The project activity is heat production in the Kuressaare Soojus Ltd main boiler house and this includes emissions from on-site combustion of fossil fuels and bio fuels. These emissions are under control of the boiler house staff. The project and baseline heat production activity is assumed to be equal. Only heat production will be reduced after implementation of automatic control system.

E.3.2 Describe the project scenario

(Please describe the project scenario as well as effects occurring outside the project boundary (up to 1 page)):

#### 2006-03-15

# Page 7

Kuressaare 2006 The project scenario activity is heat production on bio fuels using bio fuel boiler with 5 MW heat output as base load boiler. The annual heat production of the bio fuel boiler is projected to be 34000 MWh. The energy efficiency measures have been implemented by installation of automatic control system for boilers. The projected annual energy saving - 1900 MWh. The peak load will be covered with existing fossil fuels (mazout) boilers. The climate conditions and minor heat load changes do not influence significantly wood fuel boiler heat production. Indirect effects are not taken in to account in the emissions calculations. No direct leakage of any significance has been identified.

# E.3.3 Please explain why the AIJ project activity would not have taken place anyway *(Describe (up to 1 page))*:

As a party to the Climate Convention, Estonia has started to facilitate the transformation toward an ecologically sustainable energy system as subject to the conditions of the Convention. Several factors have been restrained implementation AIJ projects:

- Lack of investment capital for renewable energy sources and energy efficiency projects, allowing financing at reasonable costs as long-term loans at reasonable interest rates;
- Lack of sufficient institutional responsibility for implementation AIJ projects;
- A weak local tradition using wood waste from industry and from forest as a fuel in the boiler plants and applying an up to date technology for energy saving. The local technology for the wood fuels firing has largely been missing;
- Lack of wood fuels firing know-how.

During the implementation of the EAES Programme in Estonia these barriers have been over-come by transfer reliable wood fuels firing technology and know-how.

E.3.4 Calculation of values reported in 'Project scenario' in table E.5.1, column (B)

According to the section E.1.4 the following is used to calculate CO<sub>2</sub> emission:

 $M_{CO2} = (Q_{fp} + Q_{ep}) \times K_c \times 3.6 \times 44 \times q_c)/\eta_b \times 12 \times 1000)$  tons/year,

were,

 $\begin{array}{l} Q_{fp}\text{-} \text{ boiler(s) heat production, MWh/year,} \\ Q_{ep}\text{-} \text{ energy saving in the heat production, MWh/year,} \\ K_c \text{-} fraction of carbon oxidised,} \\ q_c \text{-} carbon emission factor, tC/TJ,} \\ \eta_b \text{-} annual efficiency of boiler(s), i.e. baseline efficiency of fossil fuel boilers.} \end{array}$ 

Boiler(s) heat production Q<sub>fp</sub> is calculated as:

 $Q_{fp} = Q_{fb} - Q_w (52000 - 34000 = 18000 \text{ MWh}).$ 

Additional  $CO_2$  emission is taken into account in the  $CO_2$  emission reductions calculation when heat has been used on peat.

Documentation box (*Please provide numerical data referred to in this section*):

The following data are used for calculation of the baseline scenario CO<sub>2</sub> emission reductions:

Projected heat production on wood fuel boiler  $(Q_w) - 34000 \text{ MWh/y}$ Projected energy saving in the heat production  $(Q_{ep}) - 1900 \text{ MWh/year}$ , Baseline efficiency of the fossil fuel boilers -82%Carbon emission factor for heavy fuel oil -21,1 tC/TJ and for peat -28,9 tC/TJ Fraction of carbon oxidised for heavy fuel oil -0,99 and for peat -0,98

#### E.3 Revision of the baseline for the project

- E.3.1 Baseline revisions are planned (please <u>underline</u>): <u>Yes</u>/ No *If yes, please complete the remainder of section E.3.* 
  - E.3.2 Revisions are planned at regular intervals (please <u>underline</u>): Yes/<u>No</u>
  - If yes, please specify date of first planned revision and the length of the intervals:
  - If no, please explain revision schedule (*up to half a page*):

The new data are planned to introduce in the baseline scenario, using international rules and guidelines for how such revision should be made. The time schedule is not yet specified.

E.3.3 Information on revisions

- If a baseline (and/or the project scenario) revision is covered by this report, describe briefly the nature of this revision, including parameters changed in the revision as well as the calculation of the new set of values in the column 'Baseline scenario' in a revision of table E.5.1, column (A): *(up to one page)*
- Date of last baseline revision: (DD/MM/YYYY)
- Date of next baseline revision: (DD/MM/YYYY)

Documentation box (*Please provide numerical data referred to in this section*):

# E.4 Scope and performance of the actual project

Provide actual project data (E.5.2. Column B) and the calculations of the actual real, measurable and long-term emission reductions and/or removals as measured against the relevant (original/revised) baseline scenario values

Documentation box (*Please provide numerical data referred to in this section*):

The following data are used for calculation of the actual  $CO_2$  emission reductions:

2006-03-15

Year	1998	1999	2000	2001	2002	2003	2004	2005	
Heat production	19534	27554	35415	34162	31810	26705	28995	32275	
			A strel or		~ MU/h/-				
			Actual en	ergy savin	ig, MWh/y				-
Year	1997	1998	1999	2000	2001	2002	2003	2004	2005
1 cui		1700	1700	1700	1700	1700	1700	1700	1700

Projected real, measurable and long-term GHG emission reductions or removals by sinks E.5.1

Projected real, measurable and long-term GHG emission reductions or removals by sinks over the lifetime of the AIJ activity (*Please underline and fill, as appropriate:* This is the initial table or this is revision \_\_\_\_\_ of this table) (in metric tons of CO<sub>2</sub> equivalent<sup>a</sup>)

needed	
as	
rows	
nsert	

Insert rows	Insert rows as needed											
	Baseli	el	ine scenario <sup>b</sup>	٩_		Project s	<b>Project scenario<sup>b</sup></b>		Projected real, measurable and long-	al, meas	urabl	le and long-
		(F)				U	(B)		term GHG emission reductions (-) or removals by sinks (+) ((B)-(A))	HG emission reduction removals by sinks (+) ((B)-(A))	redue sinks	ctions (-) or (+)
Year	CO <sub>2</sub>	CH4 <sup>a</sup>	$\mathrm{N_2O^a}$	$CH_4^a$ $N_2O^a$ Other <sup>a</sup>	$CO_2$	$\mathrm{CH}_4^{\mathrm{a}}$	$N_2O^a$	Other <sup>a</sup>	CO <sub>2</sub> (mroiect	CH <sub>4</sub> N <sub>2</sub> O		CO <sub>2</sub> (only fiel
									total)			switch)
1997	17486				16847				-639			0
1998	17486				7768				-9718			-9079
1999	17486				5414				-12072			-11433
2000	17486				5414				-12072			-11433
2001	17486				5414				-12072			-11433
2002	17486				5414				-12072			-11433
2003	17486				5414				-12072			-11433
2004	17486				5414				-12072			-11433
2005	17486				5414				-12072			-11433
2006	17486				5414				-12072			-11433
2007	17486				5414				-12072			-11433
2008	17486				5414				-12072			-11433

2009	17486	5414		-12072	-11433
2010	17486	5414		-12072	-11433
2011	17486	5414		-12072	-11433
2012	17486	5414		-12072	-11433
2013	17486	5414		-12072	-11433
2014	17486	5414		-12072	-11433
2015	17486	5414		-12072	-11433
2016	17486	5414		-12072	-11433
2017	17486	5414		-12072	-11433
2018	17486	5414		-12072	-11433
2019	17486	5414		-12072	-11433
2020	17486	5414		-12072	-11433
2021	17486	5414		-12072	-11433
2022	17486	5414		-12072	-11433
TOTAL	454626	154546		-300080	-283469
<sup>a</sup> Please co.	$^{a}$ Please convert values into global warming potentials, according to the IPCC (1995) conversion factors.	ing potentials	, according to the IPC	C (1995) conversion fa	ictors.

<sup>b</sup> Including effects occurring outside the project boundary (leakage) as described in sections E.1.4, and E.2.4, as applicable

E.5.2 Actual real, measurable and long-term GHG emission reductions or removals by sinks

se insert	values as	sessed ex	c post i.e.	after mea	Please insert values assessed ex post i.e. after measurement. Insert rows as needed	. Insert	rows as	needed.					
	B	<b>3aseline s</b>	<b>Baseline scenario<sup>b c</sup></b>	2	-	Actual I	Actual project <sup>b c</sup>	2	Actual	Actual real, measurable and	easurab	le and	Values
		E C	(A)			2	(B)		long-t	long-term GHG emission	HG emis	sion	indicated are
									reductions (-) or removals by	0 (-) suc	r remov	vals by	assessed
										sinks (+) ((B)-(A))	((V)		independently (Yes/No)
Year	$CO_2$	$\mathrm{CH_4}^{\mathrm{a}}$	$N_2O^a$	Other <sup>a</sup>	$CO_2$	$CH_4^{a}$	$N_2O^a$	Other <sup>a</sup>	$CO_2$	$CH_4$	$N_2O$	$CO_2$	~
									(project			(only	
									total)			fuel switch)	
1997	17486				16981				-504			0	Yes
1998	17486				10345				-7140			-6569	Yes
1999	17486				7649				-9837			-9265	Yes
2000	17486				5005				-12480			-11909	
2001	17486				5873				-11612			-11041	
2002	17486				6217				-11268			-10696	
2003	17486				8244				-9242			-8670	
2004	17486				7405				-10081			-9509	
2005	17486				6061				-11424			-10853	
2006	17486												
2007	17486												
2008	17486												
2009	17486												

Actual real, measurable and long-term GHG emission reductions or removals by sinks of the AIJ activity (in metric tons of CO<sub>2</sub> equivalent<sup>a</sup>)

														plicable.
													512	E.4, as ap
													-78512	3.4 and 1
														factors. E.2.4, E
													-83590	conversion j stions E.1.4,
														'C (1995) ibed in sec
														o the IPC) as descr
														cording 1 (leakage,
													73781	ntials, ac voundary
														ning pote ? project l
														obal warı utside the
														ss into gla urring o
17486	17486	17486	17486	17486	17486	17486	17486	17486	17486	17486	17486	17486	454626	vert valué ffects occ
2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	TOTAL	$^{a}$ Please convert values into global warming potentials, according to the IPCC (1995) conversion factors. $^{b}$ Including effects occurring outside the project boundary (leakage) as described in sections E.1.4, E.2.4, E.3.4 and E.4, as applicable.

#### 2006-03-15

# E.6 Mutually agreed assessment procedures

*If the AIJ activity provides for mutually agreed assessment procedures, please fill subsections E.6.1 or E.6.2, as applicable.* 

- E.6.1 Assessment procedures that use all or one of the following steps:
- E.6.1.1 Initial independent assessment of the project activity:
- Has the project design been subject to such an assessment? (*Please <u>underline</u>*): Yes/<u>No</u>
- If yes, what organization(s) is/are involved: (*Please indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.) and provide their detailed contact information in annex 1 to this report).*

Only a set of principles for the selection and verification of projects was worked out by the experts of the implementing agency STEM in Sweden. The host country governmental representatives have had a rather modest role in launching the projects.

E.6.1.2 Monitoring

- Does the project have a monitoring plan? (*Please <u>underline</u>*): <u>Yes</u> / No
- Summarize briefly the key elements of the monitoring plan (*i.e. which parameters are being monitored, with what frequency, providing sampling intensities if appropriate, methods and equipment; associated uncertainties, etc.) (not more than 1 page):*

STEM has continued its assistance in monitoring and reporting the projects in the host countries. Experts from STEM, as well as the Swedish consultancy company ÅF-International provided guidance in methodology. For the regular follow-up activities a special format has been developed to collect performance data from each plant for each heating season. The monitoring activities have continued by local experts for preparing Swedish AIJ reports.

The following monthly data are collected and monitored:

- ✓ Heat production on bio fuels;
- ✓ Heat production on fossil fuels;
- $\checkmark$  Total heat production of the boiler house;
- $\checkmark$  Bio fuels consumption;
- ✓ Fossil fuels consumption.
- Is the monitoring conducted by project proponents? (*Please <u>underline</u>*): <u>Yes</u> / No
- If no, which organization(s) is/are involved: (*Kindly indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.) and provide their detailed contact information in annex 1 to this report).*

E.6.1.3 Independent assessment of the project performance

- Is the activity subject to such an assessment? (*Please <u>underline</u>*): <u>Yes</u> / No
- If no, is such an assessment intended? (*Please <u>underline</u>*): Yes / No
- If yes, what organization(s) is/are involved: (*Please indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.), and provide their detailed contact information in annex 1 to this report. Indicate the frequency of the assessments, how many assessments have taken*

2006-03-15

place to date, and whether the assessment report(s) is/are publicly available if requested).

Projects are followed and evaluated from technical and economic points of view by local experts (Evaluation Report Estonia: Boiler Conversion Projects in Estonia, 1995). In 1995 and 1996 special measurements (emissions) programs and performance tests were carried out of boiler conversion projects. These tests were carried out by Swedish specialists (ÅF-International) with assistance of local staff in the boiler houses. In addition some projects have been studied and reported on by international experts and by students at technical universities in Sweden, Germany, Estonia.

• Summarize briefly the key elements of the assessment activities: (*Please describe issues such as criteria used; the project design; project implementation; key project parameters being verified; the frequency of assessment/surveillance; sampling approach applied by the assessing organization*) (up to one page):

E.6.1.4 Provision of written statement by an independent entity regarding the performance of the project activity

(Please note that such a statement is not a formal requirement under the AIJ pilot phase (see also the note at the beginning of section E.6). If the project has made provision for such a statement, please indicate the name of the independent body and attach a copy of the written statement(s)).

E.6.2 Other form of mutually agreed assessment procedure (*please specify*):

Ministry of the Environment of Estonia is a central Estonian authority responsible on reporting of JI projects. This authority assigns a local institution, which is involved in to the evaluation of the climate effects of this project and takes the main responsibility to continue measuring, results collecting for JI-reporting.

# E. 7 Cost (to the extent possible)

- E.7.1 The cost information is *(Please <u>underline</u>)*:
- Provided below
- Not provided because the data are (*Please <u>underline</u>*):
  - Not yet available
  - Classified as confidential

Country		Kuressaare (BC)	1998	1999	2000	2001	2005
			0	1	2	3	7
	Investmen t	1. Loan/debt to STEM 2. Added costs	710000 30467	694188 0	608172 6543	514009 10492	1394727
		3.Technical assistance	90000	0	0	0	
	AIJ/JI	4. Follow up	0	2267	2139	1265	2852
A. Sweden	costs	5. Reporting costs	2000	744	301	282	810
		6. Administration	30800	0	0	0	
		7. Difference in interest	4%	27768	24327	20560	55789
		8.Accum. costs for AIJ/JI	122800	153579	180346	202454	206116
		9.Total costs	863267	847766	788518	716463	1454178

E.7.2 AIJ project activity costs

2006-03-15

Page 16 Kuressaare 2006

	Investmen t	1. Investment/Instalment	0	46279	92558	104655	
2. Estonia	AIJ/JI	2. Reporting costs	0	0	0	0	
	costs	3. Other costs	0	0	0	0	
		4. Accum. costs for AIJ/JI	0	0	0	0	
		5. Total costs	0	46279	138838	243492	
1 USD=	10	SEK					

# F. Financial additionality

Bearing in mind that the financing of AIJ shall be **additional** to financial obligations of Parties included in Annex II to the Convention within the framework of the financial mechanism, as well as to current official development assistance (ODA) flows (decision 5/CP.1):

Please list sources and the purpose:

<b>Source and purpose of the AIJ project activity funding</b> Including pre-feasibility phase (One line for each source)	Amount in thousand US\$ (in Swedish crone, SEK)
Loan from NUTEK*	946.7 (SEK 7 100 000)
Grant from NUTEK* for technical assistance	100 (SEK 750 000)

#### 1 USD = 7,5 SEK

\* From 1 January, 1998, the new Swedish National Energy Administration was established – from 1 January 2002 the name in English has been changed to the Swedish Energy Agency - has taken over the responsibility for the Programme for an Environmentally Adapted Energy System in the Baltic region and Eastern Europe (EAES Programme) from NUTEK (Swedish National Board for Industrial and Technical Development.

# **G.** Contribution to capacity building, transfer of environmentally sound technologies and know-how to other Parties, particularly developing country Parties, to enable them to implement the provisions of the Convention. In this process, the developed country Parties shall support the development and enhancement of endogenous capacities and technologies of developing country Parties

# G.1 Identification of environmentally sound technology and know-how

• Name of manufacturer: Saxlund AB (main contractor of the combustion equipment with Estonian subcontractor Tamult Ltd)

- Place of manufacture *(country)*: Sweden
- Model names and numbers of equipment (where appropriate):

The main parts of the delivery have been:

- Fuel storage above the ground complete with hydraulic discharge scrapers;
- Fuel conveyor from storage to furnace;
- o Prefurnace with gas channel and air system;
- o Flue gas cleaning of multyicyclone type;

Page 17 Kuressaare 2006

- o Flue gas fan, air fans;
- o Ash and slag removable system;
- o Control and supervision system;
- o Stairs walkways and railings for operation and maintenance;
- o New boiler.
- Any other relevant key specific technology characteristics:

A new bio fuel boiler with prefurnace has been installed. Automatic fuel storage, wood chips handling system, flue gas cleaning equipment and ash handling system were included in the project.

Boiler type:	Hot water boiler from Danstoker AS
Boiler output:	5 MW
Pre-furnace:	Free standing with moving inclined grates
Flue gas cleaning:	Multicyclone <300 mg/Nm3
Fuel type:	Wood chips, sawdust,
	bark, 35-55% RH
Previous fuel:	Mazout (high-sulphur content heavy fuel oil)

• Where applicable, name and location of provider and nature of training:

In-site training of local staff on operation and maintenance of the installed equipment provided by main supplier according to the Contract

#### G.2 Characteristics of environmentally sound technology

The technology is (*underline the option*):

- At a research and development stage
- Being tested or demonstrated in similar conditions outside the host country
- At the initial stage of introduction into the world market
- <u>At the initial stage of introduction into the host market</u>
- <u>Commercially available and deployed in the world market</u>
- Commercially available and deployed in the host market
- Not characterized by the above options. *Please describe*:

# G.3 Impact of the AIJ project on capacity-building and transfer of environmentally sound technology and know-how (up to two pages):

Systematically, the capacity building and transfer of know-how have involved the following activities over time and have taken place through:

# i) Technology transfer through STEM technical specialist and co-operation between foreign supplier and local partner during the implementation of the project:

- Technical support of STEM specialist to the local project leader and municipality;
- Knowledge in negotiations to foreign companies;
- Knowledge in managing and planning of industrial projects;
- Transferring of environmental issues to the local parties;
- Transferring of knowledge in computer- and control system;
- Transferring of knowledge in operation and maintenance issue;
- Operation and maintenance software was introduced to the plant-owners.

#### 2006-03-15

Page 18 Kuressaare 2006

# ii) Conferences, seminars, documentation and training:

- Personal from boiler plant has been invited to different seminars and workshops and several presentations about company experience have made, documentation for training has been handed over;
- There were arranged seminars through close cooperation between STEM and Estonian partners:
  - Environmentally Friendly Energy Systems in the Baltic Region and Eastern Europe seminar in Tallinn, 14-15 Aprill, 1994;
  - ✓ Environmentally Friendly Energy Systems in the Baltic Region and Eastern Europe seminar and workshops in Tartu, 25 November, 1994 (prepared information by topics in Estonian over than 150 pages);
  - ✓ EAES Programme District Heating Day in Vändra, 27 July, 1995;
  - Environmentally Adapted Local Energy Systems seminar and presentation of translated into Estonian booklet "Environmentally Adapted Local Energy Planning" in Rakvere, 11 November, 1998 and in Tartu, 12 November, 1998.
  - ✓ Exploitation of boiler houses on bio fuels. Practical experiences international seminar in Narva-Jõesuu, 3 –5 April, 2001 (in Russian language);
  - ✓ Arrangement of operation of boiler houses on bio fuels seminar in Essu, 19 21 September, 2001 in Russian language).

# iii) Stimulate "net-working" for the exchange of experience between plant owners with similar problems, e g "bio-clubs":

- Activities have been supported by STEM to establish Estonian Bio Fuels Association: meetings representatives of plant owners and consultants were arranged in Haabneeme, Valga, Võru, Tartu, Pärnu and Viljandi;
- The boiler plant has been visited by specialist from another boiler plants (incl. Russia, Baltic Countries). The local staff has an exchange of experience with the staff from another boiler plants;
- Estonian Bio Fuels Association is established in 1998 (mainly by "bio-club" and local experts) and the company is a member.

# H. Additional comments

Complete as appropriate:

# 1) Any practical experience gained:

- The heating company has got more experience in planning, erection and start up of bigger industrial projects.
- The manager of the company has got high experience in managing bigger industrial projects.
- Is very important to control temperature in the prefurnace and the temperature gauge must be installed in the suitable place to avoid lining damages.
- The boiler house staff has learned to burn bark.
- The economizer is installed after boiler to reduce flue gas temperature and get better boiler efficiency. The flue gases are cooled down up to 90 100°C (not yet flue gas condensation).
- Due to difficulties in wood chips supply the heating company has started chipping woods logs and forest residue yourself. A movable wood chipper has been delivered.
- There have not been significant wood chips, prise supplied by wood chips suppliers or chipped yourself.

# 2) Technical difficulties:

2006-03-15

Page 19 Kuressaare 2006

• There have been problems with boiler tubes corrosion due to using too wet wood fuel

# 3) Effects encountered:

- Several local companies have participated in the project (design, ground and constructions works).
- Execution of the follow up and monitoring activities for evaluation of the results of the different measures and get feedback to the programme
- Consulting support from both Swedish and Estonian side, also after commissioning.
- Good results of bio fuel boiler operation are motivated the company to convert one fossil fuel boiler to burn bio fuel. The additional boiler conversion is planned in year 2001.
- The share of heat production on bio fuels has been increased by conversion one DKVR 10-13 boiler from heavy oil to wood fuel (capacity after conversion 6 MW). Year 2002 was the first operation year of the additional bio fuel boiler. The heat production of this boiler was 25619 MWh on 2003; 23890 MWh on 2004 and 24369 MWh on 2005. The heat production of the previously installed bio fuel boiler has been decreased.
- Sod peat is used as boiler fuel on 2003 (1742 tons) and on 2004 (1264 tons).
- Kuressaare District Heating Company intends to start in the near future CHP production on the base of bio fuels. Preparation of the project has been started. Feasibility study has been done with Danish support.

# 4) Impacts encountered:

- The experiences from EAES Programme projects have formed the basis for a new policy as respect to increasing renewable energy sources in the total energy balance of Estonia.
- Reduced dependence on imported fuels.

# 5) Other obstacles encountered:

- Lack of a strong national focal point to support and promote biomass energy use
- Local wood fuel market is not yet developed. There have been short brakes in supplying wood fuel. Now some part of wood fuel (mainly bark) is supplied from Estonian mainland.
- Lack of wood fuel in the local market due to increased wood fuel (sawmills wastes, white chips, bark) export from 2001. The sawdust is mainly used now as raw material in pellet factories. The sawmills wastes have been the main wood fuel during latest years and the share of use of forest residues has not been high. But there is tendency to use more forest residues.
- Due to lack of wood fuel peat was used at the beginning of year 2001. After starting up second bio fuel boiler there have been difficulties to supply wood fuel for both boilers. It is planned to buy raw material in summer for spare for chipping yourself (mainly logs) to overcome unstable wood chips supply.

# 6) Other:

- Improving the positive image of the Kuressaare town (attractive area for tourists) as "green town" promoting environmentally friendly measures and practices and thereby increasing its value for tourism .
- No subsidies to renewables, taxation policy is not in support of bio fuel use. Energy and fuel taxation is planned (on 2004) to establish with zero taxes for bio fuel to stimulate the wider use of bio fuels in the municipal heat production.
- Calculations of the volume of emissions of sulphur dioxide and nitrogen oxide in the section D are calculated according to the Regulation No. 99 of 02 August 2004 of the Ministry of the Environment "The procedure and methods of determination of the volume of pollutants from combustion plants to the air".

2006-03-15

Page 20 Kuressaare 2006

- On 2000 a research project was started with Det Norske Veritas with the aim to develop methods for simplifying the verification of JI-projects based on the experiences from the Swedish boiler conversion projects in the Baltic countries. The project has been finished in 2001.
- On 2002 by the Ministry of Environment there was prepared draft National Programme for Reduction of Greenhouse Gases 2003-2012, which has been adopted by the Government on 2004.
- The National Allocation Plan (NAP) to the European greenhouse gas emissions trading scheme has been developed on 2004 according to the Directive 2003/87/EC, establishing a scheme for greenhouse gas emission allowance trading in the Community. Kuressaare Soojus Ltd has been included in the NAP.
- New environmental taxes law has been enforced from January 2006. According to this law CO<sub>2</sub> tax has been implemented also for use fossil fuels in medium size burning equipment.
- In autumn 2005 the flue gas condensing equipment has been installed including new chimney.

2006-03-15

# Annex 1 to the revised uniform reporting format (URF 01)

#### **PARTICIPANTS' CONTACT INFORMATION**

*Please provide contact information for <u>each</u> organization. Add rows as required (by copying and pasting)* 

Name	Address <sup>a</sup>	Voice/Fax/E-mail
Organization(s) <sup>b</sup> : Swedish Er	nergy Agency <sup>(*</sup>	I
Function(s) within activity <sup>c</sup> : 1	Financing/Project development	
Officer responsible:	The System Analysis Department, Climate Change Division Kungsgatan 43 BOX 310 S-63104 Eskilstuna SWEDEN http://www.stem.se	Tel: +46 16 544 20 81 Fax: +46 16 544 22 64 E-mail: bengt.bostrom@stem.se
<b>Contact person, if different</b> <b>from above:</b> Gudrun Knutsson	Head of Section, Climate Investment Programme	Tel: +46 16 544 20 72 Fax:+46 16 544 22 54 E-mail: Gudrun.Knutsson@stem.se

(\* From 1 January, 1998, the new Swedish National Energy Administration – from 1 January 2002 the name in English has been changed to the Swedish Energy Agency - has taken over the responsibility for the Programme for an Environmentally Adapted Energy System in the Baltic region and Eastern Europe (EAES Programme) from NUTEK (Swedish National Board for Industrial and Technical Development).

Name	Address <sup>a</sup>	Voice/Fax/E-mail
<b>Organization(s)</b> <sup>b</sup> : ÅF-Interna	ntional (Malmö)	I
Function(s) within activity <sup>c</sup> :	Technical assistance	
Officer responsible:	Stensjögatan 3 S-21765 Malmö SWEDEN http://www.af.se	Tel:+46 40 37 50 00 Fax:+46 40 13 03 69 E-mail:
<b>Contact person, if different</b> <b>from above:</b> Ulf Lindgren	Project leader	Tel:+46 40 37 50 97 Fax:+46 40 13 03 69 E-mail: <u>Ulf.lindgren@af.se</u>

#### 2006-03-15

Name	Address <sup>a</sup>	Voice/Fax/E-mail		
Organization(s) <sup>b</sup> : Ministry of the Environment of the Republic of Estonia				
<b>Function(s) within activity<sup>c</sup>:</b> D	esignated national authority/repo	rter		
Officer responsible:	Department of Environment	Tel: +372 62 62 802		
-	Management and Technology	Fax:+372 62 62 801		
	Narva mnt. 7A	E-mail: min@envir.ee		
	15172 Tallinn	<u></u>		
	ESTONIA			
	http://www.envir.ee			
Contact person, if different	Specialist	Tel: +372 62 62 977		
from above:		Fax:		
Karin Radiko		E-mail:		
		karin.radiko@envir.ee		

Name	Address <sup>a</sup>	Voice/Fax/E-mail
<b>Organization(s)</b> <sup>b</sup> : DH compar	y Kuressaare Soojus Ltd	I
Function(s) within activity <sup>c</sup> : <i>H</i>		
Officer responsible:	Kalevi 1A 93802 Kuressaare ESTONIA http://www.kuressaaresoojus.ee	Tel:+372 45 312 70 Fax:+372 45 312 65 E-mail: <u>ksoojus@tt.ee</u>
<b>Contact person, if different from above:</b> Jaan Mehik	Technical Director	Tel:+372 45 312 61 Fax:+372 45 312 65 E-mail: jaan.ksoojus@tt.ee

Name	Address <sup>a</sup>	Voice/Fax/E-mail		
Organization(s) <sup>b</sup> : Regional Energy Centres in Estonia				
<b>Function(s) within activity</b> <sup>c</sup> : <i>L</i> <b>Officer responsible:</b>	Võru P.O., BOX 43 65602 Võru ESTONIA	Tel:+372 78 282 30 Fax:+372 78 282 30 E-mail:		
<b>Contact person, if different</b> <b>from above:</b> Elmu Potter	Consultant	Tel:+372 78 282 30 Fax:+372 78 282 30 E-mail: <u>elmupotter@hot.ee</u>		

#### 2006-03-15

Page 23 Kuressaare 2006

_		Kulessaale 2000		
<b>Organization(s)</b> <sup>b</sup> : Tallinn University of Technology				
<b>Function(s) within activity</b> <sup>c</sup> : <i>In</i>	Function(s) within activity <sup>c</sup> : Independent assessment of project performance			
Officer responsible:	Ehitajate tee 5	Tel:+372 620 2002		
	19086 Tallinn	Fax:+372 620 2020		
	ESTONIA	E-mail: ttu@ttu.ee		
	http://www.ttu.ee			
Contact person, if different	Thermal Engineering	Tel:+372 620 3902		
from above:	Department	Fax:+372 620 3901		
Aadu Paist	Prof. Head of Department	E-mail: <u>apaist@sti.ttu.ee</u>		

<sup>*a*</sup> Address should include: department; street; postal code; city; country and the Internet address of the organization (if available).

<sup>b</sup>Organization includes: institutions, ministries, government agency closely following the activity, companies, non-governmental organizations, etc. involved in the activity.

<sup>c</sup> Function within activity: please use the following categories:

Function	Description of function
Project development	Designing/developing the AIJ project and/or submitting the AIJ project proposal
Project operator	Implementing and administering the AIJ project activities
Government regulation/oversight	<i>Ensuring compliance of the project with laws and regulations</i>
Technical assistance	Providing scientific or other technical guidance or support for the purposes of project development and/or project administration, implementation, training and education activities
Financing	Serving as a source of funding for the AIJ project
<i>Initial independent assessment of project activity</i>	Assessing whether the project activity meets a given set of criteria
Monitoring	Monitoring the environmental and/or socio-economic results of the project in accordance with a monitoring protocol
Independent assessment of project performance	Assessing the performance (environmental and/or socio- economic) achieved by a project against pre-set criteria
Providing independent written statement on performance	<i>Providing written assurance that a performance is achieved and/or a set of criteria is met by an activity</i>
Designated national authority	<i>Entity authorized to officially accept, approve or endorse the AIJ project</i>
Other (please specify)	