# Annex I

# ACTIVITIES IMPLEMENTED JOINTLY REVISED UNIFORM REPORTING FORMAT (URF 01)

# A. Governmental acceptance, approval or endorsement

- Date of this report: 15/03/2006
- This report is a (*please underline*):
  - First report
  - Interim report (Seventh report. First report was submitted 1997)
  - Final report
- Please indicate here which sections were modified since the last report (*e.g. B.2, E.2.4, F.2*): Report is newly completed on the Revised Uniform Reporting Format.

# **B.** Summary of AIJ project

# **B.1** Title of project

Tartu, Fuel conversion at Aardla Heating Plant

# **B.2** Participants

*Please describe briefly the role(s) of the main participating organization(s) and provide detailed contact information in annex 1:* 

- The donor country is Sweden, represented by a governmental institution Swedish Energy Agency (STEM).
- The host country local organisation, which owned or operated the facility, where investment is made is DH company (former Tamme Soojus Ltd) Eraküte Ltd (Eraküte Ltd Tartu department) subsidiary to the French Dalkia Co.
- The host country primary institution responsible for the Framework Convention on Climate Change and all other climate related issues is The Ministry of Environment.
- The technical assistance during project implementation and follow-up activities were provided by STEM consultants (ÅF-International).
- Projects performance data collection and reporting activities are carried out by Regional Energy Centres in Estonia.

# B.3 Activity summary

#### B.3.1 General description

Tartu is the second largest town in Estonia with 110000 inhabitants and there are several boiler plants and district heating networks in Tartu. In Aardla boiler plant there were three oil and gas fired DKVR 10-13 steam boilers. Two of which have been previously are converted to produce hot water. One of these hot

water boilers has been converted to bio fuels. The converted boiler will be used as the base load for this particular net. The converted boiler with 7 MW heat output will be used as the base-load boiler.

B.3.2 Type of activity

Sector	Activity
Energy	Fuel-switching (from heavy oil to bio fuels)

#### B.3.3 Location (e.g. city, region, state):

Tartu town, Tartu County, Estonia

B.3.4 Stage of activity (*Please <u>underline</u> the appropriate option*):

- Pre-feasibility study completed
- Feasibility study completed
- In start-up or construction phase (e.g. ensuring financing, construction of site, purchase of land, installation of new equipment)
- B.3.4 Stage of activity (continued)
- <u>In operation</u> (e.g. new windmill plant is connected, converted boiler reconnected, etc. and real, measurable and long-term GHG emission reductions or removals by sinks are generated)

#### B.3.5 Lifetime of AIJ project activity:

- Approval date: 10/12/1993 (Letter of Intent) (Date at which the AIJ project activity was mutually approved by designated national authorities of **all** Parties involved.)
- Starting date: August 1994 (In operation from) (Date at which real, measurable and long-term GHG reductions or removals by sinks will begin or began to be generated.)
- Ending date (expected): 10/10/2004 (loan expire date) (Date at which AIJ project activity is expected to no longer generate GHG reductions or removals by sinks.)
- Ending date (actual): In operation (Date at which AIJ project no longer generated GHG reductions or removals by sinks or was terminated.)
- Ending of the operational life of the project if different from the ending date of the AIJ project activity: Expected technical lifetime is 15 years which means that the converted boiler is expected to be in operation till 2010.
- Reasons for the choice of lifetime dates (*Describe briefly (up to half a page*)):

The lifetime criteria have been arranged in different groups depending on type of implemented activities. This classification assumes a level of operation and maintenance, which is normal in western countries.

#### Heat production plants (bio fuel)

25 years	New installation of all main equipment parts (fuel handling system, firing equipment and boiler) and modernisation of secondary equipment.
15 years	Conversion of existing boiler but new installation fuel handling system and firing equipment. Modernisation of secondary equipment.
10 years	Limited installation of new equipment (only one part of the three main parts, normally the firing equipment). Modernisation of other equipment.

#### Heat distribution systems and sub-stations

25 years	Pre-fabricated pipes and installations using certified contractors and supervisor according to EN norms and applicable district heating practise
15 years	Pre-fabricated pipes and installations without using certified contractors and
	supervisor
10 years	Modernisation of existing pipes.

#### **Energy efficiency in buildings**

Additional insulation roofs walls etc. with Scandinavian technology.
New installed heating systems.
Renovation and balancing of heating systems including thermostat valves.
Weather stripping windows, doors etc.

\* if a combination of measures is done a reasonable lifetime for the project have to be calculated.

# **B.4** Determination of the baseline

- B.4.1 Date of completing the baseline determination: 1997 (first report)
- B.4.2 Carried out by (name): STEM/ÅF-International (*Please provide detailed contact information in annex 1*)
- B.4.3 Type of baseline methodology applied and described in detail in section E.1 (*Please <u>underline</u> the appropriate option(s)*)
- Project-specific by:
  - I. Simulating a likely situation that would have existed without the project
  - II. Taking an actual reference case project
  - III. Other (*Please specify (insert lines as needed*)):
  - Multi-project by using (*please specify briefly*):
- B.4.4 Describe the scope of the project boundary (*Please summarize briefly the related information provided in section E. 2*):

The project activity is heat production in the Aardla boiler house and this includes emissions from in-site combustion of fossil fuels and bio fuels. The project and baseline heat production activity is assumed to be equal. This means that the emission reduction from the project is based on the difference in fossil fuels consumption before and after the implementation of the project activity.

B.4.5 Describe the degree of aggregation of the multi-project baseline (*Please summarize* briefly the related information provided in section E. 1):

# C. General compatibility with and supportiveness of national economic development and socioeconomic and environment priorities and strategies

Describe briefly, to the extent that information is available (up to one page) and refer to documents, decisions and laws, as appropriate:

The project meets the following objectives in the Act on Sustainable Development, Estonian National Environmental Strategy, Estonian National Environmental Action Plan, the Long-term Development Plan for the Estonian Fuel and Energy Sector, District Heating Act, Electricity Market Act and Energy Saving Programme:

- efficient and sustainable use of energy resources;
- to provide the sufficient and stable fuel and energy supply in conformity with the required quality and with optimal prices for the consistent regional development;
- to provide the political and economical independence of the state by the fuel and energy supply as a strategic branch of economy;

- to increase the share of renewable energy sources in the primary energy supply from present (2000) 10.5% up to 13% - 15% to the year 2010;

- by 2010 indicative target to produce 5.1% of gross consumption of electricity from renewables (including bio fuels);

- to reduce the environmental damage arising from fuel and energy production, transport, conversion and distribution;

- to create the reliable energy conservation system stimulating the implementation of energy conservation measures by consumers;

- creation and usage of energy efficient technologies, fuel/energy consuming and diagnostic equipment;

- stimulation of environmental awareness and environmentally friendly consumption patterns;

- to attract foreign investments for projects which ensure better use natural resources as well as environmental improvement;

- to develop co-operation between Baltic, Nordic and Central European countries

# **D.** Environmental, economic and social and cultural impacts

# D.1 Environmental impact (positive and/or negative)

The environmental impact for the project activity is mainly positive. Reduction on fossil fuels consumption will considerably reduce the local pollution of  $SO_2$  and the emission of  $CO_2$  as shown below:

 Annual emission reduction: Projected: Actual 2005 7856 tons CO<sub>2</sub> 32,1 tons SO<sub>2</sub>
Actual 2005 9827 tons CO<sub>2</sub> 38,8 tons SO<sub>2</sub>

There will be some increase of NOx emissions.

• Emission measurements have been carried out on 1995 by Swedish specialists

# D.2 Economic impact (positive and/or negative)

- Page 5 Tartu 2006
- Decreased fuel costs per energy production approx. 3 EUR/MWh (compared with natural gas price)
- Decreased import fuel costs approx. 113000 EUR per year.
- The economic impact issues are also including in the following reports:
  - SEI case study
  - Involved into "Surrey -project" in 1997

# D.3 Social and cultural impact (positive and/or negative)

- More stable energy supply, specially DHW supply in the summertime
- Improved working conditions, increased motivation
- More employment (new fuel and service companies)
- Improved trade balance

•

- More stable heat price for consumers
  - The social and cultural impact issues are also including in the following reports:
    - o SEI case study
    - Involved into "Surrey -project" in 1997

**E.** Calculation of real, measurable and long-term environmental benefits related to the mitigation of climatic change, that would not have occurred otherwise

# E.1 Assumptions and characteristics of the baseline

# E.1.1 Assumptions of the baseline

# (Describe (up to 1 page)):

The project based status quo baseline had been assumed to be static for the project. The key parameters for the used baseline are:

- Baseline fuels heavy fuel oil (mazout) and natural gas;
- Baseline efficiency of the fossil fuel boilers;
- Total heat production of the boiler plant before boiler conversion.

It has been assumed that these parameters used for baseline will not change during whole period. The numerical data are presented in section E.1.4.

The status quo mazout use is included in the baseline construction. The share of energy production on the mazout has been 19% (on the natural gas -81%).

# E.1.2 Describe the baseline

(Please describe the baseline as well as leakage effects (up to 1 page)):

The project baseline is status quo baseline (total boiler plant heat production and emissions in the period before the conversion to renewable fuel). The most important factor in calculation baseline emission is the annual efficiency of fossil fuel boilers. Baseline efficiency of the fossil fuel boilers has been derived from available heat production data, boiler house energy balance, technical specifications or expert judgement.

There was not assumed any indirect effects outside project boundary and leakages in the baseline emission calculation.

The project baseline boundary includes direct in-site (boiler plant) emissions, i.e. emissions from in-site combustion of fossil fuels. Emissions related e.g. to the transport of fuels to the project site are not included.

E.1.3 Reasons for selecting a baseline and its methodology *(Describe (up to 1 page))*:

The project specific baseline as status quo case has been initially selected to start reporting on AIJ with the future plans to re-evaluate chosen baseline at pre-determined intervals in order to account for developments in the heating sector and indirect effects.

E.1.4 Calculation of values reported in 'Baseline scenario' in table E.5.1 column (A):

 $CO_2$  emissions values are calculated according to the Regulations No. 94 of 16 July 2004 of the Ministry of Environment "The method of determination of the volume of emissions of carbon dioxide". Estonian Regulation is based on the IPCC Guidelines (1996). Carbon Emission Factors (CEF) are used to calculate CO2 emitted during fuel combustion. There is presented a table in the Regulation to calculate  $CO_2$  emission (M<sub>CO2</sub>). Instead of the table calculation it is possible to present a formula for this calculation as follows:

 $(M_{CO2})_b = (Q_{fb} \times K_c \times 3, 6 \times 44 \times q_c)/\eta_b \times 12 \times 1000)$  tons/year,

were,

 $\begin{array}{l} Q_{tb} - \mbox{ boiler(s) heat production, MWh/year,} \\ K_c \mbox{ - fraction of carbon oxidised,} \\ q_c \mbox{ - carbon emission factor, tC/TJ,} \\ \eta_b \mbox{ - annual efficiency of boiler(s), i.e. baseline efficiency of fossil fuel boilers.} \end{array}$ 

The total CO<sub>2</sub> emission is calculated as:

Total  $CO_2$  emission =  $CO_2$  emission from mazout use +  $CO_2$  emission from natural gas use.

Documentation box (*Please provide numerical data referred to in this section*):

The following data are used for calculation of the baseline scenario CO<sub>2</sub> emission reductions:

Total heat production of the boiler plant before boiler conversion -38000 MWh/y Baseline efficiency of the fossil fuel boilers: mazout -80% and natural gas 83%Carbon emission factor for heavy fuel oil -21,1 tC/TJ and for natural gas -15,3 tC/TJ Fraction of carbon oxidised: heavy fuel oil -0,99 and natural gas -0,995

# E.2 Assumptions and characteristics of the project scenario

E.3.1 Assumptions for the AIJ project activity and its boundary

The project activity is heat production in Aardla boiler house and this includes emissions from on-site combustion of fossil fuels and bio fuels. These emissions are under control of the boiler house staff. The project and baseline heat production activity is assumed to be equal.

# E.3.2 Describe the project scenario

(Please describe the project scenario as well as effects occurring outside the project boundary (up to 1 page)):

The project scenario activity is heat production on bio fuels using converted boiler with 6 MW heat output as base load boiler. The annual heat production of the wood fuel boiler is projected to be 30000

MWh. The peak load will be covered with existing fossil fuels boilers. The climate conditions and minor heat load changes do not influence significantly wood fuel boiler heat production. Indirect effects are not taken in to account in the emissions calculations. No direct leakage of any significance has been identified.

# E.3.3 Please explain why the AIJ project activity would not have taken place anyway *(Describe (up to 1 page))*:

As a party to the Climate Convention, Estonia has started to facilitate the transformation toward an ecologically sustainable energy system as subject to the conditions of the Convention. Several factors have been restrained implementation AIJ projects:

- Lack of investment capital for renewable energy sources and energy efficiency projects, allowing financing at reasonable costs as long-term loans at reasonable interest rates;
- Lack of sufficient institutional responsibility for implementation AIJ projects;
- A weak local tradition using wood waste from industry and from forest as a fuel in the boiler plants and applying an up to date technology for energy saving. The local technology for the wood fuels firing has largely been missing;
- Lack of wood fuels firing know-how.

During the implementation of the EAES Programme in Estonia these barriers have been over-come by transfer reliable wood fuels firing technology and know-how.

E.3.4 Calculation of values reported in 'Project scenario' in table E.5.1, column (B)

According to the section E.1.4 the following is used to calculate CO<sub>2</sub> emission:

M <sub>CO2</sub> = ( $Q_{fp} \times K_c \times 3.6 \times 44 \times q_c$ )/ $\eta_b \times 12 \times 1000$ ) tons/year,

were,

Q<sub>fp</sub>- boiler(s) heat production, MWh/year,

 $K_c$  - fraction of carbon oxidised,

 $q_{\text{c}}$  - carbon emission factor, tC/TJ,

 $\eta_b$  - annual efficiency of boiler(s), i.e. baseline efficiency of fossil fuel boilers.

Boiler(s) heat production Q<sub>fp</sub> is calculated as:

 $Q_{fp} = Q_{fb} - Q_w (38000 - 30000 = 8000 \text{ MWh}).$ 

The total  $CO_2$  emission is calculated as: Total  $CO_2$  emission =  $CO_2$  emission from mazout use +  $CO_2$  emission from natural gas use.

Documentation box (Please provide numerical data referred to in this section):

The following data are used for calculation of the baseline scenario CO<sub>2</sub> emission reductions:

Projected heat production on wood fuel boiler ( $Q_w$ ) – 30000 MWh/y Baseline efficiency of the fossil fuel boilers: mazout – 80% and natural gas 83% Carbon emission factor for heavy fuel oil – 21,1 tC/TJ and for natural gas – 15,3 tC/TJ Fraction of carbon oxidised: heavy fuel oil – 0,99 and natural gas – 0,995

#### E.3 Revision of the baseline for the project

E.3.1 Baseline revisions are planned (please <u>underline</u>): <u>Yes</u>/ No *If yes, please complete the remainder of section E.3.* 

- E.3.2 Revisions are planned at regular intervals (please <u>underline</u>): Yes/ <u>No</u>
- If yes, please specify date of first planned revision and the length of the intervals:
- If no, please explain revision schedule (*up to half a page*):

The new data are planned to introduce in the baseline scenario, using international rules and guidelines for how such revision should be made. The time schedule is not yet specified.

E.3.3 Information on revisions

- If a baseline (and/or the project scenario) revision is covered by this report, describe briefly the nature of this revision, including parameters changed in the revision as well as the calculation of the new set of values in the column 'Baseline scenario' in a revision of table E.5.1, column (A): *(up to one page)*
- Date of last baseline revision: (DD/MM/YYYY)
- Date of next baseline revision: *(DD/MM/YYYY)*

Documentation box (Please provide numerical data referred to in this section):

# E.4 Scope and performance of the actual project

Provide actual project data (E.5.2. Column B) and the calculations of the actual real, measurable and long-term emission reductions and/or removals as measured against the relevant (original/revised) baseline scenario values

oox (Ple	ease pro	vide nun	ierical da	ita referi	red to in	this section	ion):		
ta are i	ised for	calculat	ion of the	actual (	CO2 emi	ssion red	uctions:		
	1	Actual he	at product	ion on bi	o fuels, N	/Wh/y			
1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
13074	26728	29372	36943	34372	29553	38592	33595	34045	33758
			_						
ction on	bio fuel	s, MWh/y	7						
200	)4	2005	_						
34045		37528							
5	<u>1994</u> 13074 ction on	ta are used for 1994 1995 13074 26728	<i>ta are used for calculat</i> Actual he 1994 1995 1996 13074 26728 29372 ction on bio fuels, MWh/y	<i>ta are used for calculation of the</i> Actual heat product 1994 1995 1996 1997 13074 26728 29372 36943 ction on bio fuels, MWh/y	<i>ta are used for calculation of the actual</i> ( Actual heat production on bio 1994 1995 1996 1997 1998 13074 26728 29372 36943 34372 ction on bio fuels, MWh/y	ta are used for calculation of the actual $CO_2$ emi Actual heat production on bio fuels, N 1994 1995 1996 1997 1998 1999 13074 26728 29372 36943 34372 29553 ction on bio fuels, MWh/y	<i>ta are used for calculation of the actual CO<sub>2</sub> emission redu</i> Actual heat production on bio fuels, MWh/y 1994 1995 1996 1997 1998 1999 2000 13074 26728 29372 36943 34372 29553 38592 ction on bio fuels, MWh/y	1994     1995     1996     1997     1998     1999     2000     2001       13074     26728     29372     36943     34372     29553     38592     33595       ction on bio fuels, MWh/y	ta are used for calculation of the actual CO2 emission reductions:     Actual heat production on bio fuels, MWh/y     1994   1995   1996   1997   1998   1999   2000   2001   2002     13074   26728   29372   36943   34372   29553   38592   33595   34045     ction on bio fuels, MWh/y

Other data used for calculations are presented in sections E.1 and E.2

Projected real, measurable and long-term GHG emission reductions or removals by sinks E.5.1

Projected real, measurable and long-term GHG emission reductions or removals by sinks over the lifetime of the AIJ activity (*Please underline and fill, as appropriate:* **This is the initial table** or this is revision \_\_\_\_\_ of this table) (in metric tons of CO<sub>2</sub> equivalent<sup>a</sup>)

Insert rows as needed	as needed											
	Bas	Baseline scenario <sup>b</sup> (A)	cenario			Project (	Project scenario <sup>b</sup> (B)		Projected term GHC re	real, mea 7 emissioi movals by	Projected real, measurable and long- term GHG emission reductions (-) or removals by sinks (+)	id long- is (-) or
										((B) - (A))	(4))	
Year	$CO_2$	CH4 <sup>a</sup>	$\mathrm{N_2O^a}$	N <sub>2</sub> O <sup>a</sup> Other <sup>a</sup>	$CO_2$	$\mathrm{CH_4}^{\mathrm{a}}$	$N_2O^a$	Other <sup>a</sup>	$CO_2$	$CH_4$	$N_2O$	Other
1994	9950				6415				-3535			
1995	9950				2095				-7856			
1996	9950				2095				-7856			
1997	9950				2095				-7856			
1998	9950				2095				-7856			
1999	9950				2095				-7856			
2000	9950				2095				-7856			
2001	9950				2095				-7856			
2002	9950				2095				-7856			
2003	9950				2095				-7856			
2004	9950				2095				-7856			
2005	9950				2095				-7856			

									ure utly								
					le		ity		Values indicated are assessed independently	(Yes/No)		Yes	Yes	Yes	Yes	Yes	Yes
					applicab		AlJ activ		le and ssion ⁄als by		Other						
					s. 5.2.4, as		cs of the		Actual real, measurable and long-term GHG emission reductions (-) or removals by sinks (+)	((F))	$N_2O$						
					n factor .4, and l		s by sink		real, measu term GHG ons (-) or re sinks (+)	((B)-(A))	$CH_4$						
-7856	-7856	-7856	-7856	-121368	conversic ctions E.I	' sinks	r removals nt <sup>a</sup> )		Actual long- reducti		$CO_2$	-3423	6669-	-7691	-9674	0006-	-7738
					'C (1995) ibed in se	movals by	Actual real, measurable and long-term GHG emission reductions or removals by sinks of the AIJ activity (in metric tons of CO <sub>2</sub> equivalent <sup>a</sup> )	neede			Other <sup>a</sup>						
					o the IPC ) as descr	ions or re	nission rec ns of CO2	rows as I	Actual project <sup>b c</sup> (B)		$N_2O^a$						
					ording t leakage,	n reduct	GHG en netric to	t. Insert	Actual (		CH4 <sup>a</sup>						
2095	2095	2095	2095	37838	itials, acc oundary (	G emissio	ong-term ( in r	usuremen			$CO_2$	6527	2952	2259	277	950	2212
20	20	20	20	378	uing poter project bo	term GHC	ble and lc	after mec	2		Other <sup>a</sup>						
					bal warm tside the	and long-t	measura	c post i.e.	: scenario <sup>b</sup> (A)		$N_2O^a$						
					s into glo urring ou	asurable a	tual real,	xe pesses	Baseline scenario (A)		$\mathrm{CH}_4^{\mathrm{a}}$						
9950	9950	9950	9950	159206	vert value. ffects occi	<u>l</u> real, mea	Ac	, values as	<b>H</b>		$CO_2$	9950	9950	9950	9950	9950	9950
2006	2007	2008	2009	TOTAL	<sup><i>a</i></sup> Please convert values into global warming potentials, according to the IPCC (1995) conversion factors. <sup><i>b</i></sup> Including effects occurring outside the project boundary (leakage) as described in sections E.1.4, and E.2.4, as applicable	E.5.2 $\overline{\text{Actual}}$ real, measurable and long-term GHG emission reductions or removals by sinks		Please insert values assessed ex post i.e. after measurement. Insert rows as neede			Year	1994	1995	1996	1997	1998	1999

	0050		1 R K *)	40405
2000				
2001	9950		1153	-8797
2002	9950		1036	-8915
2003	9950		1111	-8840
2004	9950		1036	-8915
2005	9950		124	-9827
2006	9950			
2007	9950			
2008	9950			
2009	9950			
TOTAL	159206		19480	-99924
<sup>a</sup> Please con <sup>b</sup> Including a	vert values into globi Hects occurring outs	al warming potent ide the proiect bon	<sup>a</sup> Please convert values into global warming potentials, according to the IPCC (1995) conversion factors. <sup>b</sup> Including effects occurring outside the moject boundary (leaked) as described in sections $E \mid A \mid E \mid 2 \mid A$	<sup>a</sup> Please convert values into global warming potentials, according to the IPCC (1995) conversion factors. <sup>b</sup> Including effects occurring outside the moject houndary (Jeakage) as described in socious F 1 4 F 2 4 F 5 4 and F 4 as amplicable

<sup>7</sup> Including effects occurring outside the project boundary (leakage) as described in sections E.I.4, E.2.4, E.3.4 and E.4, as applicable. <sup>c</sup> Values that differ from those in table E.5.1 should be marked in **bold**.

\*) On 2000 the heat production ob bio fuel has been higher than status quo total heat production.

#### 2006-03-15

# E.6 Mutually agreed assessment procedures

*If the AIJ activity provides for mutually agreed assessment procedures, please fill subsections E.6.1 or E.6.2, as applicable.* 

- E.6.1 Assessment procedures that use all or one of the following steps:
- E.6.1.1 Initial independent assessment of the project activity:
- Has the project design been subject to such an assessment? (*Please <u>underline</u>*): Yes/<u>No</u>
- If yes, what organization(s) is/are involved: (*Please indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.) and provide their detailed contact information in annex 1 to this report).*

Only a set of principles for the selection and verification of projects was worked out by the experts of the implementing agency STEM in Sweden. The host country governmental representatives have had a rather modest role in launching the projects.

E.6.1.2 Monitoring

- Does the project have a monitoring plan? (*Please <u>underline</u>*): <u>Yes</u> / No
- Summarize briefly the key elements of the monitoring plan (*i.e. which parameters are being monitored, with what frequency, providing sampling intensities if appropriate, methods and equipment; associated uncertainties, etc.) (not more than 1 page):*

STEM has continued its assistance in monitoring and reporting the projects in the host countries. Experts from STEM, as well as the Swedish consultancy company ÅF-International provided guidance in methodology. For the regular follow-up activities a special format has been developed to collect performance data from each plant for each heating season. The monitoring activities have continued by local experts for preparing Swedish AIJ reports.

The following monthly data are collected and monitored:

- $\checkmark$  Heat production on bio fuels;
- ✓ Heat production on fossil fuels;
- $\checkmark$  Total heat production of the boiler house;
- $\checkmark$  Bio fuels consumption;
- ✓ Fossil fuels consumption.
- Is the monitoring conducted by project proponents? (*Please <u>underline</u>*): <u>Yes</u> / No
- If no, which organization(s) is/are involved: (*Kindly indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.) and provide their detailed contact information in annex 1 to this report).*

E.6.1.3 Independent assessment of the project performance

- Is the activity subject to such an assessment? (*Please <u>underline</u>*): <u>Yes</u> / No
- If no, is such an assessment intended? (*Please <u>underline</u>*): Yes / No
- If yes, what organization(s) is/are involved: (*Please indicate the type of organization(s) (consultancy, accredited certification body, government body, university, etc.), and provide their detailed contact information in annex 1 to this report. Indicate the frequency of the assessments, how many assessments have taken*

2006-03-15

place to date, and whether the assessment report(s) is/are publicly available if requested).

Projects are followed and evaluated from technical and economic points of view by local experts (Evaluation Report Estonia: Boiler Conversion Projects in Estonia, 1995). In 1995 and 1996 special measurements (emissions) programs and performance tests were carried out of boiler conversion projects. These tests were carried out by Swedish specialists (ÅF-International) with assistance of local staff in the boiler houses. In addition some projects have been studied and reported on by international experts and by students at technical universities in Sweden, Germany, Estonia.

• Summarize briefly the key elements of the assessment activities: (*Please describe issues such as criteria used; the project design; project implementation; key project parameters being verified; the frequency of assessment/surveillance; sampling approach applied by the assessing organization*) (up to one page):

E.6.1.4 Provision of written statement by an independent entity regarding the performance of the project activity

(Please note that such a statement is not a formal requirement under the AIJ pilot phase (see also the note at the beginning of section E.6). If the project has made provision for such a statement, please indicate the name of the independent body and attach a copy of the written statement(s)).

E.6.2 Other form of mutually agreed assessment procedure (*please specify*):

Ministry of the Environment of Estonia is a central Estonian authority responsible on reporting of JI projects. This authority assigns a local institution, which is involved in to the evaluation of the climate effects of this project and takes the main responsibility to continue measuring, results collecting for JI-reporting.

# E. 7 Cost (to the extent possible)

- E.7.1 The cost information is *(Please <u>underline</u>)*:
- Provided below
- Not provided because the data are (*Please <u>underline</u>*):
  - Not yet available
  - Classified as confidential

Country		Tartu,Ardla,DH	1994	1995	1996	1997	1998	1999	2000	2001	2005
			0	1	2	3	4	5	6	7	11
	Investmen t	1. Loan/debt to STEM	559581	497405	466317	476576	450035	375029	0	0	repaid
		2. Added costs	0	0	0	10259	10961	0	0	0	in 2000
		3.Technical assistance	55000	0	0	0	0	0	0	0	0
	AIJ/JI	4. Follow up	0	7000	8200	8500	2200	2267	214	1265	2852
A. Sweden	costs	5. Reporting costs	0	0	0	850	2000	744	30	282	810
		6. Administration	0	0	0	0	0	0	0	0	0
		7. Difference in interest	4%	19896	18653	19063	18001	15001	0	0	0
		8.Accum. costs for AIJ/JI	55000	81896	108749	137162	159363	177375	177619	179167	182829

E.7.2 AIJ project activity costs

#### 2006-03-15

Daga 1/

SWEDEN	- 1910		2	2000-03-	15					tu 2006	
		9.Total costs	614581	579301	575066	613738	609398	552404	177619	179167	
	Investmen t	1. Investment/Instalment	0	62176	31088	0	37503	75006	375029	0	0
2.Estonia	AIJ/JI	2. Reporting costs	0	0	0	0	0	0	0	0	0
	costs	3. Other costs	0	0	0	0	0	0	0	0	0
		4. Accum. costs for AIJ/JI	0	0	0	0	0	0	0	0	0
		5. Total costs	0	62176	93263	93263	130766	205772	580801	580801	
1 USD =	10	SEK									

# **F.** Financial additionality

Bearing in mind that the financing of AIJ shall be **additional** to financial obligations of Parties included in Annex II to the Convention within the framework of the financial mechanism, as well as to current official development assistance (ODA) flows (decision 5/CP.1):

Please list sources and the purpose:

<b>Source and purpose of the AIJ project activity funding</b> Including pre-feasibility phase (One line for each source)	Amount in thousand US\$ (in Swedish crone, SEK)
Loan from NUTEK*	746.7 (SEK 5 600 000)
Grant from NUTEK* for technical assistance	73.3 (SEK 550 000)

1 USD = 7,5 SEK

\* From 1 January, 1998, the new Swedish National Energy Administration was established – from 1 January 2002 the name in English has been changed to the Swedish Energy Agency - has taken over the responsibility for the Programme for an Environmentally Adapted Energy System in the Baltic region and Eastern Europe (EAES Programme) from NUTEK (Swedish National Board for Industrial and Technical Development.

**G.** Contribution to capacity building, transfer of environmentally sound technologies and know-how to other Parties, particularly developing country Parties, to enable them to implement the provisions of the Convention. In this process, the developed country Parties shall support the development and enhancement of endogenous capacities and technologies of developing country Parties

#### G.1 Identification of environmentally sound technology and know-how

• Name of manufacturer: KMW Energi i Norrtälje AB (main contractor of the combustion equipment)

- Place of manufacture *(country)*: Sweden
- Model names and numbers of equipment (*where appropriate*):

The main parts of the delivery have been:

- Fuel storage above the ground complete with hydraulic discharge scrapers and crane;
- Fuel conveyor from storage to furnace;

#### 2006-03-15

Page 15 Tartu 2006

- o Prefurnace with gas channel and air system;
- o Flue gas cleaning of multyicyclone type;
- o Flue gas fan, air fans;
- o Ash and slag removable system;
- o Control and supervision system;
- o Stairs walkways and railings for operation and maintenance.
- Any other relevant key specific technology characteristics:

Conversion of an oil-fired DKVR 10-13 boiler to bio fuels through installation of an integrated movable grate in the existing boiler. The new equipment consists of a pre-furnace with a moving grate, a fuel silo, fuel handling equipment and flue gas cleaning equipment.

Boiler type:	DKVR 10 -13 (hot water)
Boiler output:	6 MW
Pre-furnace:	Integrated in the boiler (moving inclined grates)
Flue gas cleaning:	Multicyclone <300 mg/Nm3
Fuel type:	Wood chips, sawdust,
	bark, 35-55% RH
Previous fuel:	Mazout (high-sulphur content heavy fuel oil) and natural gas

• Where applicable, name and location of provider and nature of training:

In-site training of local staff on operation and maintenance of the installed equipment provided by main supplier according to the Contract

#### G.2 Characteristics of environmentally sound technology

The technology is (*underline the option*):

- At a research and development stage
- Being tested or demonstrated in similar conditions outside the host country
- At the initial stage of introduction into the world market
- At the initial stage of introduction into the host market
- Commercially available and deployed in the world market
- Commercially available and deployed in the host market
- Not characterized by the above options. *Please describe:*

# G.3 Impact of the AIJ project on capacity-building and transfer of environmentally sound technology and know-how (up to two pages):

Systematically, the capacity building and transfer of know-how have involved the following activities over time and have taken place through:

# i) Technology transfer through STEM technical specialist and co-operation between foreign supplier and local partner during the implementation of the project:

- Technical support of STEM specialist to the local project leader and municipality;
- Knowledge in negotiations to foreign companies;
- Knowledge in managing and planning of industrial projects;
- Transferring of environmental issues to the local parties;
- Transferring of knowledge in operation and maintenance issue;
- Operation and maintenance software was introduced to the plant-owners;

#### 2006-03-15

• Transferring of software in computer-based maintenance system.

#### ii) Conferences, seminars, documentation and training:

- Personal from boiler plant has been invited to different seminars and workshops and several presentations about company experience have made, documentation for training has been handed over;
- There were arranged seminars through close cooperation between STEM and Estonian partners:
  - ✓ Environmentally Friendly Energy Systems in the Baltic Region and Eastern Europe seminar in Tallinn, 14-15 Aprill, 1994;
  - ✓ Environmentally Friendly Energy Systems in the Baltic Region and Eastern Europe seminar and workshops in Tartu, 25 November, 1994 (prepared information by topics in Estonian over than 150 pages);
  - ✓ EAES Programme District Heating Day in Vändra, 27 July, 1995;
  - Environmentally Adapted Local Energy Systems seminar and presentation of translated into Estonian booklet "Environmentally Adapted Local Energy Planning" in Rakvere, 11 November, 1998 and in Tartu, 12 November, 1998.
  - ✓ Exploitation of boiler houses on bio fuels. Practical experiences international seminar in Narva-Jõesuu, 3 –5 April, 2001 (in Russian language);
  - ✓ Arrangement of operation of boiler houses on bio fuels seminar in Essu, 19 21 September, 2001 in Russian language).

# iii) Stimulate "net-working" for the exchange of experience between plant owners with similar problems, e g "bio-clubs":

- Activities have been supported by STEM to establish Estonian Bio Fuels Association: meetings representatives of plant owners and consultants were arranged in Haabneeme, Valga, Võru, Tartu, Pärnu and Viljandi;
- The boiler plant has been visited by specialist from another boiler plants (incl. Russia, Baltic Countries). The local staff has an exchange of experience with the staff from another boiler plants and has been active in "bio-club";
- Estonian Bio Fuels Association is established in 1998 (mainly by "bio-club" and local experts) and the company is a member.
- The boiler plant manager has been invited to the other boiler plants as "local consultant" for training and exchange experiences.

# H. Additional comments

*Complete as appropriate:* 

# 1) Any practical experience gained:

- The manager of the company works as consultant from time to time and operators from other projects boiler plants are trained.
- Good training and experience of the staff is necessary to operate bio fuel boiler at full capacity.
- Is very important to control temperature in the prefurnace and the temperature gauge must be installed in the suitable place to avoid lining damages.
- There are improved the combustion conditions by installing tertial combustion air system.
- The bio fuel boiler economizer was reconstructed to get better heat exchange. Up to 1 MW effect was achieved. The bio fuel boiler heat production was significantly increased in 2000.

# 2) Technical difficulties:

#### 2006-03-15

Page 17 Tartu 2006

- The prefurnace lining was damaged due to high temperature and the boiler was stopped for repairing. The boiler was operated very close to the maximum load.
- It was necessary to change partly cast-iron grate elements therefore heat production on bio fuel was reduced in 2001.
- It was necessary to install new chimney
- There have been problems with boiler tubes corrosion due to using too wet wood fuel
- Repairing works are needed to continue operation of bio fuel boiler.

#### 3) Effects encountered:

- Execution of the follow up and monitoring activities to get feedback to the programme and for evaluation of the results of the different measures
- Consulting support from both Swedish and Estonian side, also after commissioning
- The boiler plant's environmental taxes have increased after the boiler conversion (due to increased CO and ash emissions compared to the natural gas)

#### 4) Impacts encountered:

- The experiences from EAES Programme projects have formed the basis for a new policy as respect to increasing renewable energy sources in the total energy balance of Estonia.
- Reduced dependence on imported fuels.
- The boiler plant manager has got very good renommé after boiler conversion with best result in town. The energy department has asked him to be as advisor to solving energy problems in Tartu. Boiler plant used as demonstration object in the town.

#### 5) Other obstacles encountered:

- Lack of a strong national focal point to support and promote biomass energy use
- Lack of wood fuel in the local market due to increased wood fuel (sawmills wastes, white chips, bark) export from 2001. The sawdust is mainly used now as raw material in pellet factories. The sawmills wastes have been the main wood fuel during latest years and the share of use of forest residues has not been high. But there is tendency to use more forest residues.

# 6) Other:

- The company has experience about purchasing wood fuel according to the produced heat by the converted boiler.
- The wood fuel moisture content is regularly measured.
- No subsidies to renewables, taxation policy is not in support of bio fuel use. Energy and fuel taxation is planned (on 2004) to establish with zero taxes for bio fuel to stimulate the wider use of bio fuels in the municipal heat production.
- Calculations of the volume of emissions of sulphur dioxide and nitrogen oxide in the section D are calculated according to the Regulation No. 99 of 02 August 2004 of the Ministry of the Environment "The procedure and methods of determination of the volume of pollutants from combustion plants to the air".
- On 2000 a research project was started with Det Norske Veritas with the aim to develop methods for simplifying the verification of JI-projects based on the experiences from the Swedish boiler conversion projects in the Baltic countries. The project has been finished in 2001.
- On 2002 by the Ministry of Environment there was prepared draft National Programme for Reduction of Greenhouse Gases 2003-2012, which has been adopted by the Government on 2004.
- The National Allocation Plan (NAP) to the European greenhouse gas emissions trading scheme has been developed on 2004 according to the Directive 2003/87/EC,

#### 2006-03-15

Page 18 Tartu 2006

establishing a scheme for greenhouse gas emission allowance trading in the Community. Eraküte Ltd Tartu department has been included in the NAP.

- New environmental taxes law has been enforced from January 2006. According to this law CO<sub>2</sub> tax has been implemented also for use fossil fuels in medium size burning equipment.
- On 2004 wood fuel has been started to buy according to the fuel energy content. Fuel samples from each truck will be weighted and moisture content measured. Wood fuel supplies have started to supply more dry fuel.

# Annex 1 to the revised uniform reporting format (URF 01)

#### **PARTICIPANTS' CONTACT INFORMATION**

*Please provide contact information for <u>each</u> organization. Add rows as required (by copying and pasting)* 

Name	Address <sup>a</sup>	Voice/Fax/E-mail
Organization(s) <sup>b</sup> : Swedish E	nergy Agency <sup>(*</sup>	Ι
<b>Function(s) within activity</b> <sup>c</sup> :	Financing/Project development	
Officer responsible:	The System Analysis Department, Climate Change Division Kungsgatan 43 BOX 310 S-63104 Eskilstuna SWEDEN http://www.stem.se	Tel: +46 16 544 20 81 Fax: +46 16 544 22 64 E-mail: bengt.bostrom@stem.se
<b>Contact person, if different</b> <b>from above:</b> Gudrun Knutsson	Head of Section, Climate Investment Programme	Tel: +46 16 544 20 72 Fax:+46 16 544 22 54 E-mail: Gudrun.Knutsson@stem.se

(\* From 1 January, 1998, the new Swedish National Energy Administration – from 1 January 2002 the name in English has been changed to the Swedish Energy Agency - has taken over the responsibility for the Programme for an Environmentally Adapted Energy System in the Baltic region and Eastern Europe (EAES Programme) from NUTEK (Swedish National Board for Industrial and Technical Development).

Name	Address <sup>a</sup>	Voice/Fax/E-mail
<b>Organization(s)</b> <sup>b</sup> : ÅF-Interna	tional (Malmö)	
Function(s) within activity <sup>c</sup> :	Technical assistance	
Officer responsible:	Stensjögatan 3 S-21765 Malmö SWEDEN http://www.af.se	Tel:+46 40 37 50 00 Fax:+46 40 13 03 69 E-mail:
<b>Contact person, if different</b> <b>from above:</b> Ulf Lindgren	Project leader	Tel:+46 40 37 50 97 Fax:+46 40 13 03 69 E-mail: <u>Ulf.lindgren@af.se</u>

#### 2006-03-15

Page 20 Tartu 2006

Name	Address <sup>a</sup>	Voice/Fax/E-mail	
Organization(s) <sup>b</sup> : Ministry of t	Organization(s) <sup>b</sup> : Ministry of the Environment of the Republic of Estonia		
<b>Function(s) within activity<sup>c</sup>:</b> Designated national authority/reporter			
Officer responsible:	Department of Environment	Tel: +372 62 62 802	
_	Management and Technology	Fax:+372 62 62 801	
	Narva mnt. 7A	E-mail: min@envir.ee	
	15172 Tallinn		
	ESTONIA		
	http://www.envir.ee		
Contact person, if different	Specialist	Tel: +372 62 62 977	
from above:		Fax:	
Karin Radiko		E-mail:	
		karin.radiko@envir.ee	

Name	Address <sup>a</sup>	Voice/Fax/E-mail
<b>Organization(s)</b> <sup>b</sup> : DH compan	y Võru Soojus Ltd	
<b>Function(s) within activity<sup>c</sup>:</b> <i>P</i>	roject owner/borrower	
Officer responsible:	Tulbi 12 50412 Tartu ESTONIA http://www.erakyte.ee	Tel:+372 7 426 101 Fax:+372 7 426 100 E-mail: <u>tartu@erakyte.ee</u>
<b>Contact person, if different from above:</b> Enn Pärnamäe	Manager	Tel:+372 7 426 104 Fax:+372 7 426 100 E-mail: <u>enn@erakyte.ee</u>

Name	Address <sup>a</sup>	Voice/Fax/E-mail
Organization(s) <sup>b</sup> : Regional En	ergy Centres in Estonia	I
<b>Function(s) within activity<sup>c</sup>:</b> L	ocal reporter	
Officer responsible:	Võru P.O., BOX 43	Tel:+372 78 282 30
-	65602 Võru	Fax:+372 78 282 30
	ESTONIA	E-mail:
Contact person, if different	Consultant	Tel:+372 78 282 30
from above:		Fax:+372 78 282 30
Elmu Potter		E-mail: <u>elmupotter@hot.ee</u>

<sup>a</sup> Address should include: department; street; postal code; city; country and the Internet address of the organization (if available). <sup>b</sup> Organization includes: institutions, ministries, government agency closely following the

<sup>b</sup> Organization includes: institutions, ministries, government agency closely following the activity, companies, non-governmental organizations, etc. involved in the activity. <sup>c</sup> Function within activity: please use the following categories:

i unetton within activity. pi	ease use the jotto thing earleget tes.
Function	Description of function

	Tattu 2000
Project development	Designing/developing the AIJ project and/or submitting the AIJ project proposal
Project operator	Implementing and administering the AIJ project activities
Government regulation/oversight	<i>Ensuring compliance of the project with laws and regulations</i>
Technical assistance	Providing scientific or other technical guidance or support for the purposes of project development and/or project administration, implementation, training and education activities
Financing	Serving as a source of funding for the AIJ project
Initial independent assessment of project activity	Assessing whether the project activity meets a given set of criteria
Monitoring	Monitoring the environmental and/or socio-economic results of the project in accordance with a monitoring protocol
Independent assessment of project performance	Assessing the performance (environmental and/or socio- economic) achieved by a project against pre-set criteria
Providing independent written statement on performance	Providing written assurance that a performance is achieved and/or a set of criteria is met by an activity
Designated national authority	<i>Entity authorized to officially accept, approve or endorse the AIJ project</i>
Other (please specify)	