

# **United Nations** Climate Change Secretariat

### **Nations Unies**

Secrétariat sur les changements climatiques

State: Final

**Date:** 29/07/2013

**UNFCCC ITL Administrator** 

## **Standard Independent Assessment Report Assessment Report** Part 2 - Substance

IAR/2013/DEU/2/2 Reference:

Version

number:

Miroslav Hrobak/ICZ Slovakia a.s. Prepared by:

Malgorzata Sedziwa/ Institute of

Environmental Protection - National Reviewed by: Research Institute, The National

Administration of the Emission Trading

Scheme

Markwin Pieters/UNFCCC Approved by:

### **Circulation list**

Name/Role	Organization	Info/Action
Miroslav Hrobak/Assessor	ICZ Slovakia a.s.	Info
Ling Ling Federhen/Assessor	UNFCCC	Info
Coordinator		
Oliver Schwalb/RSA	German Emissions Trading	Action
	Authority (DEHSt) at the	
	Federal Environment Agency	

**Document change record** 

Version	Date	Description
0.1	29/05/2013	Initial Draft
1.0	03/06/2013	Final
1.1	19/07/2013	Party's response incorporated
2.0	29/07/2013	Final

# Summary

Ref Nr	Description	Value	Comments
P2.0.1	Party name	Germany	
P2.0.2	Reporting period	2012	
P2.0.3	Submission under review	Files provided by the Party:  - [SEF] SEF_DE_2013_4_12-19- 23 10-5-2013.xls  - [NIR] DEU_NIR_2013_Master_en.pdf  - [REPORTS] SIAR Reports 2012- DE v4.3 RREG.xls  - [RESPONSE] Consultation_form_P1&2_2013_D EU.doc  - [TEST RESULTS] DE-IAR-2012- test-results.pdf  - [DATABASE STRUCTURE] DE-IAR-2012-database- structure.pdf	Files provided by the ITL Administrator:  - [SEFCR] SEF_DE_2013_4_12-19- 23 10-5-2013_CR.xls  - [RRITL] SIAR_Reports_2012_DEU _RITLv1.xls
P2.0.4	Previous annual review report reference	FCCC/ARR/2011/DEU (18/05/2012)	(2012 Inventory Review Report not available at the time of an assessment.)

# **Table of Contents**

1. Introduction	4
1.1. Overall assessment	4
1.2. Summary of findings	5
2. Identification of Problems	6
3. Identification of Significant Changes	13
4. Recommendations	17
4.1. Previous Expert Review Team recommendations	17
4.2. Recommendations to address identified problems	17

### 1. Introduction

The SIAR Part 2 report assesses the substance of a Party's annual submission with regard to its national registry. Each section contains questions related to the specific items to be assessed.

## 1.1. Overall assessment

Ref Nr	Requirement	Assessment
P2.1.1	Is the information submitted by Party, in relation to its national registry, complete?	[X]Yes[]No
P2.1.2	Problem found with Party's national registry?	[ ]Yes [X]No
P2.1.3	Any unresolved problem with Party's national registry?	[ ]Yes [X]No
P2.1.4	Problems identified with the significant changes to the Party's national	[X]Yes[]No
	registry?	P2.3.3, P2.3.10
P2.1.5	National registry related recommendations from previous annual review were fully addressed?	[X]Yes []No
P2.1.6	Is there any recommendation that needs to be addressed by the Party?	[X]Yes []No
		P2.4.2.1 - P2.4.2.5

# 1.2. Summary of findings

Ref Nr	Summary of findings	
P2.2.1	<ol> <li>The information on Kyoto Protocol units has been reported in accordance with section I.E of the annex to dec and is accurate. The national registry continues to fulfill the requirements related to its reporting and accountin on Kyoto Protocol units, transaction procedures, conformance to the technical standards, security, data integri measures.</li> </ol>	g of information
	<ol> <li>Party has reported information on its accounting of Kyoto Protocol units in the required SEF tables, as required 15/CMP.1 and 14/CMP.1. The SIAR assessor reviewed the findings included in the SIAR on the SEF and the State of the SIAR was forwarded to the ERT prior to the review, pursuant to decision 16/CP.10.</li> </ol>	
	<ol> <li>Information on the accounting of Kyoto units has been prepared and reported in accordance with section I.E decision 15/CMP.1, and reported in accordance with decision 14/CMP.1 using the SEF tables.</li> </ol>	of the annex to
	4. The SIAR assessor concludes that the national registry continues to perform the functions set out in the an 13/CMP.1 and the annex to decision 5/CMP.1, and continues to adhere to the technical standards for data excregistry systems in accordance with relevant Conference of the Parties serving as the meeting of the Partie Kyoto Protocol decisions.	hange between
	<ol> <li>The national registry has not fulfilled the requirements regarding the public availability of information in a section II.E of the annex to decisions 13/CMP.1. The SIAR assessor recommends that Party include Acco Holding and transaction information, List of legal entities authorized by Party.</li> </ol>	
	6. Party has reported its commitment period reserve in its 2012 annual submission.	
	<u>ecommendations</u>	
	7. The assessor notes that Germany is relying upon public information per 13/CMP.1 Annex paragraph 4 reference to paragraph 45and paragraph 47, which is not under the party's direct control. The assessor re Germany includes public information directly on the website of the national registry or via a link from the reganother website controlled by the Party. The assessor recommends that the publicly available information be updated as close to real time as possible, but at least updated on a monthly basis).	commends that jistry website to

Ref Nr	Summary of findings		
	8. The assessor notes that Germany is not fully reporting changes in the national registry related to change of test results. While the Party has resubmitted these items during the assessment cycle, the provided test report reveals a test plan which was of insufficient scope. This is evidenced by the limited number of Kyoto processes covered and absence of DES compliance demonstration through Annex H testing. Compliance with the DES requirements is essential to maintain confidence that national registry continues to perform the functions set out in the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1. Therefore, the assessor strongly recommends that the Party test each release thoroughly against the DES as part of each major release cycle and provide the complete results in its annual NIR.		
	9. The assessor notes that Germany is not fully reporting changes in the national registry related to the description of database structure. While the Party has resubmitted a simplified data model during the assessment cycle, the information contained within the model is not sufficient. This is evidenced by the lack of descriptions of each entity in the diagram and the omission of some diagram entities mandated in the Data Exchange Standard. The assessor recommends that following major changes, the party provide a data model which contains all DES required entities complete with descriptions in its annual NIR.		

### 2. Identification of Problems

The purpose of this section is to identify any problems with the national registry based on the Party's annual submission and transaction log records that may affect the performance of the functions of the national registry pursuant to paragraph 88 of the annex to decision 22/CMP.1.

Ref Nr	Requirement	Assessment	Comment
	22/CMP.1 paragraph 88.(a) The information is complete and submitted in	Assessed in SIAR Part 1. Kept here for	
	accordance with section I.E of the annex to decision 15/CMP.1 and relevant decisions of the COP/MOP;	completeness	

Ref Nr	Requirement	Assessment	Comment
P2.2.2	22/CMP.1 paragraph 88.(b)  The information relating to issuance, cancellations, retirement, transfers, acquisitions, replacement and carry-over is consistent with information contained in the national registry of the Party concerned and with the records of the transactions log;	Problem Identified? [ ] Yes [X] No	Party submitted a SEF which is consistent with the ITL records.
P2.2.3	22/CMP.1 paragraph 88.(c)  The information relating to transfers and acquisitions between national registries is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with information reported by the other Parties involved in the transactions;	Problem Identified? [ ] Yes [ X ] No	Party submitted a SEF which is consistent with the ITL records.
P2.2.4	22/CMP.1 paragraph 88.(d) The information relating to acquisitions of CERs, tCERs, and ICERs from the CDM registry is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with the clean development mechanism (CDM) registry;	Problem Identified? [ ] Yes [X] No	Party submitted a SEF which is consistent with the ITL records.
P2.2.5	22/CMP.1 paragraph 88.(e)  ERUs, CERs, AAUs and RMUs have been issued, acquired, transferred, cancelled, retired, or carried over to the subsequent or from the previous commitment period in accordance with the annex to decision 13/CMP.1;	Problem Identified? [ ] Yes [X] No	No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to ERUs, CERs, AAUs and RMUs.

Ref Nr	Requirement	Assessment	Comment
P2.2.6	22/CMP.1 paragraph 88.(f)  tCERs and ICERs have been issued, acquired, transferred, cancelled, retired and replaced, in accordance with the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1;	Problem Identified? [ ] Yes [ X ] No	No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to tCERs and ICERS.
P2.2.7	22/CMP.1 paragraph 88.(g)  The information reported under paragraph 11 (a) of section I.E. in the annex to decision 15/CMP.1 on the quantities of units in accounts at the beginning of the year is consistent with information submitted the previous year, taking into account any corrections made to such information, on the quantities of units in accounts at the end of the previous year;	Problem Identified? [ ] Yes [ X ] No	Party submitted a SEF which is consistent with the ITL records and with information submitted in the year prior to the reported year.
P2.2.8	22/CMP.1 paragraph 88.(h)  The required level of the commitment period reserve, as reported, is calculated in accordance with paragraph 6 of the annex to decision 18/CP.7;	Only assessed by the Expert Review Team. Kept here for completeness	
P2.2.9	22/CMP.1 paragraph 88.(i)  The assigned amount is calculated to avoid double accounting in accordance with paragraph 9 of the annex to decision 16/CMP.1;	Only assessed by the Expert Review Team. Kept here for completeness	

I	Ref Nr	Requirement	Assessment	Comment
P2.2	2.10	22/CMP.1 paragraph 88.(j)  A discrepancy has been identified by the transaction log relating to transactions initiated by the Party, and if so the expert review team shall:	Has the discrepancy been identified by the transaction log?  [ ] Yes [X] No	No discrepancies occurred for the Party.  4003 code was reported by the party, but it is not assessed as a discrepancy.
r each discrepancy type (include Type	P2.2.10.	22/CMP.1 paragraph 88.(j)(i)  Verify that the discrepancy has occurred and been correctly identified by the transaction log;	Has the discrepancy been identified by the transaction log?  [ ] Yes [ ] No [ X ] N/A	No discrepancies occurred for the Party.
	P2.2.10. 2	22/CMP.1 paragraph 88.(j)(ii) Assess whether the same type of discrepancy has occurred previously for that Party;	Has the same type of discrepancy occurred previously for that Party?  [ ] Yes [ ] No [ X ]  N/A	No discrepancies occurred for the Party.
	P2.2.10. 3	22/CMP.1 paragraph 88.(j)(iii) Assess whether the transaction was completed or terminated;	Was the transaction completed or terminated?  [ ] Yes [ ] No [ X ]  N/A	No discrepancies occurred for the Party.
Repeat for	P2.2.10.	22/CMP.1 paragraph 88.(j)(iv)  Has the Party corrected the problem that caused the discrepancy?	Problem that caused the discrepancy corrected?  [ ] Yes [ ] No [ X ]  N/A	No discrepancies occurred for the Party.

Ref Nr	Requirement	Assessment	Comment
P2.2.	22/CMP.1 paragraph 88.(j)(v)  Assess whether the problem that caused the discrepancy relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, issuance, holding, transfer, acquisition, cancellation and retirement of ERUs, CERs, tCERS, ICERs, AAUs and RMUs, the replacement of tCERs and ICERs, and the carry-over of ERUs, CERs and AAUs	Discrepancy relates to the capacity of the national registry to ensure the accurate accounting?  [ ] Yes [ ] No [ X ]  N/A	No discrepancies occurred for the Party.

	Ref Nr	Requirement	Assessment	Comment	
P2.2	2.11	22/CMP.1 paragraph 88.(k)  Any record of non-replacement has been sent to the Party by the transaction log in relation to tCERs or ICERs held by the Party, and if so the expert review team shall:	Any tCERs or ICERs subject to non- replacement held by Party? [ ] Yes [ X ] No	No non-replacements occurred for the Party.	
t type (incl	P2.2.11.	22/CMP.1 paragraph 88.(k)(i)  Verify that the non-replacement has occurred and been correctly identified by the transaction log;	Has the transaction log identified the non-replacement?  [ ] Yes [ ] No [ X ] N/A	No non-replacements occurred for the Party.	
non-replacement	P2.2.11. 2	22/CMP.1 paragraph 88.(k)(ii) Assess whether non-replacement has occurred previously for that Party;	Has this type of non-replacement previously occurred for that Party?  [ ] Yes [ ] No [ X ] N/A	No non-replacements occurred for the Party.	
each non-	P2.2.11. 3	22/CMP.1 paragraph 88.(k)(iii) Assess whether the replacement was subsequently undertaken;	Was the replacement subsequently undertaken? [ ] Yes [ ] No [ X ] N/A	No non-replacements occurred for the Party.	
Repeat for e	P2.2.11. 4	22/CMP.1 paragraph 88.(k)(iv)  Examine the cause of the non-replacement and whether the Party has corrected the problem that caused the non-replacement;	Has the Party corrected the problem that caused the non-replacement?  [ ] Yes [ ] No [ X ] N/A	No non-replacements occurred for the Party.	

Ref Nr	Requirement	Assessment	Comment	
P2.2.11. 5	22/CMP.1 paragraph 88.(k)(v)  Assess whether the problem that caused the non-replacement relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, holding, transfer, acquisition, cancellation, and retirement of ERUs, CERs, tCERs, ICERs, AAUs and RMUs, and the replacement of tCERs and ICERs, and if so, initiate a thorough review of the registry system in accordance with part V of these guidelines.	Non-replacement relates to the capacity of the national registry to ensure the accurate accounting?  [ ] Yes [ ] No [ X ] N/A	No non-replacements occurred for the Party.	

## 3. Identification of Significant Changes

The purpose of this section is to identify any **significant changes** in the national registry reported by the Party that may affect the performance of the functions contained in the annex to decision 13/CMP.1, the annex to decision 15/CMP.1 and the adherence to the technical standards for data exchange between registry systems in accordance with relevant COP/MOP decisions.

If a change to a Party's national registry has been identified under paragraph 22 of the annex to decision 15/CMP.1 then information relating to this change should be submitted by the Party in accordance with paragraph 32 of the annex to decision 15/CMP.1. This section assesses the submitted changes reported by Party in accordance with paragraph 32 of decision 15/CMP.1, and the further guidance elaborated in the Independent Assessment Report common operational procedure.

		Has the Party reported a	Problem Identified with	
Ref Nr	Requirement	change?	the Change?	Comment
P2.3.1	15/CMP.1 paragraph 32.(a) The name and contact information of the registry administrator designated by the Party to maintain the national registry	Not a significant change, left here for completeness		
P2.3.2	15/CMP.1 paragraph 32.(b) The names of the other Parties with which the Party cooperates by maintaining their national registries in a consolidated system	[X]Yes [] No	[ ]Yes [X] No	The EU Member States who are also Parties to the Kyoto Protocol (25) plus Iceland, Liechtenstein and Norway have decided to operate their registries in a consolidated manner operated by the European Commission. The Consolidated System of EU registries was certified on 1 June 2012 and went to production on 20 June 2012.
P2.3.3	15/CMP.1 paragraph 32.(c) A description of the database structure and capacity of the national registry.	[X]Yes [] No	[X]Yes [] No	Party submitted a description of the current database structure of the consolidated registry as provided by the European Commission. (file "DE-IAR-2012-database-structure.pdf"). The description does not relate to database capacity. Party reports that changes in the current consolidated registry software were not related to Kyoto functions and did not affect the database capacity.

		Has the Party reported a	Problem Identified with	
Ref Nr	Requirement	change?	the Change?	Comment
P2.3.4	15/CMP.1 paragraph 32.(d) A description of how the national registry conforms to the technical standards for data exchange between registry systems for the purpose of ensuring the accurate, transparent and efficient exchange of data between national registries, the clean development mechanism registry and the transaction log (decision 19/CP.7, paragraph 1)	[X]Yes [] No	[]Yes [X] No	During certification, the consolidated registry was notably subject to connectivity testing, connectivity reliability testing, distinctness testing and interoperability testing to demonstrate capacity and conformance to the DES. All tests were executed successfully and lead to successful certification on 1 June 2012.
P2.3.5	15/CMP.1 paragraph 32.(e)  A description of the procedures employed in the national registry to minimize discrepancies in the issuance, transfer, acquisition, cancellation and retirement of ERUs, CERs, tCERs, ICERs, AAUs and/or RMUs, and replacement of tCERs and ICERs, and of the steps taken to terminate transactions where a discrepancy is notified and to correct problems in the event of a failure to terminate the transactions	[X]Yes [] No	[ ]Yes [X] No	A description of the procedures employed in the Consolidated System of EU Registries to minimize discrepancies is provided in discrepancies procedures, as reflected in the updated manual intervention document and the operational plan provided by the Party.

		Has the Party reported a	Problem Identified with	
Ref Nr	Requirement	change?	the Change?	Comment
P2.3.6	15/CMP.1 paragraph 32.(f)			An overview of the security measures employed in the
	An overview of security measures employed in the national registry to prevent unauthorized manipulations and to prevent operator error and of how these measures are kept up to date	[X]Yes [] No	[ ]Yes [X] No	Consolidated System of EU Registries is provided in security plan provided by the Party.
P2.3.7	15/CMP.1 paragraph 32.(g)  A list of the information publicly accessible by means of the user interface to the national registry	Not a significant change, left here for completeness		
P2.3.8	15/CMP.1 paragraph 32.(h) The Internet address of the interface to its national registry	Not a significant change, left here for completeness		
P2.3.9	15/CMP.1 paragraph 32.(i)  A description of measures taken to safeguard, maintain and recover data in order to ensure the integrity of data storage and the recovery of registry services in the event of a disaster	[X]Yes [] No	[ ]Yes [X] No	An overview of the security measures employed in the Consolidated System of EU Registries is provided in disaster recovery plan provided by the Party.

Ref Nr	Requirement	Has the Party reported a change?	Problem Identified with the Change?	Comment
P2.3.10	15/CMP.1 paragraph 32.(j)  The results of any test procedures that might be available or developed with the aim of testing the performance, procedures and security measures of the national registry undertaken pursuant to the provisions of decision 19/CP.7 relating to the technical standards for data exchange between registry systems.	[X]Yes [] No	[X]Yes [] No	The Party notes in that changes have been made to the results of its test procedures related to the October 2012 release of the consolidated registry software that affected only ETS functionality and had no impact on Kyoto functions. While the Party has resubmitted these items during the assessment cycle (DE-IAR-2012-test-results.pdf), the provided test report reveals a test plan which was of insufficient scope.

#### 4. Recommendations

## 4.1. Previous Expert Review Team recommendations

This section assesses Party's response to the previous annual review recommendations.

Do	f Nie	Recommendation from previous Annual Review	Has Party acted on	Comment
Re	f Nr	report (with ref)	recommendation?	Comment
P2.4	4.1.1	(No recommendations from previous Annual	[X]Yes []No	2012 Inventory Review Report not available at the
		Review report)		time of an assessment.

## 4.2. Recommendations to address identified problems

If a problem has been identified earlier in section 2 and 3 or a previous recommendation listed in section 4.1 has not been taken into account, then this section of the report lists a recommendation for each problem to be brought to the attention to the Expert Review Team.

Ref Nr	Recommendation Ref	Recommendation description	Comment
P2.4.2.1	P1.4.1, P1.4.3,	The assessor recommends that Germany includes public information directly on the website of the national registry or via a link from the registry website to another website controlled by the Party. The assessor recommends that the publicly available information be up to date (i.e. updated as close to real time as possible, but at least updated on a monthly basis).	The Party states in [RESPONSE] that it is going to maintain its own website by the end of 2013. The public information will be accessible via a link from the Party's part of the Union Registry to another website controlled by the Party.
P.2.4.2.2	P1.4.4	The SIAR assessor recommends that Party makes List of legal entities authorized by Party public.	The Party states in [RESPONSE] that public report website will include a list of legal entities authorized by the Party to hold ERUs, CERs, AAUs and/or RMUs under its responsibility.
P2.4.2.3	P2.3.3, P2.3.10	The assessor notes that Germany is not fully reporting changes in the national	The assessor notes that Germany provided this information in [RESPONSE]. However, additional

		registry related to change of test results and change of database structure. The assessor recommends that Germany provides this information related to the most current implemented version of the consolidated registry software.	analysis of the provided documentation reveals an incomplete test was performed and that an insufficient database structure was provided. Based on this information two additional recommendations have been added.
P2.4.2.4	2.3.3	The assessor recommends that following major changes, the party provide a data model which contains all DES required entities complete with descriptions in its annual NIR.	
P2.4.2.5	2.3.10	The assessor strongly recommends that the Party test each release thoroughly against the DES as part of each major release cycle and provide the results of such tests in its annual NIR.	