



UNFCCC ITL Administrator

**Standard Independent Assessment Report
Assessment Report
Part 2 - Substance**

Reference:	SIAR/2013/DNK/2/2	State:	Final
Version number:	2.0		
Prepared by:	Anatolii Shmurak/ SEIA of Ukraine	Date:	30/07/2013
Reviewed by:	Chris Collins/SRA		
Approved by:	Markwin Pieters/UNFCCC		

Circulation list

Name/Role	Organization	Info/Action
Anatolii Shmurak	SEIA of Ukraine	Info
Markwin Pieters	UNFCCC	Info
Ling Ling Federhen/Assessor Coordinator	UNFCCC	Info
Soren Houen/RSA	Danish Energy Agency	action

Document change record

Version	Date	Description
0.1	30/05/2013	Initial draft
1.0	12/07/2013	Final Draft for Party
1.1	17/07/2013	Draft after evaluation the consultation form from Party after receiving annexes to Responses to Standard Independent Assessment Report Assessment Report Part 1 and 2 from Party
2.0	30/07/2013	Final

Summary

Ref Nr	Description	Value	Comments
P2.0.1	Party name	Denmark	
P2.0.2	Reporting period	2012	
P2.0.3	Submission under review	<p>Files submitted:</p> <p>[SEF] SEF_DNK_2013_1_12-21-24 16-4-2013;</p> <p>[NIR] NIR_2013_Denmark; NIR2013_Denmark_annexes; NIR2013_Denmark_main</p> <p>[RESPONSE] Consultation_form_v5dk.doc</p> <p>Ch_14_addendum_A1.pdf (New database structure of Party's Registry</p> <p>Ch_14_addendum_A2.pdf (Quality Assessment Report (QAR) on the monitoring of the Site-Acceptance Test (SAT) for the release 4.0</p>	<p>Information from the ITL Administrator:</p> <p>[SEFCR] SEF_DNK_2013_1_12-21-24 16-4-2013_CR;</p> <p>[RRITL] SIAR_Reports_2012_DNK_RITLv1;</p>
P2.0.4	Previous annual review report reference	FCCC/ARR/2011/DNK (30/04/2012)	ARR for year 2012 has not been published yet.

Table of Contents

1. Introduction.....	4
1.1. Overall assessment.....	4
1.2. Summary of findings.....	5
2. Identification of Problems.....	7
3. Identification of Significant Changes.....	13
4. Recommendations.....	17
4.1. Previous Expert Review Team recommendations	17
4.2. Recommendations to address identified problems	17

1. Introduction

The SIAR Part 2 report assesses the substance of a Party's annual submission with regard to its national registry. Each section contains questions related to the specific items to be assessed.

1.1. Overall assessment

Ref Nr	Requirement	Assessment
P2.1.1	Is the information submitted by Party, in relation to its national registry, complete?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
P2.1.2	Problem found with Party's national registry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
P2.1.3	Any unresolved problem with Party's national registry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
P2.1.4	Problems identified with the significant changes to the Party's national registry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 2.3.3, 2.3.10
P2.1.5	National registry related recommendations from previous annual review were fully addressed?	<input type="checkbox"/> Yes <input type="checkbox"/> No There were no recommendations from previous annual review.
P2.1.6	Is there any recommendation that needs to be addressed by the Party?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No 2.4.2.1 – 2.4.2.3

1.2. Summary of findings

Ref Nr	Summary of findings
P2.2.1	<ol style="list-style-type: none"><li data-bbox="360 363 2051 496">1. The information on Kyoto Protocol units has been reported in accordance with section I.E of the annex to decision 15/CMP.1 and is accurate. The national registry continues to fulfill the requirements related to its reporting and accounting of information on Kyoto Protocol units, transaction procedures, conformance to the technical standards, public availability of information, security, data integrity and recovery measures.<li data-bbox="360 531 2051 632">2. Party has reported information on its accounting of Kyoto Protocol units in the required SEF tables, as required by decisions 15/CMP.1 and 14/CMP.1. The SIAR assessor reviewed the findings included in the SIAR on the SEF and the SEF comparison report. The SIAR was forwarded to the ERT prior to the review, pursuant to decision 16/CP.10.<li data-bbox="360 667 2051 735">3. Information on the accounting of Kyoto units has been prepared and reported in accordance with section I E of the annex to decision 15/CMP.1, and reported in accordance with decision 14/CMP.1, using the SEF tables.<li data-bbox="360 770 2051 903">4. The SIAR assessor finds that the national registry after Consolidation of European Registries continues to perform the functions set out in the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1, and continues to adhere to the technical standards for data exchange between registry systems in accordance with relevant Conference of the Parties serving as the meeting of the Parties (CMP) to the Kyoto Protocol decisions.<li data-bbox="360 938 2051 1038">5. Denmark reported changes in its national registry compared with the previous annual submission. The SIAR assessor concluded that, taking into account the confirmed changes in the national registry, Denmark's national registry continues to perform the functions set out in the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1.<li data-bbox="360 1074 2051 1142">6. The national registry has fulfilled the requirements regarding the public availability of information in accordance with section II.E of the annex to decisions 13/CMP.1.<li data-bbox="360 1177 1379 1214">7. Party has reported its commitment period reserve in its annual submission.

Ref Nr	Summary of findings
	<p data-bbox="412 228 667 256"><u>Recommendations:</u></p> <ol style="list-style-type: none"> <li data-bbox="360 296 2033 528">8. The assessor notes that Denmark is not fully reporting changes in the national registry related to change of test results. While the Party has resubmitted these items during the assessment cycle, the provided test report reveals a test plan which was of insufficient scope. This is evidenced by the limited number of Kyoto processes covered and absence of DES compliance demonstration through Annex H testing. Compliance with the DES requirements is essential to maintain confidence that national registry continues to perform the functions set out in the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1. Therefore, the assessor strongly recommends that the Party test each release thoroughly against the DES as part of each major release cycle and provide the complete results in its annual NIR. <li data-bbox="360 564 2056 730">9. The assessor notes that Denmark is not fully reporting changes in the national registry related to the description of database structure. While the Party has resubmitted a simplified data model during the assessment cycle, the information contained within the model is not sufficient. This is evidenced by the lack of descriptions of each entity in the diagram and the omission of some diagram entities mandated in the Data Exchange Standard. The assessor recommends that following major changes, the party provide a data model which contains all DES required entities complete with descriptions in its annual NIR.

2. Identification of Problems

The purpose of this section is to identify any problems with the national registry based on the Party's annual submission and transaction log records that may affect the performance of the functions of the national registry pursuant to paragraph 88 of the annex to decision 22/CMP.1.

Ref Nr	Requirement	Assessment	Comment
	22/CMP.1 paragraph 88.(a) The information is complete and submitted in accordance with section I.E of the annex to decision 15/CMP.1 and relevant decisions of the COP/MOP;	Assessed in SIAR Part 1. Kept here for completeness	
P2.2.2	22/CMP.1 paragraph 88.(b) The information relating to issuance, cancellations, retirement, transfers, acquisitions, replacement and carry-over is consistent with information contained in the national registry of the Party concerned and with the records of the transactions log;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Party submitted a SEF which is consistent with the ITL records.
P2.2.3	22/CMP.1 paragraph 88.(c) The information relating to transfers and acquisitions between national registries is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with information reported by the other Parties involved in the transactions;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Party submitted a SEF which is consistent with the ITL records.

Ref Nr	Requirement	Assessment	Comment
P2.2.4	22/CMP.1 paragraph 88.(d) The information relating to acquisitions of CERs, tCERs, and ICERs from the CDM registry is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with the clean development mechanism (CDM) registry;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Party submitted a SEF which is consistent with the ITL records.
P2.2.5	22/CMP.1 paragraph 88.(e) ERUs, CERs, AAUs and RMUs have been issued, acquired, transferred, cancelled, retired, or carried over to the subsequent or from the previous commitment period in accordance with the annex to decision 13/CMP.1;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to ERUs, CERs, AAUs and RMUs.
P2.2.6	22/CMP.1 paragraph 88.(f) tCERs and ICERs have been issued, acquired, transferred, cancelled, retired and replaced, in accordance with the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to tCERs and ICERS.
P2.2.7	22/CMP.1 paragraph 88.(g) The information reported under paragraph 11 (a) of section I.E. in the annex to decision 15/CMP.1 on the quantities of units in accounts at the beginning of the year is consistent with information submitted the previous year, taking into account any corrections made to such information, on the quantities of units in accounts at the end of the previous year;	Problem Identified? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Party submitted a SEF which is consistent with the ITL records and with information submitted in the year prior to the reported year.

Ref Nr	Requirement	Assessment	Comment
P2.2.8	22/CMP.1 paragraph 88.(h) The required level of the commitment period reserve, as reported, is calculated in accordance with paragraph 6 of the annex to decision 18/CP.7;	Only assessed by the Expert Review Team. Kept here for completeness	
P2.2.9	22/CMP.1 paragraph 88.(i) The assigned amount is calculated to avoid double accounting in accordance with paragraph 9 of the annex to decision 16/CMP.1;	Only assessed by the Expert Review Team. Kept here for completeness	
P2.2.10	22/CMP.1 paragraph 88.(j) A discrepancy has been identified by the transaction log relating to transactions initiated by the Party, and if so the expert review team shall:	Has the discrepancy been identified by the transaction log? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Discrepancy with code 5018 has been identified by the transaction log relating to transactions initiated by the Party.
Repeat for each discrepancy type (5018)	P2.2.10.1 1	22/CMP.1 paragraph 88.(j)(i) Verify that the discrepancy has occurred and been correctly identified by the transaction log; <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Discrepancy has been identified (code 5018) correctly by transaction log.
	P2.2.10.2 2	22/CMP.1 paragraph 88.(j)(ii) Assess whether the same type of discrepancy has occurred previously for that Party; <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Same type of discrepancy (code 5018) has occurred previously for that Party.
	P2.2.10.3 3	22/CMP.1 paragraph 88.(j)(iii) Assess whether the transaction was completed or terminated; <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	The transaction DK592448 was terminated with status "All Terminated".

Ref Nr	Requirement	Assessment	Comment
P2.2.10.4	22/CMP.1 paragraph 88.(j)(iv) Has the Party corrected the problem that caused the discrepancy?	Problem that caused the discrepancy corrected? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	The Party corrected the problem that caused the discrepancy.
P2.2.10.5	22/CMP.1 paragraph 88.(j)(v) Assess whether the problem that caused the discrepancy relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, issuance, holding, transfer, acquisition, cancellation and retirement of ERUs, CERs, tCERS, ICERs, AAUs and RMUs, the replacement of tCERS and ICERs, and the carry-over of ERUs, CERs and AAUs	Discrepancy relates to the capacity of the national registry to ensure the accurate accounting? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	The problem was due to a miscalculation between the compilation database of UNFCCC and the request from UNFCCC to the party to issue RMUs. The calculation was redone and the issuance proceeded with the new figures.

Ref Nr	Requirement	Assessment	Comment
P2.2.11	22/CMP.1 paragraph 88.(k) Any record of non-replacement has been sent to the Party by the transaction log in relation to tCERs or ICERs held by the Party, and if so the expert review team shall:	Any tCERs or ICERs subject to non-replacement held by Party? [] Yes [X] No	No non-replacements occurred for the Party.
Repeat for each non-replacement type (incl type number)	P2.2.11.1 22/CMP.1 paragraph 88.(k)(i) Verify that the non-replacement has occurred and been correctly identified by the transaction log;	Has the transaction log identified the non-replacement? [] Yes [] No [X] N/A	No non-replacements occurred for the Party.
	P2.2.11.2 22/CMP.1 paragraph 88.(k)(ii) Assess whether non-replacement has occurred previously for that Party;	Has this type of non-replacement previously occurred for that Party? [] Yes [] No [X] N/A	No non-replacements occurred for the Party.
	P2.2.11.3 22/CMP.1 paragraph 88.(k)(iii) Assess whether the replacement was subsequently undertaken;	Was the replacement subsequently undertaken? [] Yes [] No [X] N/A	No non-replacements occurred for the Party.
	P2.2.11.4 22/CMP.1 paragraph 88.(k)(iv) Examine the cause of the non-replacement and whether the Party has corrected the problem that caused the non-replacement;	Has the Party corrected the problem that caused the non-replacement? [] Yes [] No [X] N/A	No non-replacements occurred for the Party.

Ref Nr	Requirement	Assessment	Comment
P2.2.11.5	22/CMP.1 paragraph 88.(k)(v) Assess whether the problem that caused the non-replacement relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, holding, transfer, acquisition, cancellation, and retirement of ERUs, CERs, tCERs, ICERs, AAUs and RMUs, and the replacement of tCERs and ICERs, and if so, initiate a thorough review of the registry system in accordance with part V of these guidelines.	Non-replacement relates to the capacity of the national registry to ensure the accurate accounting? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	No non-replacements occurred for the Party.

3. Identification of Significant Changes

The purpose of this section is to identify any **significant changes** in the national registry reported by the Party that may affect the performance of the functions contained in the annex to decision 13/CMP.1, the annex to decision 15/CMP.1 and the adherence to the technical standards for data exchange between registry systems in accordance with relevant COP/MOP decisions.

If a change to a Party's national registry has been identified under paragraph 22 of the annex to decision 15/CMP.1 then information relating to this change should be submitted by the Party in accordance with paragraph 32 of the annex to decision 15/CMP.1. This section assesses the submitted changes reported by Party in accordance with paragraph 32 of decision 15/CMP.1, and the further guidance elaborated in the Independent Assessment Report common operational procedure.

Ref Nr	Requirement	Has the Party reported a change?	Problem Identified with the Change?	Comment
P2.3.1	15/CMP.1 paragraph 32.(a) The name and contact information of the registry administrator designated by the Party to maintain the national registry	Not a significant change, left here for completeness		
P2.3.2	15/CMP.1 paragraph 32.(b) The names of the other Parties with which the Party cooperates by maintaining their national registries in a consolidated system	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	The EU Member States who are also Parties to the Kyoto Protocol (25) plus Iceland, Liechtenstein and Norway have decided to operate their registries in a consolidated manner operated by the European Commission. The Consolidated System of EU registries were certified on 1 June 2012 and went to production on 20 June 2012.

Ref Nr	Requirement	Has the Party reported a change?	Problem Identified with the Change?	Comment
P2.3.3	15/CMP.1 paragraph 32.(c) A description of the database structure and capacity of the national registry.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Party submitted a description of the current database structure of the consolidated registry as provided by the European Commission. (file "Ch_14_addendum_A1"). The description does not relate to database capacity and the information contained within the model is not sufficient. Party reports that changes in the current consolidated registry software were not related to Kyoto functions and did not affect the database capacity.
P2.3.4	15/CMP.1 paragraph 32.(d) A description of how the national registry conforms to the technical standards for data exchange between registry systems for the purpose of ensuring the accurate, transparent and efficient exchange of data between national registries, the clean development mechanism registry and the transaction log (decision 19/CP.7, paragraph 1)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	During certification, the consolidated registry was notably subject to connectivity testing, connectivity reliability testing, distinctness testing and interoperability testing to demonstrate capacity and conformance to the DES. All tests were executed successfully and lead to successful certification on 1 June 2012

Ref Nr	Requirement	Has the Party reported a change?	Problem Identified with the Change?	Comment
P2.3.5	<p>15/CMP.1 paragraph 32.(e)</p> <p>A description of the procedures employed in the national registry to minimize discrepancies in the issuance, transfer, acquisition, cancellation and retirement of ERUs, CERs, tCERs, ICERs, AAUs and/or RMUs, and replacement of tCERs and ICERs, and of the steps taken to terminate transactions where a discrepancy is notified and to correct problems in the event of a failure to terminate the transactions</p>	<p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>A description of the procedures employed in the Consolidated System of EU Registries to minimize discrepancies is provided in discrepancies procedures, as reflected in the updated manual intervention document and the operational plan provided by the Party.</p>
P2.3.6	<p>15/CMP.1 paragraph 32.(f)</p> <p>An overview of security measures employed in the national registry to prevent unauthorized manipulations and to prevent operator error and of how these measures are kept up to date</p>	<p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>An overview of the security measures employed in the Consolidated System of EU Registries is provided in security plan provided by the Party.</p>
P2.3.7	<p>15/CMP.1 paragraph 32.(g)</p> <p>A list of the information publicly accessible by means of the user interface to the national registry</p>	<p>Not a significant change, left here for completeness</p>		
P2.3.8	<p>15/CMP.1 paragraph 32.(h)</p> <p>The Internet address of the interface to its national registry</p>	<p>Not a significant change, left here for completeness</p>		

Ref Nr	Requirement	Has the Party reported a change?	Problem Identified with the Change?	Comment
P2.3.9	15/CMP.1 paragraph 32.(i) A description of measures taken to safeguard, maintain and recover data in order to ensure the integrity of data storage and the recovery of registry services in the event of a disaster	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	An overview of the security measures employed in the Consolidated System of EU Registries is provided in disaster recovery plan provided by the party.
P2.3.10	15/CMP.1 paragraph 32.(j) The results of any test procedures that might be available or developed with the aim of testing the performance, procedures and security measures of the national registry undertaken pursuant to the provisions of decision 19/CP.7 relating to the technical standards for data exchange between registry systems.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	The Party notes that changes have been made to the results of its test procedures related to the October 2012 release of the consolidated registry software that affected only ETS functionality and had no impact on Kyoto functions. While the Party has resubmitted these items during the assessment cycle [Ch_14_addendum_A2.pdf], the provided test report reveals a test plan which was of insufficient scope.

4. Recommendations

4.1. Previous Expert Review Team recommendations

This section assesses Party's response to the previous annual review recommendations.

Ref Nr	Recommendation from previous Annual Review report (with ref)	Has Party acted on recommendation?	Comment
P2.4.1.1	no previous Expert Review Team recommendations	<input type="checkbox"/> Yes <input type="checkbox"/> No	
P2.4.1.2		<input type="checkbox"/> Yes <input type="checkbox"/> No	
P2.4.1.3		<input type="checkbox"/> Yes <input type="checkbox"/> No	
P2.4.1.x		<input type="checkbox"/> Yes <input type="checkbox"/> No	

4.2. Recommendations to address identified problems

If a problem has been identified earlier in section 2 and 3 or a previous recommendation listed in section 4.1 has not been taken into account, then this section of the report lists a recommendation for each problem to be brought to the attention to the Expert Review Team.

Ref Nr	Recommendation Ref	Recommendation description	Comment
P2.4.2.1	P2.3.3, P2.3.10	The assessor notes that Denmark is not fully reporting changes in the national registry related to change of test results and change of database structure. The assessor recommends that Denmark provides this information related to the most current implemented version of the consolidated registry software.	The assessor notes that Denmark provided this information in [RESPONSE]. However, additional analysis of the provided documentation reveals an incomplete test was performed and that an insufficient database structure was provided. Based on this information two additional recommendations have been added.
P2.4.2.2	2.3.3	The assessor recommends that following major changes, the party provide a data model which contains all DES required entities complete with descriptions in its	

		annual NIR.	
P2.4.2.3	2.3.10	The assessor strongly recommends that the Party test each release thoroughly against the DES as part of each major release cycle and provide the results of such tests in its annual NIR.	