

UNFCCC ITL Administrator

Standard Independent Assessment Report Assessment Report Part 2 - Substance

| Reference: | IAR/2016/EE/2/1 | | |
|--------------------|---|--------|------------|
| Version number: | 1.0 | State: | Final |
| Prepared by: | G. Pfaff and A. Faerevaag / Environment Agency Austria (EAA) and Norwegian Environment Agency (NEA) | Date: | 07/08/2017 |
| Reviewed by: | Tomislav Glušac/CAEN M. Pieters /UNFCCC | | |
| Approved by: | | | |

Circulation list

| Name/Role | Organization | Info/Action |
|---------------------------|-----------------------------|-------------|
| G. Pfaff and A. Faerevaag | EAA and NEA | Info |
| M. Pieters | UNFCCC | Info |
| P. Vainsalu | Ministry of the Environment | Action |

Document change record

| Version | Date | Description | |
|---------|------------|-----------------|--|
| 0.1 | 31/05/2017 | Initial version | |
| 0.2 | 31/05/2017 | Assessed | |
| 0.3 | 01/06/2017 | Reviewed | |
| 1.0 | 07/08/2017 | Final report | |

Summary

| Ref Nr. | | Description | |
|------------|--|---|---|
| P2.0.1 | Party name | Estonia | |
| P2.0.2 | Reporting period | 2017 | |
| P2.0.3 | Submission under review | Files submitted: [SEF] RREG1_EE_2016_1_5_final RREG1_EE_2016_2_1_final [NIR] NIR_EST_1990-2015_15042017 [RESPONSE] SIAR_Consultation_form_Estonia [ANNEX] CONFIDENTIAL - Annex A - CSEUR CONFIDENTIAL - Annex B - Changes from EUCR v7.0.1-v8.0.7 CONFIDENTIAL - Test Report - ITL Annex H tests for EUCR software | Information from the ITL Administrator: [SEFCR] • CR_RREG1_EE_2016_1_5_RIT L1_EE_2016_1_1 • CR_RITL1_EE_2016_2_1_RRE G1_EE_2016_2_2 [RITL] • RITL2_EE_2016 • RITL3_EE_2016 • RITL4_EE_2016 • RITL5_EE_2016 |
| P2.0.4 | Previous annual review report reference | FCCC/ARR/2016/EST | |

Table of Contents

| 1. | Introduction | . 4 |
|------|--|-----|
| 1.1. | Overall assessment | . 4 |
| 1.2. | Summary of findings | . 5 |
| 2. | Identification of Problems | . 6 |
| 3. | Identification of Significant Changes | 12 |
| 4. | Recommendations | 15 |
| 4.1. | Previous Expert Review Team recommendations | 15 |
| 4.2. | Recommendations to address identified problems | 16 |

1. Introduction

The SIAR Part 2 report assesses the substance of a Party's annual submission with regard to its national registry. Each section contains questions related to the specific items to be assessed.

1.1. Overall assessment

| Ref Nr | Requirement | Assessment |
|--------|---|-----------------|
| P2.1.1 | Is the information submitted by Party, in relation to its national registry, complete? | 🗹 Yes 🗖 No |
| P2.1.2 | Problem found with Party's national registry? | 🗆 Yes 🛛 No |
| P2.1.3 | Any unresolved problem with Party's national registry? | 🗆 Yes 🗖 No 🗹 NA |
| P2.1.4 | Problems identified with the significant changes to the Party's national registry? | 🗆 Yes 🗹 No |
| P2.1.5 | National registry related recommendations from previous annual review were fully addressed? | ☑ Yes □ No □ NA |
| P2.1.6 | Is there any recommendation that needs to be addressed by the Party? | 🗆 Yes 🗹 No |

1.2. Summary of findings

| Ref Nr | Summary of findings |
|--------|---|
| P2.2.1 | The information on Kyoto Protocol units has been reported in accordance with section I.E of the annex to decision 15/CMP.1 and is accurate. The national registry continues to fulfil all requirements related to its reporting and accounting of information on Kyoto Protocol units, transaction procedures, conformance to the technical standards, public availability of information, security, data integrity, and recovery measures. |
| | 2. Party has reported information on its accounting of Kyoto Protocol units in the required SEF tables, as required by decisions 15/CMP.1 and 14/CMP.1. The SIAR assessor reviewed the findings and recommendations included in the SIAR on the SEF and the SEF comparison report. The SIAR was forwarded to the ERT prior to the review, pursuant to decision 16/CP.10. |
| | Information on the accounting of Kyoto units has been prepared and reported in accordance with section I E of the annex to decision 15/CMP.1, and reported in accordance with decision 14/CMP.1 using the SEF tables. |
| | 4. Party reported change in its national registry compared with the previous annual submission. The SIAR assessor concluded that the Party's national registry continues to perform the functions set out in the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1, and continues to adhere to the technical standards for data exchange between registry systems in accordance with relevant CMP decisions. |
| | 5. Party has reported its commitment period reserve in its 2017 annual submission. |
| | The national registry has fulfilled all requirements regarding the public availability of information in accordance with section II.E of the annex to decision 13/CMP.1 |
| | Recommendations |
| | Party submitted a SEF for CP1, which is not consistent with the ITL records in Table 5c (Summary on retirement) for the year 2012. Checks with the SEF submitted in 2016 for 2105 showed that the data for 2012 is correct. As the CP1 SEF could not huave been prepared by data from the Union Registry, but had be prepared manually it can be justified that there is no problem with the registry of the Party. |
| | Nevertheless, it is recommended that the Party resubmits the SEF for CP1 units with corrected figures in Table 5c for year 2012. |

2. Identification of Problems

The purpose of this section is to identify any problems with the national registry based on the Party's annual submission and transaction log records that may affect the performance of the functions of the national registry pursuant to paragraph 88 of the annex to decision 22/CMP.1.

| Ref Nr | Requirement | Assessment | Comment |
|--------|---|--|--|
| | 22/CMP.1 paragraph 88.(a) The information is complete and submitted in accordance with section I.E of the annex to decision 15/CMP.1 and relevant decisions of the COP/MOP; | Assessed in SIAR Part 1. Kept here for completeness | |
| P2.2.2 | 22/CMP.1 paragraph 88.(b) The information relating to issuance, cancellations, retirement, transfers, acquisitions, replacement and carry-over is consistent with information contained in the national registry of the Party concerned and with the records of the transactions log; | Problem Identified? □ Yes ☑ No | Party submitted a SEF for CP2 which is consistent with the ITL records, but it does not contain data as the Party had no transactions involving Kyoto Protocol units from CP2 occurred during or prior to the reported period as indicated in [SEF] and [SEFCR] Party also submitted a SEF for CP1, which is not consistent with the ITL records in Table 5c (Summary on retirement) for the year 2012. Checks with the SEF submitted in 2016 for 2105 showed that the data for 2012 is correct. As the CP1 SEF could not have been prepared by data from the Union Registry, but had be prepared manually it can be justified that there is no problem with the registry of the Party. Nevertheless, it is recommended that the Party resubmits the SEF for CP1 units with corrected figures in Table 5c for year 2012. |
| P2.2.3 | 22/CMP.1 paragraph 88.(c) The information relating to transfers and acquisitions between national registries is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with information reported by the other Parties involved in the transactions; | Problem Identified? | Party submitted a SEF which is consistent with the ITL records. It is noted that this refers to CP1 units as well, as the Party had no transactions involving Kyoto Protocol units from CP2 occurred during or prior to the reported period as indicated in [SEF] and [SEFCR] |

SIAR Part 2 EE v1.0 2017

| Ref Nr | Requirement | Assessment | Comment |
|--------|--|---|--|
| P2.2.4 | 22/CMP.1 paragraph 88.(d) The information relating to acquisitions of CERs, tCERs, and ICERs from the CDM registry is consistent with the information contained in the national registry of the Party concerned and with the records of the transaction log, and with the clean development mechanism (CDM) registry; | Problem Identified? | Party submitted a SEF which is consistent with the ITL records. It is noted that this refers to CP1 units as well, as the Party had no transactions involving Kyoto Protocol units from CP2 occurred during or prior to the reported period as indicated in [SEF] and [SEFCR] |
| P2.2.5 | 22/CMP.1 paragraph 88.(e) ERUs, CERs, AAUs and RMUs have been issued, acquired, transferred, cancelled, retired, or carried over to the subsequent or from the previous commitment period in accordance with the annex to decision 13/CMP.1; | Problem Identified? | No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to ERUs, CERs, AAUs and RMUs. |
| P2.2.6 | 22/CMP.1 paragraph 88.(f) tCERs and ICERs have been issued, acquired, transferred, cancelled, retired and replaced, in accordance with the annex to decision 13/CMP.1 and the annex to decision 5/CMP.1; | Problem Identified? | No discrepancies occurred for the Party and no problem has been identified with regard to its transaction procedures related to tCERs and ICERS. |
| P2.2.7 | 22/CMP.1 paragraph 88.(g) The information reported under paragraph 11 (a) of section I.E. in the annex to decision 15/CMP.1 on the quantities of units in accounts at the beginning of the year is consistent with information submitted the previous year, taking into account any corrections made to such information, on the quantities of units in accounts at the end of the previous year; | Problem Identified? | Party submitted a SEF which is consistent with the ITL records and with information submitted in the year prior to the reported year. |
| P2.2.8 | 22/CMP.1 paragraph 88.(h) The required level of the commitment period reserve, as reported, is calculated in accordance with paragraph 6 of the annex to decision 18/CP.7; | Only assessed by the Expert Review Team. Kept here for completeness | |

| Ref | Nr | Requirement | Assessment | Comment |
|--------------------------------------|---------------------|---|--|---|
| P2.2 | The acco anno | CMP.1 paragraph 88.(i) assigned amount is calculated to avoid double punting in accordance with paragraph 9 of the ex to decision 16/CMP.1; | Only assessed by the Expert Review Team. Kept here for completeness | |
| P2.2 | A di log i | CMP.1 paragraph 88.(j) screpancy has been identified by the transaction relating to transactions initiated by the Party, if so the expert review team shall: | Has the discrepancy been identified by the transaction log? | No discrepancies occurred for the Party |
| ude Type | P2.2.10. | 1 22/CMP.1 paragraph 88.(j)(i) Verify that the discrepancy has occurred and been correctly identified by the transaction log; | Has the discrepancy been identified by the transaction log? | No discrepancies occurred for the Party |
| discrepancy type (include Number) | P2.2.10. | 2 22/CMP.1 paragraph 88.(j)(ii) Assess whether the same type of discrepancy has occurred previously for that Party; | Has the same type of discrepancy occurred previously for that Party? | No discrepancies occurred for the Party |
| each | P2.2.10. | 22/CMP.1 paragraph 88.(j)(iii) Assess whether the transaction was completed or terminated; | Was the transaction completed or terminated? | No discrepancies occurred for the Party |
| Repeat for | P2.2.10. | 22/CMP.1 paragraph 88.(j)(iv) Has the Party corrected the problem that caused the discrepancy? | Problem that caused the discrepancy corrected? | No discrepancies occurred for the Party |

| Ref Nr | | Requirement | Assessment | Comment |
|--------|----------|--|---|---|
| P2 | 2.2.10.5 | 22/CMP.1 paragraph 88.(j)(v) Assess whether the problem that caused the discrepancy relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, issuance, holding, transfer, acquisition, cancellation and retirement of ERUs, CERs, tCERS, ICERs, AAUs and RMUs, the replacement of tCERs and ICERs, and the carry-over of ERUs, CERs and AAUs | Discrepancy relates to the capacity of the national registry to ensure the accurate accounting? ☐ Yes ☐ No ☑ NA | No discrepancies occurred for the Party |

| | Ref Nr | Requirement | Assessment | Comment |
|--------------------------------|-----------|--|---|---|
| P2.2.11 | | 22/CMP.1 paragraph 88.(k) Any record of non-replacement has been sent to the Party by the transaction log in relation to tCERs or ICERs held by the Party, and if so the expert review team shall: | Any tCERs or ICERs subject to non-replacement held by Party? Yes No | No non-replacements occurred for the Party. |
| (incl Type | P2.2.11.1 | 22/CMP.1 paragraph 88.(k)(i) Verify that the non-replacement has occurred and been correctly identified by the transaction log; | Has the transaction log identified the non- replacement? | No non-replacements occurred for the Party. |
| non-replacement type number | P2.2.11.2 | 22/CMP.1 paragraph 88.(k)(ii) Assess whether non-replacement has occurred previously for that Party; | Has this type of non- replacement previously occurred for that Party? | No non-replacements occurred for the Party. |
| each | P2.2.11.3 | 22/CMP.1 paragraph 88.(k)(iii) Assess whether the replacement was subsequently undertaken; | Was the replacement subsequently undertaken? | No non-replacements occurred for the Party. |
| Repeat for | P2.2.11.4 | 22/CMP.1 paragraph 88.(k)(iv) Examine the cause of the non-replacement and whether the Party has corrected the problem that caused the non-replacement; | Has the Party corrected the problem that caused the non-replacement? ☐ Yes ☐ No ☑ NA | No non-replacements occurred for the Party. |

| Ref Nr | Requirement | Assessment | Comment |
|-----------|--|---|---|
| P2.2.11.5 | 22/CMP.1 paragraph 88.(k)(v) Assess whether the problem that caused the non-replacement relates to the capacity of the national registry to ensure the accurate accounting of Kyoto Protocol units, holding, transfer, acquisition, cancellation, and retirement of ERUs, CERs, tCERs, ICERs, AAUs and RMUs, and the replacement of tCERs and ICERs, and if so, initiate a thorough review of the registry system in accordance with part V of these guidelines. | Non-replacement relates to the capacity of the national registry to ensure the accurate accounting? Yes No V NA | No non-replacements occurred for the Party. |

3. Identification of Significant Changes

The purpose of this section is to identify any **significant changes** in the national registry reported by the Party that may affect the performance of the functions contained in the annex to decision 13/CMP.1, the annex to decision 15/CMP.1 and the adherence to the technical standards for data exchange between registry systems in accordance with relevant COP/MOP decisions.

If a change to a Party's national registry has been identified under paragraph 22 of the annex to decision 15/CMP.1 then information relating to this change should be submitted by the Party in accordance with paragraph 32 of the annex to decision 15/CMP.1. This section assesses the submitted changes reported by Party in accordance with paragraph 32 of decision 15/CMP.1, and the further guidance elaborated in the Independent Assessment Report common operational procedure.

| | | Has the Party | Problem Identified | |
|--------|--|--|--------------------|--|
| Ref Nr | Requirement | reported a change? | with the Change? | Comment |
| P2.3.1 | 15/CMP.1 paragraph 32.(a) | | | |
| | The name and contact information of the registry administrator designated by the Party to maintain the national registry | Not a significant change, left here for completeness | | |
| P2.3.2 | 15/CMP.1 paragraph 32.(b) The names of the other Parties with which the Party cooperates by maintaining their national registries in a consolidated system | 🗆 Yes 🗹 No | 🗖 Yes 🗖 No | No changes occurred for the Party for this item. |
| P2.3.3 | 15/CMP.1 paragraph 32.(c) A description of the database structure and capacity of the national registry. | ☑ Yes 🗆 No | □ Yes 🗹 No | In [NIR] chapter 14 p. 493 the Party states that changes have been made to the database structure of its national registry. No change was required to the database capacity and application backup plan or to the disaster recovery plan. The database model, including the new tables, is provided in Annex A. |

| | | Has the Party | Problem Identified | |
|--------|---|--------------------|--------------------|--|
| Ref Nr | Requirement | reported a change? | with the Change? | Comment |
| P2.3.4 | 15/CMP.1 paragraph 32.(d) A description of how the national registry conforms to the technical standards for data exchange between registry systems for the purpose of ensuring the accurate, transparent and efficient exchange of data between national registries, the clean development mechanism registry and the transaction log (decision 19/CP.7, paragraph 1) | ☑ Yes □ No | □ Yes ☑ No | In [NIR] chapter 14 p. 493 the Party states that changes have been made to the conformance to technical standards since version 6.7.3 of the national registry which are listed in Annex B. |
| P2.3.5 | 15/CMP.1 paragraph 32.(e) | | | No changes occurred for the Party for this item. |
| | A description of the procedures employed in the national registry to minimize discrepancies in the issuance, transfer, acquisition, cancellation and retirement of ERUS, CERS, tCERS, ICERS, AAUS and/or RMUS, and replacement of tCERs and ICERs, and of the steps taken to terminate transactions where a discrepancy is notified and to correct problems in the event of a failure to terminate the transactions | □ Yes 🗹 No | ☐ Yes ☐ No | |
| P2.3.6 | 15/CMP.1 paragraph 32.(f) An overview of security measures employed in the national registry to prevent unauthorized manipulations and to prevent operator error and of how these measures are kept up to date | ☑ Yes 🗆 No | □ Yes 🗹 No | In [NIR] chapter 14 p. 494, the Party states that mandatory use of hard tokens for authentication and signature was introduced for registry administrators in its national registry |

| | | Has the Party | Problem Identified | |
|---------|--|--|--------------------|--|
| Ref Nr | Requirement | reported a change? | with the Change? | Comment |
| P2.3.7 | 15/CMP.1 paragraph 32.(g) A list of the information publicly accessible by means of the user interface to the national registry | Not a significant change, left here for completeness | | |
| P2.3.8 | 15/CMP.1 paragraph 32.(h) The Internet address of the interface to its national registry | Not a significant change, left here for completeness | | |
| P2.3.9 | 15/CMP.1 paragraph 32.(i) A description of measures taken to safeguard, maintain and recover data in order to ensure the integrity of data storage and the recovery of registry services in the event of a disaster | □ Yes 🗹 No | □ Yes □ No | No changes occurred for the Party for this item. |
| P2.3.10 | 15/CMP.1 paragraph 32.(j) The results of any test procedures that might be available or developed with the aim of testing the performance, procedures and security measures of the national registry undertaken pursuant to the provisions of decision 19/CP.7 relating to the technical standards for data exchange between registry systems. | ☑ Yes □ No | □ Yes 🗹 No | [NIR] chapter 14 p. 494, the Party states that changes introduced since version 6.7.3 of the national registry are listed in Annex B. Both regression testing and tests on the new functionality were successfully carried out prior to release of the version to production |

4. Recommendations

4.1. Previous Expert Review Team recommendations

This section assesses Party's response to the previous annual review recommendations.

| Ref Nr | Recommendation from previous Annual Review report (with ref) | Has Party acted on recommendation? | Comment |
|----------|---|--|---|
| P2.4.1.1 | There are no recommendations from FCCC/ARR/2016/EST. | □ Yes □ No ☑ NA | |
| P2.4.1.2 | n SIAR/2016/EST/2/2 it was recommended to provide information on the confidentiality on current holdings of ERUs, CERs, AAUs and RMUs in each account also on the following website: <u>http://www.envir.ee/en/kyoto-protokoll</u> even if it was already published on <u>https://ets-</u> registry.webgate.ec.europa.eu/euregistry/EE/public/reports/publicReports.xhtml | ▼ Yes 「 No 「 NA | The recommendation has been followed by publishing the requested information <u>http://www.envir.ee/et/kyoto-protokoll</u> |
| P2.4.1.3 | | □ Yes □ No ☑ NA | |
| P2.4.1.4 | | □ Yes □ No ☑ NA | |
| P2.4.1.5 | | □ Yes □ No ☑ NA | |

4.2. Recommendations to address identified problems

If a problem has been identified earlier in section 2 and 3 or a previous recommendation listed in section 4.1 has not been taken into account, then this section of the report lists a recommendation for each problem to be brought to the attention to the Expert Review Team.

| Ref Nr | Recommendation Ref | Recommendation description | Comment |
|----------|--------------------|--|---|
| P2.4.2.1 | P2.2.2 | Resubmission of SEF CP1 after correction of data in Table 5c of SEF on CP1 units | Party submitted a SEF for CP1, which is not consistent with the ITL records in Table 5c (Summary on retirement) for the year 2012. Checks with the SEF submitted in 2016 for 2105 showed that the data for 2012 is correct. As the CP1 SEF could not have been prepared by data from the Union Registry, but had be prepared manually it can be justified that there is no problem with the registry of the Party. |
| | | | Nevertheless, it is recommended that the Party resubmits the SEF for CP1 units with corrected figures in Table 5c for year 2012. |
| | | | In [RESPONSE], Party states that the report was taken automatically from the registry. The registry displayed this info differently for 2012 because the transaction was made and then reversed. We will provide the corrected SEF report for CP1. |
| P2.4.2.2 | | | |
| P2.4.2.3 | | | |
| P2.4.2.x | | | |