



SUBSIDIARY BODY FOR IMPLEMENTATION

Sixth session

Bonn, 28 July - 5 August 1997

Item 4 (a) of the provisional agenda

SUBSIDIARY BODY FOR SCIENTIFIC AND TECHNOLOGICAL ADVICE

Sixth session

Bonn, 28 July - 5 August 1997

Item 6 (a) of the provisional agenda

NATIONAL COMMUNICATIONS

**COMMUNICATIONS FROM PARTIES INCLUDED IN ANNEX I
TO THE CONVENTION**

Updated information on greenhouse gas emissions and projections

Note by the secretariat

CONTENTS

	<u>Paragraphs</u>	<u>Page</u>
I. INTRODUCTION	1 - 4	3
A. Mandate	1 - 2	3
B. Scope of the note	3	3
C. Possible action by subsidiary bodies	4	3

	<u>Paragraphs</u>	<u>Page</u>
II. TABLES OF INVENTORIES OF ANTHROPOGENIC EMISSIONS AND REMOVALS IN 1990-95 AND PROJECTED ANTHROPOGENIC EMISSIONS UP TO THE YEAR 2020	5 - 9	4
A. General notes	5 - 8	4
B. Explanatory notes to the tables	9	5

Tables A.1-A.7 Inventories of anthropogenic emissions and removals in 1990-95

Tables B.1-B.6 Projected anthropogenic emissions for the year 2000

Tables C.1-C.6 Projected anthropogenic emissions up to the year 2020

I. INTRODUCTION

A. Mandate

1. The Conference of the Parties, at its second session (COP 2), by its decision 9/CP.2,¹ requested Annex I Parties to submit their second national communication by 15 April 1997. For those Parties which were due to submit the first communication in 1996, an update of this communication was to be submitted by the same date; second national communications by Parties with economies in transition should in principle be submitted not later than 15 April 1998. National inventory data on emissions by sources and removals by sinks are to be submitted on an annual basis by 15 April of each year. By the same decision, COP 2 requested the secretariat to prepare the documentation on the results of the review of second national communications, including compilation and synthesis and/or other reports, according to schedules to be adopted by the subsidiary bodies. A first compilation and synthesis of second national communications from Annex I Parties should be available for consideration by the Conference of the Parties at its third session.

2. The Subsidiary Body for Scientific and Technological Advice (SBSTA), at its fifth session, *inter alia*, requested the secretariat to prepare an initial compilation and synthesis by the seventh session of the SBSTA of all communications received by 15 April 1997 (see document FCCC/SBSTA/1997/4).

B. Scope of the note

3. The present note compiles, in a preliminary manner, the latest available **numerical data** on greenhouse gas inventories and projections drawn from both first and second national communications as well as from in-depth review reports and annual inventory submissions, where appropriate. Thus this note is not to be regarded as a compilation and synthesis report, since no discussion or conclusions are contained in the note, but rather as a presentation of the most recent information on the actual trends in greenhouse gas emissions for the years 1990-1995 and projections for the year 2000 and up to 2020 as reported by Annex I Parties. It was felt that this information may be helpful as reference data to be taken into account in the Berlin Mandate process. An initial compilation and synthesis of second national communications containing the late submissions will be prepared for consideration at the seventh sessions of the subsidiary bodies as requested by the SBSTA at its fifth session.

C. Possible action by the subsidiary bodies

4. No action is envisaged by the subsidiary bodies in relation to this note.

¹ For decisions adopted by the Conference of the Parties at its second session, see document FCCC/CP/1996/15/Add.1

II. TABLES OF INVENTORIES OF ANTHROPOGENIC EMISSIONS AND REMOVALS IN 1990-95 AND PROJECTED ANTHROPOGENIC EMISSIONS UP TO THE YEAR 2020

A. General notes

5. Data on inventories of emissions and removals as well as data on projections are included in the tables below. The purpose of these tables is to present in as much a consistent and comparable fashion as possible the latest available inventory and projections data. However, it should be borne in mind that part of the information presented in these tables is provisional and has not been subject to a technical analysis and review by experts. The data provided by the Parties will be further reviewed and analysed for incorporation in the first compilation and synthesis of second national communications from Annex I Parties.

6. In some cases, the figures presented differ from those in the second compilation and synthesis report of first national communications (FCCC/CP/1996/12 and Add.1 and 2) or from first national communications as originally submitted. This is mainly due to the fact that all Parties when submitting their second national communication or the latest inventory data have revised their earlier estimates. These revised estimates are marked in the tables in *italics*.

7. Footnotes to the tables were kept to a minimum. It should be noted that the footnotes to the tables contained in the second compilation and synthesis report (FCCC/CP/1996/12 and Add.1 and 2) have not been reproduced in this document.

8. The tables comprise estimates provided by all Annex I Parties. At the time of writing the secretariat received second national communications from eleven Annex I Parties, namely Canada, Finland, France, Germany, Ireland, Netherlands, New Zealand, Norway, Sweden, Switzerland and the United Kingdom, as well as from Monaco². Data for Belgium contained in its first communication have also been included in the tables since the communication was received by the secretariat after publication of the second compilation and synthesis report. Some Parties (Hungary, Japan, Latvia, Russian Federation and Slovakia) made available to the secretariat greenhouse gas inventories (in some cases advance or preliminary ones); these data have been taken into account in this note. In a number of cases updated information made available by Parties to the review teams during the in-depth reviews of their first communication have also been included in the tables.

² Monaco notified the Depository of its intention to be bound by subparagraphs (a) and (b) of Article 4.2

B. Explanatory notes to the tables

9. Blanks in the tables signify an absence of quantitative information. The secretariat has chosen to leave the spaces blank in order not to complicate the reading of the tables. The figure "zero" appears in the tables only when reported as such by the Parties.

References to "guidelines" are to document FCCC/CP/1996/15/Add.1, decision 9/CP.2, annex to this decision entitled "Revised guidelines for the preparation of national communications by Parties included in Annex I to the Convention".

When converting units of mass for non-CO₂ gases into carbon dioxide-equivalent terms, global warming potentials (GWP) over a 100-year time horizon provided by the Intergovernmental Panel on Climate Change (IPCC) in its Second Assessment Report (1995) have been used unless otherwise indicated.

The following chemical symbols have been used:

CF ₄	Tetrafluoromethane
CFCs	Chlorofluorocarbons
C ₂ F ₆	Hexafluoroethane
CH ₄	Methane
CO	Carbon monoxide
CO ₂	Carbon dioxide
HCFCs	Hydrochlorofluorocarbons
HFCs	Hydrofluorocarbons
N ₂ O	Nitrous oxide
NO _x	Nitrogen oxides
NMVOCs	Non-methane volatile organic compounds
PFCs	Perfluorocarbons
SF ₆	Sulphur hexafluoride
VOCs	Volatile organic compounds

The following weights have been used:

Gg	Gigagrams (10 ⁹ grams)
----	-----------------------------------

Table A.1 Anthropogenic CO₂ emissions, excluding land-use change and forestry^a, 1990 and 1994 (Gigagrams and percentage of total by Party)

	Energy ^b				Industrial Processes				Other ^c				Total	
	1990 (Gg)	%	1994 (Gg)	%	1990 (Gg)	%	1994 (Gg)	%	1990 (Gg)	%	1994 (Gg)	%	1990 (Gg)	1994 (Gg)
<i>Australia</i>	266 468	97.6	278 208	97.4	6 655	2.4	7 293	2.6					273 123	285 501
<i>Austria</i>	57 100	96.5			2 100	3.5							59 200	
<i>Belgium</i>	103 234	91.0	108 843	90.4	9 188	8.1	10 456	8.7	983	0.9	1 093	0.9	113 405	120 392
<i>Bulgaria (1990)</i>	76 113	92.4	54 317	93.9	5 538	6.7	2 916	5.0	721	0.9	631	1.1	82 372	57 864
<i>Bulgaria (1998)^d</i>	90 327	93.2			5 890	6.1			661	0.7			96 878	
<i>Canada</i>	433 620	93.5	453 100	94.0	21 800	4.7	25 100	5.2	7 781	1.7	4 218	0.9	464 000	482 000
<i>Czech Republic</i>	160 073	96.7			5 417	3.3							165 490	
<i>Denmark</i>	50 997	98.0	61 805	97.9	1 028	2.0	1 327	2.1			0	0.0	52 025	63 132
<i>Estonia</i>	37 184	98.4	21 413	99.0	613	1.6	215	1.0			0	0.0	37 797	21 628
<i>Finland</i>	52 700	98.0	58 420	98.6	1 200	2.2	840	1.4			0	0.0	53 800	59 250
<i>France</i>	356 691	94.3	353 277	94.7	16 638	4.4	14 335	3.8	5 050	1.3	5 473	1.5	378 379	373 085
<i>Germany</i>	986 640	97.3	879 300	97.2	27 515	2.7	25 200	2.8					1 014 155	904 500
<i>Greece</i>	76 210	92.8			5 890	7.2							82 100	
<i>Hungary (1990)</i>	68 105	95.0	57 046	96.4	3 568	5.0	1 397	2.4			754	1.3	71 673	59 196
<i>Hungary (1985-87)^d</i>	80 089	95.7			3 587	4.3							83 676	
<i>Iceland</i>	1 753	81.6	1 852	81.7	391	18.2	409	18.0	5	0.2	5	0.2	2 147	2 265
<i>Ireland</i>	29 038	94.5	31 443	94.4	1 627	5.3	1 827	5.5	54	0.2	54	0.2	30 719	33 324
<i>Italy</i>	401 350	93.6			27 591	6.4							428 941	
<i>Japan</i>	1 052 964	93.6	1 133 291	93.5	58 795	5.2	61 303	5.1	12 773	1.1	17 416	1.4	1 124 532	1 211 740
<i>Latvia</i>	22 606	98.4			371	1.6							22 976	
<i>Luxembourg</i>	10 626	93.7			585	5.2			132	1.2			11 343	
<i>Monaco</i>	0	0.0							71	100.0			71	
<i>Netherlands</i>	164 800	98.4	172 300	98.3	1 850	1.1	2 000	1.1	900	0.5	900	0.5	167 550	175 200
<i>New Zealand</i>	23 089	90.6	24 655	90.2	2 387	9.4	2 671	9.8					25 476	27 326
<i>Norway</i>	28 698	80.7	30 834	81.6	6 514	18.3	6 615	17.5	333	0.9	335	0.9	35 544	37 785
<i>Poland (1990)</i>													414 930	
<i>Poland (1988)^d</i>	465 281	97.2			13 599	2.8							478 880	
<i>Portugal</i>	38 686	91.8	42 055	91.0	3 462	8.2	4 157	9.0					42 148	46 212
<i>Romania (1990)^e</i>													171 103	
<i>Romania (1989)^{d, f}</i>	198 472	99.9							7	0.0			198 479	
<i>Russian Federation</i>	2 334 120	98.3	1 614 800	98.9	41 471	1.7	18 717	1.1					2 375 591	1 633 517
<i>Slovakia</i>	56 585	94.3	40 389	92.9	3 447	5.7	3 065	7.1					60 032	43 454
<i>Spain</i>	209 425	92.1			17 696	7.8			201	0.1			227 322	
<i>Sweden</i>	51 382	92.7	53 920	92.2	3 787	6.8	4 200	7.2	276	0.5	200	0.3	55 445	58 500
<i>Switzerland</i>	40 386	89.6	39 272	90.6	3 363	7.5	2 730	6.3	1 320	2.9	1 340	3.1	45 070	43 340
<i>United Kingdom</i>	569 813	98.2	542 689	98.4	9 911	1.7	8 373	1.5	513	0.1	513	0.1	580 237	551 574
<i>United States</i>	4 901 992	98.9	5 103 000	99.5	55 030	1.1	23 083	0.5					4 957 022	5 126 084
Total^f	12 662 447	97.1	11 156 228	97.7	345 427	2.6	228 229	2.0	31 113	0.2	32 932	0.3	13 625 718	11 416 869

- ^a In light of the different ways of reporting used by Parties, emissions from land-use change and forestry were excluded from the table for comparison and consistency purposes, however are presented in table A.2.
- ^b Includes fuel combustion and fugitive fuel emissions.
- ^c Includes emissions from solvent use, agriculture and waste.
- ^d Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).
- ^e Party did not provide inventory data according to IPCC reporting format. Estimate calculated by the secretariat using the per capita emissions and population figures provided by Party.
- ^f An estimate of 9,244 Gg of emissions from industrial processes was reported but not included to avoid double counting, as the Party included these emissions in fuel combustion (industry).
- ^g The percentage of the total accounted for by each category have been calculated on the basis of the overall total with the exclusion of Poland and Romania since data for the individual categories for these Parties were not included in the table. The emissions for non-1990 base years were also not taken into account in the overall total or total percentages for categories.

Table A.2 Anthropogenic CO₂ emissions and removals^a from land-use change and forestry and impact on total CO₂ emissions, 1990 and 1994 or 1995^b, (Gigagrams)

	Land-use change and forestry, net emissions or removals		National CO ₂ emissions excluding land-use change and forestry		National CO ₂ emissions including land-use change and forestry		Percentage reduction or increase (-/+) of national CO ₂ emissions taking into account land-use change and forestry	
	1990 (Gg)	1994 / 1995 (Gg)	1990 (Gg)	1994 / 1995 (Gg)	1990 (Gg)	1994 / 1995 (Gg)	1990 %	1994 / 1995 %
<i>Australia^c</i>	121 688	-27 512	273 123	285 501	394 811	257 989	45	-10
<i>Austria</i>	-15 000		59 200		44 200		-25	
<i>Belgium</i>	-2 057	-2 057	113 405	120 392	111 348	118 335	-2	-2
<i>Bulgaria (1990)</i>	-5 801	-6 941	82 372	57 864	76 571	50 923	-7	-12
<i>Bulgaria (1988)^d</i>	-4 657	-6 941	96 878	57 864	92 221	50 923	-5	-12
<i>Canada</i>								
<i>Czech Republic</i>	-2 281	-5 454	165 490	128 817	163 209	123 363	-1	-4
<i>Denmark</i>	-2 600		52 025		49 425		-5	
<i>Estonia</i>	1 796	1 646	37 797	21 628	39 593	23 274	5	8
<i>Finland^e</i>	(-30 000)- (-19 000)	(-14 000) - (-7 000)	53 800	59 250	23 800 - 34 800	46 250-52 250	(-56) - (-35)	(-22) - (-12)
<i>France</i>	-33 218	-46 801	378 379	385 347	345 161	338 546	-9	-12
<i>Germany</i>	-30 000	-30 000	1 014 155	894 500	984 155	864 500	-3	-3
<i>Greece</i>								
<i>Hungary (1990)</i>	-4 467	-4 820	71 673	59 196	67 206	54 376	-6	-8
<i>Hungary (1985-87)^d</i>	-3 097	-4 820	83 676	59 196	80 579	54 376	-4	-8
<i>Iceland</i>								
<i>Ireland</i>	-5 160	-6 230	30 719	33 931	25 559	27 701	-17	-18
<i>Italy</i>	-36 730		428 941		392 211		-9	
<i>Japan</i>	-83 341	-94 619	1 124 532	1 218 377	1 041 191	1 123 758	-7	-8
<i>Latvia</i>	-14 300	-15 831	22 976	11 267	8 676	-4 564	-62	-141
<i>Luxembourg</i>								
<i>Netherlands</i>	-1 500	-1 700	167 550	183 400	166 050	181 700	-1	-1
<i>New Zealand</i>	-20 569	-13 487	25 476	27 367	4 907	13 880	-81	-49
<i>Norway</i>	-10 200	-13 637	35 544	37 880	25 344	24 243	-29	-36
<i>Poland (1990)</i>								
<i>Poland (1988)^d</i>	-1 408		478 880		477 472			
<i>Portugal</i>								
<i>Romania (1990)</i>								
<i>Romania (1989)^d</i>	-2 925		198 479		195 554		-1	
<i>Russian Federation</i>	-392 690	-568 850	2 375 591	1 633 517	1 982 901	1 064 667	-17	-35
<i>Slovakia</i>	-4 257	-5 118	60 032	48 516	55 775	43 398	-7	-11
<i>Spain</i>	-23 166		227 322		204 156		-10	
<i>Sweden</i>	-34 368		55 445		21 077		-62	
<i>Switzerland</i>	-4 360	-5 100	45 070	44 170	40 710	39 070	-10	-12
<i>United Kingdom^f</i>	20 240	12 540	580 237	551 574	600 477	564 114	3	2
<i>United States</i>	-436 000	-458 000	4 957 022	5 126 084	4 521 022	4 668 084	-9	-9

^a Negative values in Gg denote removal of CO₂. Positive values denote a net source of emissions.

^b Estimates for Australia, Belgium, Bulgaria, Estonia, Hungary, Russia, United Kingdom and United States are for 1994.

^c The 1990 estimate includes emissions from forest and grassland conversion of 152,000 Gg. Emissions from forest and grassland conversion were not estimated for 1994.

^d Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^e The estimates include emissions and removals from wetland drainage and peat extraction.

Table A.3.1 Total anthropogenic CO₂ emissions, excluding land-use change and forestry, 1990 - 1995 (Gigagrams and percentage)

	Percentage relative to 1990, 1990=100						Last Reported Value	
	1990 (Gg)	1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	273 123	101	102	103	105		285 501	
<i>Austria</i>	59 200	108	100					
<i>Belgium</i>	113 405	105	104	101	106		120 392	
<i>Bulgaria (1990)</i>	82 372	78	72	74	70		57 864	
<i>Bulgaria (1988)^f</i>	96 878	67	61	63	60		57 864	
<i>Canada</i>	464 000	98	101	101	104	108		499 526
<i>Czech Republic</i>	165 490	93	85	81		78		128 817
<i>Denmark</i>	52 025	121	110	114	121		63 132	
<i>Estonia</i>	37 797	97	73	55	57		21 628	
<i>Finland</i>	53 800	0	97	99	110	104		56 050
<i>France</i>	378 379	106	106	99	99	102		385 347
<i>Germany</i>	1 014 155	96	91	91	89	88		894 500
<i>Greece</i>	82 100							
<i>Hungary (1990)^b</i>	71 673	94	84	85	83		59 196	
<i>Hungary (1985-87)^{a,b}</i>	83 676	81	72	73	71		59 196	
<i>Iceland</i>	2 147	96	102	107	105	106		2 282
<i>Ireland</i>	30 719	103	105	104	108	110		33 931
<i>Italy</i>	428 941							
<i>Japan</i>	1 124 532	102	103	101	108	108		1 218 377
<i>Latvia</i>	22 976					49		11 267
<i>Luxembourg</i>	11 343							
<i>Monaco</i>	71							
<i>Netherlands</i>	167 550	104	103	105	105	109		183 400
<i>New Zealand</i>	25 476	102	110	107	107	107		27 367
<i>Norway</i>	35 544	95	97	101	106	107		37 880
<i>Poland (1990)</i>	414 930	96	90					
<i>Poland (1988)^a</i>	478 880	83	78					
<i>Portugal</i>	42 148	106	118	112	110		46 212	
<i>Romania (1990)^a</i>	171 103	83	72	70				
<i>Romania (1989)</i>	198 479	71	62	61				
<i>Russian Federation</i>	2 375 591				69		1 633 517	
<i>Slovakia</i>	60 032	88	81	77	72	81		48 516
<i>Spain</i>	227 322							
<i>Sweden</i>	55 445	100	101	101	106	105		58 108
<i>Switzerland</i>	45 070	104	101	98	96	98		44 170
<i>United Kingdom</i>	580 237	101	98	96	95		551 574	
<i>United States</i>	4 957 022	99	100	103	103		5 126 084	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^b The estimates for the base year and 1990 do not include emissions from waste while emissions from waste of 76 Gt annually are included

Table A.3.2 CO₂ emissions from fuel combustion, 1990 - 1995 (Gigagrams and percentage)

	Percentage relative to 1990, 1990=100						Last reported value	
	1990 (Gg)	1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	262 623	101	102	103	104		273 934	
<i>Austria</i>	57 100	108	100					
<i>Belgium</i>	103 234	105	104	101	105		108 843	
<i>Bulgaria (1990)</i>	76 113	79	73	76	71		54 317	
<i>Bulgaria (1988)^a</i>	90 327	67	61	64	60		54 317	
<i>Canada</i>	426 000	98	101	101	104	108		460 886
<i>Czech Republic</i>	160 073	93	85	82		78		124 647
<i>Denmark</i>	50 997	121	109	113	121		61 805	
<i>Estonia</i>	37 184	98	74	56	58		21 413	
<i>Finland</i>	52 600		98	99	111	105		55 130
<i>France</i>	356 259	106	105	100	98	100		356 588
<i>Germany</i>	986 640	96	91	91	89	88		869 300
<i>Greece</i>	76 210							
<i>Hungary (1990)</i>	68 105	96	86	86	84		57 046	
<i>Hungary (1985-87)^a</i>	80 089	81	73	73	71		57 046	
<i>Iceland</i>	1 674	97	105	108	106	106		1 773
<i>Ireland</i>	29 038	103	105	104	108	111		32 105
<i>Italy</i>	401 350							
<i>Japan</i>	1 052 964	102	103	101	108	108		1 138 478
<i>Latvia</i>	22 606					49		11 163
<i>Luxembourg</i>	10 626							
<i>Monaco</i>								
<i>Netherlands</i>	164 800	104	103	105	105	109		180 400
<i>New Zealand</i>	22 474	101	110	106	107	107		24 004
<i>Norway</i>	26 938	97	100	104	109	107		28 854
<i>Poland (1990)</i>								
<i>Poland (1988)^a</i>	465 229		78					
<i>Portugal</i>	38 686	105	119	111	109		42 055	
<i>Romania</i>								
<i>Romania (1989)^a</i>	198 472							
<i>Russian Federation</i>	2 334 120				69		1 614 800	
<i>Slovakia</i>	56 585	88	81	77	71	80		45 426
<i>Spain</i>	209 012							
<i>Sweden</i>	51 329	100	101	101	105	104		53 385
<i>Switzerland</i>	40 330	105	102	99	97	100		40 130
<i>United Kingdom</i>	562 522	101	99	96	95		534 123	
<i>United States</i>	4 895 432	99	100	103	104		5 098 000	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.3.3 CO₂ emissions from transport, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last reported value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	59 596	99	101	103	105		62 689	
<i>Austria</i>	16 200	109	109					
<i>Belgium</i>	20 018	102	110	110	112		22 473	
<i>Bulgaria (1990)</i>	11 756	58	60	70	61		7 179	
<i>Bulgaria (1988)^f</i>	10 753	64	65	76	67		7179	
<i>Canada</i>	140 000	96	97	99	105	107		150 453
<i>Czech Republic</i>	7 959	86	102	104		112		8 912
<i>Denmark</i>	10 491	106	106	109	113		11 887	
<i>Estonia</i>	2 656							
<i>Finland</i>	11 500		101	96	99	97		11 130
<i>France</i>	124 921	102	104	104	106	108		134 623
<i>Germany</i>	158 647	102	106	109	106	108		170 700
<i>Greece</i>	14 460							
<i>Hungary (1990)</i>	8 208	90	88	87	88		7 212	
<i>Hungary (1985-87)^a</i>	7 741	95	93	92	93		7 212	
<i>Iceland</i>	1 376	102	107	110	109	110		1 521
<i>Ireland</i>	4 885	105	114	113	119	127		6 209
<i>Italy</i>	95 624							
<i>Japan</i>	207 431	105	107	108	113	117		242 123
<i>Latvia</i>	5 661					34		1 926
<i>Luxembourg</i>	908							
<i>Monaco</i>								
<i>Netherlands</i>	26 800	100	104	106	108	112		30 100
<i>New Zealand</i>	8 748	100	104	109	117	126		10 983
<i>Norway</i>	13 885	98	99	103	103	105		14 578
<i>Poland (1990)</i>								
<i>Poland (1988)^d</i>	34 792		87					
<i>Portugal</i>	9 947	108	119	124	134		13 369	
<i>Romania (1990)</i>								
<i>Romania (1989)^e</i>	7 893							
<i>Russian Federation</i>								
<i>Slovakia</i>	5 168	86	80	78	80	81		4210
<i>Spain</i>	60 218							
<i>Sweden</i>	18 650	100	103	99	101	104		19 341
<i>Switzerland</i>	14 668	104	100	100	101	99		14 865
<i>United Kingdom</i>	119 255	99	101	102	102		121 961	
<i>United States</i>	1 502 626				103		1 551 000	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.3.4 CO₂ emissions from small combustion, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last reported value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	12 178	101	103	107	108		13 181	
<i>Austria</i>	12 100	116	103					
<i>Belgium</i>	25 861	112	115	112	111		28 674	
<i>Bulgaria (1990)</i>	5 378	76	86	77	62		3 325	
<i>Bulgaria (1988)^f</i>	8 941	46	52	46	37		3 325	
<i>Canada</i>	69 830	97	101	107	106	107		74 425
<i>Czech Republic</i>	35 948	83	66	64		53		19 039
<i>Denmark</i>	8 062	106	101	101	97		7 826	
<i>Estonia</i>	1 581							
<i>Finland</i>	7 900		110	100	105	110		8 710
<i>France</i>	99 860	110	110	106	101	102		101 756
<i>Germany</i>	198 190	101	93	98	92	94		186 100
<i>Greece</i>	8 260							
<i>Hungary (1990)</i>	20 877	104	83	84	81		16 960	
<i>Hungary (1985-87)^a</i>	23 174	94	75	76	73		16 960	
<i>Iceland</i>	49	97	92	89	74	75		37
<i>Ireland</i>	7 859	120	118	114	120	118		9 265
<i>Italy</i>	75 585							
<i>Japan</i>	158 298	104	107	107	105	112		177 084
<i>Latvia</i>	4 590					45		2 084
<i>Luxembourg</i>	1 174							
<i>Monaco</i>								
<i>Netherlands</i>	37 300	114	106	112	105	109		40 700
<i>New Zealand</i>	2 766	95	108	98	105	100		2 775
<i>Norway</i>	2 506	85	76	74	79	75		1 891
<i>Poland (1990)</i>								
<i>Poland (1988)^d</i>	105 287		67					
<i>Portugal</i>	3 274	159	165	169	174		5 696	
<i>Romania (1990)</i>								
<i>Romania (1989)^e</i>								
<i>Russian Federation</i>								
<i>Slovakia</i>	13 813					59		8 090
<i>Spain</i>	25 609							
<i>Sweden</i>	10 672	96	96	94	96	93		9 903
<i>Switzerland</i>	18 322	105	104	101	95	100		18 290
<i>United Kingdom</i>	111 377	110	107	110	104		116 373	
<i>United States</i>	551 002				109		601 000	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.4.1 Total anthropogenic CH₄ emissions, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last reported value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	5 590	95	95	95	95		5 302	
<i>Austria</i>	603							
<i>Belgium</i>	634	99	99	100	100		635	
<i>Bulgaria (1990)</i>	1 380	97	89	81	77		1 068	
<i>Bulgaria (1988)^a</i>	1 413	94	87	79	76			
<i>Canada</i>	3 200	100	103	109	113	117		3 732
<i>Czech Republic</i>	888	92	86	82		83		733
<i>Denmark</i>	407	100	100	100	99		401	
<i>Estonia</i>	323	89	70	56	58		188	
<i>Finland</i>	246		100	99	100	98		241
<i>France</i>	3 017	100	97	97	95	94		2 844
<i>Germany</i>	5 682	92	91	88	85	84		4 788
<i>Greece</i>	343							
<i>Hungary (1990)^b</i>	545						776	
<i>Hungary (1985-87)^{a, b}</i>	664						776	
<i>Iceland</i>	23	101	91	92	93	92		21
<i>Ireland</i>	811	98	99	99	99	100		812
<i>Italy</i>	3 901							
<i>Japan</i>	1 575	99	99	99	98		1 548	
<i>Latvia</i>	159					65		103
<i>Luxembourg</i>	24							
<i>Monaco</i>								
<i>Netherlands</i>	1 104	102	98	97	97	96		1 063
<i>New Zealand</i>	1 706	98	95	93	95	96		1 635
<i>Norway</i>	432	100	101	104	108	109		469
<i>Poland (1990)</i>	6 100		41					
<i>Poland (1988)^d</i>	3042		81					
<i>Portugal</i>	227	100	100	100	99		225	
<i>Romania (1990)</i>	1 954	88	77	77				
<i>Romania (1989)^a</i>	2 328	74	65	65				
<i>Russian Federation</i>	26 690				89		23 880	
<i>Slovakia</i>	409	93	90	81	77	77		315
<i>Spain</i>	2 151							
<i>Sweden</i>	324	99	99	99	94	91		296
<i>Switzerland</i>	244	100	99	99	97	97		235
<i>United Kingdom</i>	4 402	99	97	92	87		3843	
<i>United States</i>	27 000	101	101	99	104		28 171	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^b Although estimates were reported for the years 1991-1994, it was not possible to present the trends since the estimates for energy-related emissions for the base year and 1990 were not fully consistent with estimates for 1991-1994 and estimates of emissions from waste were only reported for 1991-1994.

Table A.4.2 CH₄ emissions from fugitive fuel, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last Reported Value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	1 213	98	102	99	100		1 218	
<i>Austria</i>	92							
<i>Belgium</i>	53	93	83	82	84		45	
<i>Bulgaria (1990)</i>	311	83	78	74	72		225	
<i>Bulgaria (1988)^d</i>	315	82	77	74	71		225	
<i>Canada</i>	1 400	100	107	114	121	128		1 791
<i>Czech Republic</i>	460	90	87	84		88		405
<i>Denmark</i>	11	106	105	101	101		11	
<i>Estonia</i>	217	85	64	48	50		109	
<i>Finland</i>								
<i>France</i>	332	99	98	102	101	100		333
<i>Germany</i>	1 563	94	93	83	75		1 170	
<i>Greece</i>	39							
<i>Hungary (1990)^b</i>	366						379	
<i>Hungary (1985-87)^{a, b}</i>	448						379	
<i>Iceland</i>								
<i>Ireland</i>	10	95	100	105	105	109		11
<i>Italy</i>	348							
<i>Japan</i>	166	103	105	104	102		169	
<i>Latvia</i>	2					58		1
<i>Luxembourg</i>	2							
<i>Monaco</i>								
<i>Netherlands</i>	179	105	91	88	95	95		170
<i>New Zealand</i>	25	88	89	88	93	110		27
<i>Norway</i>	21	105	129	138	143	143		30
<i>Poland (1990)</i>								
<i>Poland (1988)^d</i>	1 222		65					
<i>Portugal</i>	2	95	80	80				
<i>Romania (1990)</i>	0							
<i>Romania (1989)^d</i>	1 416							
<i>Russian Federation</i>	18 900				91		17 200	
<i>Slovakia</i>	122	93	84	87	86	87		106
<i>Spain</i>	695							
<i>Sweden</i>								
<i>Switzerland</i>	15	99	97	94	91	87		13
<i>United Kingdom</i>	1 238	100	94	81	65		808	
<i>United States</i>	7 641	99	97	90	100		7 630	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^b Although estimates were reported for the years 1991-1994, it was not possible to present the trends since the estimates for energy-related emissions for the base year and 1990 were not fully consistent with estimates for 1991-1994.

Table A.4.3 CH₄ emissions from agriculture, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last reported value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	3 223	100	98	98	97		3 141	
<i>Austria</i>	259							
<i>Belgium</i>	388	99	99	100	100		389	
<i>Bulgaria (1990)</i>	258	86	67	53	48		124	
<i>Bulgaria (1988)^a</i>	307	73	56	45	40		124	
<i>Canada</i>	890	101	100	104	108	112		996
<i>Czech Republic</i>	204	91	83	73		68		139
<i>Denmark</i>	263	100	99	100	97		256	
<i>Estonia</i>	60	100	91	78	77		46	
<i>Finland⁰</i>	101	96	93	92	92	87		88
<i>France</i>	1 626	98	96	96	96	95		1 551
<i>Germany</i>	2 044	88	84	83	81		1 660	
<i>Greece</i>	175							
<i>Hungary (1990)</i>	173	97	83	73	70		121	
<i>Hungary (1985-87)^a</i>	208	80	69	61	58		121	
<i>Iceland</i>	12	99	96	95	95	96		11
<i>Ireland</i>	640	98	98	99	99	99		637
<i>Italy</i>	1 860							
<i>Japan</i>	843	100	101	102	101		849	
<i>Latvia</i>	111					40		45
<i>Luxembourg</i>	18							
<i>Monaco</i>								
<i>Netherlands</i>	505	102	100	98	96	94		475
<i>New Zealand</i>	1 513	98	95	93	95	96		1 460
<i>Norway</i>	91	102	104	102	107	105		96
<i>Poland (1990)</i>								
<i>Poland (1988)^a</i>	862		82					
<i>Portugal</i>	176	100	100	100	100		176	
<i>Romania (1990)</i>								
<i>Romania (1989)^a</i>	610							
<i>Russian Federation</i>	4 890				77		3 770	
<i>Slovakia</i>	187	92	81	70	65	65		122
<i>Spain</i>	887							
<i>Sweden</i>	200	98	99	99	101	99		197
<i>Switzerland</i>	151	101	100	100	98	98		148
<i>United Kingdom</i>	1 143	98	98	97	98		1 116	
<i>United States</i>	8 596	99	102	102	107		9 196	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.4.4 CH₄ emissions from waste, 1990 - 1995 (Gigagrams and percentage)

	1990 (Gg)	Percentage relative to 1990, 1990=100					Last reported value	
		1991 %	1992 %	1993 %	1994 %	1995 %	1994 (Gg)	1995 (Gg)
<i>Australia</i>	704	102	104	107	109		767	
<i>Austria</i>	228							
<i>Belgium</i>	174	102	104	105	106		184	
<i>Bulgaria (1990)</i>	802	105	100	92	88		704	
<i>Bulgaria (1988)^a</i>	732	115	110	100	96		704	
<i>Canada</i>	840	99	100	102	104	106		889
<i>Czech Republic</i>	149	99	99	97		97		144
<i>Denmark</i>	122	100	100	100	100		122	
<i>Estonia</i>	42	98	74	67	71		30	
<i>Finland</i>	126	102	105	106	105	106		133
<i>France</i>	800	99	97	95	83	85		678
<i>Germany</i>	1 870	97	101	101	102		1 900	
<i>Greece</i>	110							
<i>Hungary (1990)^b</i>							255	
<i>Hungary (1985-87)^{a, b}</i>								
<i>Iceland</i>	11	103	86	89	90	87		10
<i>Ireland</i>	136	100	100	100	100	101		138
<i>Italy</i>	1 611							
<i>Japan</i>	397	97	95	94	94		373	
<i>Latvia</i>	44					118		51
<i>Luxembourg</i>	4							
<i>Monaco</i>								
<i>Netherlands</i>	379	100	99	99	100	100		380
<i>New Zealand</i>	155	101	98	96	91	85		132
<i>Norway</i>	302	100	100	102	106	107		322
<i>Poland (1990)</i>								
<i>Poland (1988)^d</i>	906		104					
<i>Portugal</i>	35	100	100	100	100		35	
<i>Romania (1990)</i>								
<i>Romania (1989)^a</i>	241							
<i>Russian Federation</i>	1 940				101		1 950	
<i>Slovakia</i>	66	105	117	106	98	95		63
<i>Spain</i>	491							
<i>Sweden</i>	85	100	100	100	72	72		61
<i>Switzerland</i>	69	99	99	98	98	97		67
<i>United Kingdom</i>	1 923	98	98	96	95		1 826	
<i>United States</i>	10 150	101	100	100	102		10 400	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^b Although estimates were reported for the years 1991-1994, it was not possible to present the trends since the estimates of emissions from waste were only reported for 1991-1994.

Table A.5.1 Total anthropogenic N₂O emissions, 1990 - 1995 (Gigagrams and percentage)

	1990	Percentage relative to 1990, 1990=100					Last reported value	
		1991	1992	1993	1994	1995	1994	1995
	(Gg)	%	%	%	%	%	(Gg)	(Gg)
<i>Australia</i>	81.2	98	98	100	100		81.6	
<i>Austria</i>	4.1							
<i>Belgium</i>	30.8	100	97	99	105		32.3	
<i>Bulgaria (1990)</i>	29.6	78	65	59	61		18.0	
<i>Bulgaria (1988)^a</i>	30.8	75	63	57	58		18.0	
<i>Canada</i>	86.0	101	107	109	116	125		107.8
<i>Czech Republic</i>	24.0	96	96	88		90		21.6
<i>Denmark</i>	10.3	104	103	105	106		10.9	
<i>Estonia</i>	2.4	98	77	60	55		1.3	
<i>Finland</i>	18.0		94	100	100	100		18.0
<i>France</i>	181.7	99	96	90	93	95		173.5
<i>Germany</i>	226.0	97	100	96	97	93		210.0
<i>Greece</i>	13.7							
<i>Hungary (1990)</i>	11.4	65	63	60	72		8.2	
<i>Hungary (1985-87)^a</i>	12.9	58	56	53	63		8.2	
<i>Iceland</i>	0.5	100	98	98	96	104		0.6
<i>Ireland</i>	29.4	86	87	87	88	89		26.0
<i>Italy</i>	120.3							
<i>Japan</i>	105.3	103	101	102	104		110.0	
<i>Latvia</i>	2.4					28		0.7
<i>Luxembourg</i>	0.6							
<i>Monaco</i>								
<i>Netherlands</i>	51.2	104	111	112	113	114		58.5
<i>New Zealand</i>	47.5	96	97	97	97	98		46.7
<i>Norway</i>	15.0	100	87	93	93	93		14.0
<i>Poland (1990)</i>	156.0		32					
<i>Poland (1988)^a</i>	58.9		85					
<i>Portugal</i>	10.6	105	111	106	103		10.9	
<i>Romania (1990)</i>	106.8	85	64	92				
<i>Romania (1989)^a</i>	122.7	74	56	80				
<i>Russian Federation</i>	228.0				59		134.5	
<i>Slovakia</i>	10.7	87	73	58	59	64		6.8
<i>Spain</i>	93.9							
<i>Sweden</i>	9.2	100	96	100	103	100		9.2
<i>Switzerland</i>	11.5	101	102	103	103	103		11.8
<i>United Kingdom</i>	112.5	95	81	72	83		93.7	
<i>United States</i>	411.4	97	97	97	87		359.0	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.5.2 N₂O emissions from transport, 1990 - 1995 (Gigagrams and percentage)

	Percentage relative to 1990, 1990=100						Last reported value	
	1990	1991	1992	1993	1994	1995	1994	1995
	(Gg)	%	%	%	%	%	(Gg)	(Gg)
<i>Australia</i>	5.2	112	137	154	171		8.9	
<i>Austria</i>	0.5							
<i>Belgium</i>	0.9	97	108	118	129		1.2	
<i>Bulgaria (1990)</i>	0.3	67	33	67	33		0.1	
<i>Bulgaria (1988)^a</i>	0.2	103	51	103	51		0.1	
<i>Canada</i>	29.0	107	121	138	155	166		48.0
<i>Czech Republic</i>	1.0	100	100	100		100		1.0
<i>Denmark</i>	0.4	125	150	200	200		0.8	
<i>Estonia</i>	0.0							
<i>Finland</i>	2.0		100	100	100	100		2.0
<i>France</i>	4.0	106	112	123	146	167		6.7
<i>Germany</i>	11.0	127	145	164	173		19.0	
<i>Greece</i>	1.2							
<i>Hungary (1990)</i>								
<i>Hungary (1985-87)^a</i>	0.8							
<i>Iceland</i>	0.0	100	100	100	100	100		0.0
<i>Ireland</i>	0.2	244	250	244	256	272		0.5
<i>Italy</i>	3.5							
<i>Japan</i>	12.9	104	106	106	107		13.8	
<i>Latvia</i>	0.1					93		0.1
<i>Luxembourg</i>	0.0							
<i>Monaco</i>								
<i>Netherlands</i>	4.9	110	124	135	147	157		7.7
<i>New Zealand</i>	0.4	101	106	110	117	126		0.5
<i>Norway</i>	1.0	100	100	100	100	100		1.0
<i>Poland (1990)</i>								
<i>Poland (1988)^a</i>	106		88					
<i>Portugal</i>	0.4	100	125	125	125		0.5	
<i>Romania (1990)</i>								
<i>Romania (1989)^a</i>	0.3							
<i>Russian Federation</i>								
<i>Slovakia</i>								0.3
<i>Spain</i>	2.1							
<i>Sweden</i>	2.6	100	100	100	108	112		2.9
<i>Switzerland</i>	1.1	111	122	134	145	157		1.8
<i>United Kingdom</i>	3.1	105	125	168	220		6.8	
<i>United States</i>	92.3	108	108	108	115		106.0	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.5.3 N₂O emissions from agriculture, 1990 - 1995 (Gigagrams and percentage)

	Percentage relative to 1990, 1990=100						Last reported value	
	1990	1991	1992	1993	1994	1995	1994	1995
	(Gg)	%	%	%	%	%	(Gg)	(Gg)
<i>Australia</i>	68.2	100	98	99	99		67.4	
<i>Austria</i>	2.0							
<i>Belgium</i>	10.9	100	100	98	99		10.8	
<i>Bulgaria (1990)</i>	8.2	73	44	35	32		2.6	
<i>Bulgaria (1988)^a</i>	13.4	45	27	22	19		2.6	
<i>Canada</i>	11.0	100	109	118	118	121		13.3
<i>Czech Republic</i>	2.0	100	100	100		85		1.7
<i>Denmark</i>	8.5	100	100	100	100		8.5	
<i>Estonia</i>	0.9	99	77	55	55		0.5	
<i>Finland</i>	10.0	100	90	90	90	90		9.0
<i>France</i>	54.5	99	97	93	95	97		52.6
<i>Germany</i>	96.0	91	86	84	90		86.0	
<i>Greece</i>	7.5							
<i>Hungary (1990)</i>	4.1	27	26	24	29		1.2	
<i>Hungary (1985-87)^a</i>	4.6	25	24	21	26		1.2	
<i>Iceland</i>	0.5	100	98	98	98	104		0.5
<i>Ireland</i>	23.3	80	80	81	82	82		19.1
<i>Italy</i>	58.7							
<i>Japan</i>	9.7	98	96	95	94		9.1	
<i>Latvia</i>	1.4					32		0.4
<i>Luxembourg</i>	0.5							
<i>Monaco</i>								
<i>Netherlands</i>	22.2	103	118	118	120	121		26.9
<i>New Zealand</i>	44.9	96	96	96	97	98		44.1
<i>Norway</i>	6.0	100	100	100	100	100		6.0
<i>Poland (1990)</i>								
<i>Poland (1988)^a</i>	31.5		100					
<i>Portugal</i>	3.6	100	100	100	100		3.6	
<i>Romania (1990)</i>								
<i>Romania (1989)^a</i>	25.3							
<i>Russian Federation</i>	190.0				53		100.0	
<i>Slovakia</i>	7.7	90	68	53	57	57		4.4
<i>Spain</i>	63.4							
<i>Sweden</i>	0.2	100	100	100	100	100		0.2
<i>Switzerland</i>	9.2	100	99	98	97	96		8.8
<i>United Kingdom</i>	10.4	100	97	92	95		9.9	
<i>United States</i>	187.9	106	106	106	115		216.0	

^a Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Table A.6 Anthropogenic emissions of other greenhouse gases, 1990 and 1995^b
(Gigagrams of CO₂ equivalent, percentage relative to 1990, 1990=100 per cent)

	HFCs ^c			PFCs ^d			SF ₆			Total		
	1990	1995		1990	1995		1990	1995		1990	1995	
	Gg	Gg	%	Gg	Gg	%	Gg	Gg	%	Gg	Gg	%
Australia				4 842	2 096	43				4 842	2 096	43
Canada		500		5 936	6 019	101	2 868	1 888	66	8 804	8 407	95
Denmark							215			215		
France	2 970			2 002			141			5 113		
Germany	260	2 878	1107	2 693	1 665	62	3 895	5 998	154	6 849	10 542	154
Iceland		25		312	54	18				312	79	25
Italy				103						103		
Japan	2 080	14 560	700	5 416	14 217	263	38 240	52 580	138	45 736	81 357	178
Netherlands	4 910	8 452	172	2 458	2 391	97	1 386	1 457	105	8 755	12 302	141
New Zealand		183		601	196	33	552	4 368	791	1 153	4 748	412
Norway		244		2 545	1 441		2 198	573	26	4 744	2 259	48
Sweden		195		400	390	98	956	1 242	130	1 356	1 827	135
Switzerland		260			66			717			1 043	
United Kingdom	1 366	2 051	150	2 085	473	23	573	621	108	4 025	3 146	78
United States	48 695	66 075	136	18 133	14 840	82	22 466	24 617	110	89 294	105 532	118

^a When the data for 1995 were not available the data for 1994 are given *in italics*.

^b With the exception of Canada, the Netherlands, the United Kingdom and the United States, which reported actual emissions, and Japan, which reported potential emissions, Parties did not indicate clearly whether emissions reported are potential or actual ones.

^c Finland, Germany, New Zealand and the United Kingdom only reported aggregated data for HFC figures. The secretariat therefore assumed that all these emissions were HFC-134a.

^d Finland, New Zealand and the United Kingdom reported only aggregated PFC figures. The secretariat therefore assumed that approximately 90 per cent was ~~CFE~~ 10 per cent C₂F₆.

(This page has intentionally been left blank)

Table A.7 Total anthropogenic emissions of all greenhouse gases^a, 1990 - 1995 (Gigagrams of CO₂ equivalent and percentage)

	Percentage relative to 1990, 1990=100						Last Reported Value	
	1990	1991	1992	1993	1994	1995	1994	1995
	(Gg)	%	%	%	%	%	(Gg)	(Gg)
<i>Australia</i>	420 521	99	99	100	101		424 241	
<i>Austria</i>	73 134							
<i>Belgium</i>	136 258	104	103	101	105		143 746	
<i>Bulgaria (1990)</i>	120 536	83	75	75	71		85 870	
<i>Bulgaria (1988)[†]</i>	136 099	73	67	66	63		85 870	
<i>Canada</i>	566 664	98	101	103	105	109		619 869
<i>Czech Republic</i>	191 578	93	85	82		79		150 912
<i>Denmark</i>	63 974	117	108	111	117		74 924	
<i>Estonia</i>	45 309	96	73	55	57		25 969	
<i>Finland</i>	64 546		97	99	108	103		66 691
<i>France</i>	503 181	103	103	97	96	99		498 855
<i>Germany</i>	1 210 387	96	92	91	90	88		1 070 691
<i>Greece</i>	93 550							
<i>Hungary (1990)^f</i>	86 652						78 039	
<i>Hungary (1985-87)^{b, c}</i>	101 619						78 039	
<i>Iceland</i>	3 109	96	94	95	94	96		2 977
<i>Ireland</i>	56 861	99	100	100	103	104		59 060
<i>Italy</i>	548 259							
<i>Japan</i>	1 235 986	102	104	103	109		1 347 200	
<i>Latvia</i>	27 059					50		13 637
<i>Luxembourg</i>	12 028							
<i>Monaco</i>	71							
<i>Netherlands</i>	215 357	99	99	104	105	110		236 154
<i>New Zealand</i>	77 188	99	100	99	104	105		80 913
<i>Norway</i>	54 011	96	93	96	101	102		54 878
<i>Poland (1990)</i>	591 390	67	74					
<i>Poland (1988)^b</i>	561 021	71	78					
<i>Portugal</i>	50 195	105	116	110	108		54 314	
<i>Romania (1990)</i>	245 245	84	72	74				
<i>Romania (1989)^b</i>	285 404	72	62	64				
<i>Russian Federation</i>	3 006 761				72		2 176 692	
<i>Slovakia</i>	71 938	88	82	77	72	80		57 239
<i>Spain</i>	301 602							
<i>Sweden</i>	66 457	97	101	100	105	104		69 004
<i>Switzerland</i>	53 749	103	101	98	97	100		53 806
<i>United Kingdom</i>	711 579	100	97	94	93		664 471	
<i>United States</i>	5 740 851	99	101	102	103		5 934 137	

^a Aggregated emissions of CO₂, CH₄, N₂O, and where reported HFCs, PFCs, SF₆ (see table A.6), using IPCC 1995 global warming potentials.

^b Some EIT Parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^c Although estimates were reported for the years 1991-1994, it was not possible to present the trends since the estimates for energy-related emissions for the base year and 1990 were not fully consistent with estimates for 1991-1994 and estimates of emissions from waste were not provided for all gases for all years.

Table B.1. Projected anthropogenic emissions of CO₂ for the year 2000, excluding land-use change and forestry (Gigagrams)

	Data from inventory		Data from projection		Variations	
	Base level ^F	Base level ^F	2000 level ^F	from inventory	from projection	
	(Gg)	(Gg)	(Gg)	(Percentage)		
<i>Australia</i>	273 123	288 965	332 799	15.1	15.1	
<i>Austria</i>	59 200	59 900	65 800	11.1	9.8	
<i>Belgium</i>	113 405	[121 000]	125 200	10.4	3.5	
<i>Bulgaria^d (1990)</i>	82 372	82 990	69 898	-15.8	-15.8	
<i>Bulgaria (1988)</i>	96 878	96 878	69 898	-27.9	-27.9	
<i>Canada</i>	464 000	463 700	500 600	8.0	8.0	
<i>Czech Republic</i>	165 490	163 584	135 536	-18.2	-17.1	
<i>Denmark</i>	52 025	58 353	53 753	3.3	-7.9	
<i>Estonia</i>	37 797	37 800	17 500 - 23 000	(-53.7)-(-39.2)	(-53.7)-(-39.2)	
<i>Finland</i>	53 800	53 800	(58 000 - 60 000)	(7.8 - 11.5)	(7.8 - 11.5)	
<i>France</i>	378 379	383 167	397 833	5.1	3.8	
<i>Germany</i>	1 014 155	1 014 000	894 000	-11.8	-12.0	
<i>Greece</i>	82 100	82 100	94 500	15.1	15.1	
<i>Hungary (1990)</i>	71 673	69 116	68 741	-4.1	-0.5	
<i>Hungary^d (1985-87)</i>	83 676	81 534	68 741	-17.8	-15.7	
<i>Iceland</i>	2 147	2 147	2 456	14.4	14.4	
<i>Ireland</i>	30 719	30 719	34 988	13.8	13.8	
<i>Italy</i>	428 941	423 776	482 440	12.5	13.8	
<i>Japan</i>	1 124 532	1 173 000	1 200 000	3.9	2.3	
<i>Latvia</i>	22 976	22 976	16 956	-26.2	-26.2	
<i>Luxembourg</i>	11 343	11 244	7 556	-33.3	-32.8	
<i>Netherlands</i>	167 550	[173 000]	168 000	~0	-2.9	
<i>New Zealand</i>	25 476	25 476	31 080	21.9	21.9	
<i>Norway</i>	35 544	36 000	44 000	23.7	22.0	
<i>Poland (1990)</i>	414 930	338 000-455 000	(-18.5)-(-9.7)			
<i>Poland^d (1988)</i>	478 880	458 000	338 000-455 000		(-26.2)-(-0.7)	
<i>Portugal</i>	42 148	38 689	54 274	28.8	40.3	
<i>Romania (1990)</i>	171 103					
<i>Romania^d (1989)</i>	198 479					
<i>Russian Federation</i>	2 375 591	2 330 000	1 930 000 - 2 026 000	(-19.1)-(-15.1)	(-17.2)-(-13.0)	
<i>Slovakia</i>	60 032	57 808	48 639	-16.5	-15.9	
<i>Spain</i>	227 322	222 908	276 523		24.1	
<i>Sweden</i>	55 445	[57 600]	60 100	8.3	4.3	
<i>Switzerland</i>	45 070	[47 100]	43 900	-2.6	-6.8	
<i>UK</i>	580 237	580 000	550 000	-5.1	-5.1	
<i>USA</i>	4 957 022	5 012 789	5 163 136	4.2	3.0	

^a Data from inventory table A.1.

^b Differences in 1990 levels between inventories and projections are, for example, due to revisions of inventories, rounding, calibration of models, or the projection of only a subset of the sources. For some countries differences are also due to statistical adjustments. Several countries, as indicated through square brackets, have made temperature adjustments for the projection base level (Belgium, the Netherlands, Sweden, Switzerland). Denmark's emissions are adjusted for electricity imports. Sweden's base year for projections is 1995.

^c "With measures" levels for 2000.

^d Some EIT parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

Note

Additional information on the projections from Parties which submitted second national communications is given as notes in the C.1 table.

Table B.2. Projections of CO₂ removals or emissions in land-use change and forestry^a for the year 2000 (Gigagrams)

	Data from inventory	Data from projection		Variations from projection
	Base level ^b (Gg)	Base level ^f (Gg)	2000 level ^l (Gg)	(Percentage)
<i>Australia</i>	121 688	130 843	121 992	-6.8
<i>Austria</i>	-15 000			
<i>Belgium</i>	-2 057	-2 100	-2 100	0
<i>Bulgaria (1990)</i>	-5 801	-5 801	-5 801	0
<i>Bulgaria^e (1988)</i>	-4 657	-4 657	-5 801	0
<i>Canada</i>				
<i>Czech Republic</i>	-2 281	-2 300	-2 800	-22.8
<i>Denmark</i>	-2 600	-2 600	-2 600	0
<i>Estonia</i>	1 796			
<i>Finland^f</i>	-31 000	-31 000	(-12 000)-(-17 000)	(62)-(46)
<i>France</i>	-33 128	-32 000	-39 000	-21.8
<i>Germany</i>	-30 000			
<i>Greece</i>				
<i>Hungary (1990)</i>	-4 467			
<i>Hungary^e (1985-1987)</i>	-3 097			
<i>Ireland</i>	-5 160	-5 160	-7 580	-46.8
<i>Italy</i>	-36 730	-36 730	-46 730	-27.2
<i>Japan</i>	-83 341	-90 000	-92 000	-2.2
<i>Latvia</i>	-14 300	-14 300	-8 940	37.5
<i>Luxembourg</i>				
<i>Netherlands</i>	-1 500	-1 500	-1 700	-13.0
<i>New Zealand^g</i>	-20 569	-20 569	-18 994	8.0
<i>Norway</i>	-9 400	-9 400	-11 000	17.0
<i>Poland (1990)</i>				
<i>Poland^e (1988)</i>	-1 408			
<i>Portugal</i>				
<i>Romania (1990)</i>				
<i>Romania^e (1989)</i>	-2 925			
<i>Russian Federation</i>	-392 620			
<i>Slovakia</i>	-4 257			
<i>Spain</i>	-23 166	-23 170	-25 700	-10.9
<i>Sweden^h</i>	-34 368	-34 000	-29 000	14.7
<i>Switzerland</i>	-4 360	-4 360	-5 100	-17.0
<i>UK</i>	20 240	20 600	11 100	-46.1
<i>USA</i>	-436 000	-476 710	-539 049	-13.1

^a Negative values in Gg denote removal of CO₂. Positive values denote a net source of emissions. Negative values in percentage denote more removals in 2000 than in 1990, or a decrease in net emissions.

^b Data from inventory table A.2.

^c Differences in 1990 levels between inventories and projections are, for example, due to late revisions of inventories, rounding, or the fact that only a subset of the sources was projected.

^d "With measures" levels for 2000.

^e Some EIT countries have asked for special consideration under Article 4.6 to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^f The emissions for land-use change and forestry in both Finland and the United Kingdom include emissions and uptakes from wetland drainage and peat extraction. The range of emissions given for Finland results from the two scenarios given in its national communication.

^g New Zealand reported three different scenarios on the basis of different planting strategies. The "Central estimate of New Planting post 1997" is given in the table.

^h Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

Note

Additional information on the projections from Parties which submitted second national communications is given as notes in the C.1 table.

Table B.3. Projected anthropogenic emissions of CH₄ for the year 2000 (Gigagrams)

	Data from inventory		Data from projection		Variations from projection
	Base level ^b		Base level ^b	2000 level ^d	
	(Gg)		(Gg)	(Gg)	(Percentage)
<i>Australia</i>	5 589			6 244	6 480
3.8					
<i>Austria</i>	603		~600	~600	~0
<i>Belgium</i>	634				
<i>Bulgaria (1990)</i>	1 380		1 006	1 057	5.1
<i>Bulgaria^e (1988)</i>	1 413		1 119	1 057	-5.5
<i>Canada</i>	3 200		3 148	3 546	12.6
<i>Czech Republic</i>	888		623	511	-18.0
<i>Denmark</i>	407		406	354	-12.8
<i>Estonia</i>	323				
<i>Finland</i>	246		246	226	-8.0
<i>France</i>	3 017		2 900	2 900	0
<i>Germany</i>	5 682		5 682	3 892	-31.5
<i>Greece</i>	343		343	< 343	< 0.0
<i>Hungary (1990)</i>	545		492	278	-43.5
<i>Hungary^f (1985-87)</i>	664		605	278	-54.0
<i>Iceland</i>	23		23	21	-8.0
<i>Ireland</i>	811		811	837	3.2
<i>Italy</i>	3 901		3 900	2 965	-24.0
<i>Japan</i>	1 575		1 380	1 150	-16.7
<i>Latvia</i>	159		159	114	-28.2
<i>Luxembourg</i>	24		25	26	6.1
<i>Netherlands</i>	1 103		1 067	788	-33.6
<i>New Zealand</i>	1 706		1 706	1 541	-9.7
<i>Norway</i>	432		432	414	-4.0
<i>Poland (1990)</i>	6 100		6 100	1 780	-70.9
<i>Poland^f (1988)</i>	3 042		6 060	1 780	-70.6
<i>Portugal</i>	226				
<i>Romania (1990)</i>	1 954				
<i>Romania^e (1989)</i>	2 328				
<i>Russian Federation</i>	26 900				
<i>Slovakia</i>	409		342	293	-14.3
<i>Spain</i>	2 151				
<i>Sweden^f</i>	324		302	284	-6.0
<i>Switzerland</i>	244		244	229	-6.0
<i>UK</i>	4 402		4 402	3 418	-22.3
<i>USA</i>	27 000		27 669	22 335	-19.3

^a Figures provided in CQ and C equivalents have been converted.

^b Data from inventory table A.4.1.

^c Differences in 1990 levels between inventories and projections are, for example, due to late revisions of inventories, rounding, calibration of models, or the projection of only a subset of the sources.

^d "With measures" levels for 2000.

^e Some EIT parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^f Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995

(This page has intentionally been left blank)

Table B.4. Projected anthropogenic emissions of NO^a for the year 2000 (Gigagrams)

	Data from inventory		Data from projection		Variations from projection	
	Base level ^b (Gg)		Base level ^c (Gg)	2000 level ^d (Gg)	(Percentage)	
<i>Australia</i>		81.2		60.1	61.1	1.5
<i>Austria</i>	4.1		~ 4.2	~ 4.2	~ 0	
<i>Belgium</i>	31.0					
<i>Bulgaria (1990)</i>	29.6		14.3	16.3	14.0	
<i>Bulgaria^e (1988)</i>	30.8		17.4	16.3	-6.3	
<i>Canada</i>	86.0		86.0	74.0	-14.0	
<i>Czech Republic</i>	24.0					
<i>Denmark</i>	10.3		10.5	11.5	9.5	
<i>Estonia</i>	2.4					
<i>Finland</i>	18.0		18.0	21.5	19.4	
<i>France</i>	181.7		177.0	93.0	- 47.0	
<i>Germany</i>	226.0		226.0	162.0	-28.0	
<i>Greece</i>	13.7		13.7	13.7	0.0	
<i>Hungary (1990)</i>	11.4		7.3	6.2	-14.3	
<i>Hungary^e (1985-87)</i>	12.9		8.4	6.2	-26.2	
<i>Iceland</i>	0.6		0.6	0.6	0	
<i>Ireland</i>	29.4		29.4	26.0	-11.5	
<i>Italy</i>	120.3		119.4	123.6	3.5	
<i>Japan</i>	105.3		47.0	~ 52.0	8.3	
<i>Latvia</i>	2.4		2.4	1.4	-41.6	
<i>Luxembourg</i>	0.6		0.7	0.7	0	
<i>Netherlands</i>	51.2		62.6	65.2	4.0	
<i>New Zealand</i>	47.5		47.5	46.0	-3.0	
<i>Norway</i>	15.0		15.3	16.0	4.5	
<i>Poland (1990)</i>	156.0			61.8		
<i>Poland (1988)</i>	58.9		73.0	61.8	-15.3	
<i>Portugal</i>	10.5					
<i>Romania (1990)</i>	106.8					
<i>Romania (1989)</i>	122.7					
<i>Russian Federation</i>	228.0					
<i>Slovakia</i>	10.7		14.7	14.1	-4.1	
<i>Spain</i>	93.9					
<i>Sweden^f</i>	9.2		9.3	9.3	1.0	
<i>Switzerland</i>	11.5		11.5	11.7	1.7	
<i>UK</i>	112.5		111.7	42.9	-61.6	
<i>USA</i>	411.4		529.7	421.0	-20.5	

^a Figures provided in Mt C equivalents have been converted.

^b Data from inventory table A.5.1.

^c Differences in 1990 levels between inventories and projections are, for example, due to late revisions of inventories, rounding, calibration of models, or the projection of only a subset of the sources.

^d "With measures" levels for 2000.

^e Some EIT parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^f Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

Comments

Twenty-six Parties projected emissions of NO . One Party provided figures covering a sector that only represented a minor part of the emissions in 1990, while another four did not cover all sources represented in the inventories. Fifteen Parties, representing 58 per cent of the aggregated inventory figure for 1990, projected stabilization or decreases compared to their base years, four of the decreases being more than 35 per cent, often due to expected changes in industrial processes. One only gave an indication that overall emissions were not expected to increase. Nine Parties, representing 26 per cent of the aggregated inventory figures for 1990, projected increases, eight of these less than 10 per cent.

Notes*

Australia: The effects of measures are subtracted (p. 76) from the "without measures" scenario (p.72) to obtain a "with measures" figure.

Austria: This is a "without measures" projection (p.88).

Bulgaria: Baseline scenario was chosen as it was seen to be closest to implemented policies and measures. N_2O from agriculture was not included.

Canada: The projection is updated following the IDR and the figures refer to energy-related and industry emissions, while agriculture is not included.

France: The projection figures are taken from the summary of the communication, where they were given as carbon equivalents.

Germany: Projections for 2000 were submitted on 29 April 1996.

Greece: An increase in emissions is expected for the year 2000, but no specific projection was provided.

Japan: The projection figure for 2000 refers only to the effects of energy conservation and waste reduction measures (p.144).

Monaco: Emissions are expected to be negligible in 2000 as in 1990.

Netherlands: The projection figure for 2000 incorporates the effects of policies and measures initiated under NEPP2. However, a number of policies implemented to reduce NO emissions associated with fertilizer application and animal manure have not been incorporated because of a lack of knowledge about their effects (p.65).

Poland: 1990 inventory data were given in the CORINAIR format and no separate figure compatible with the 2000 projection was provided.

Switzerland: The projection figure covers only a minor part of the sources (from transportation) and does not allow for calculation of trends (p.80).

Hungary: The corresponding 1985-1987 inventory figure was 8.36 Gg. The projection figures include fuel-related emissions only. The 2000 S scenario is used (table 6.2 b, p.74).

Poland: Different methods were used for calculating 1988 and 1990 figures. The communication states that the methodology used for 1990 overestimates the emissions and this, rather than a real increase, explains the difference. Therefore a comparison with the 1990 figures appears to be non-applicable.

Romania: No projections were provided.

*All references in parentheses are to the national communications.

Table B.5. Projected emissions of other greenhouse gases for the year 2000 (Gigagrams)

	Base level projections ^a			2000 level			Variations from projections		
	HFCs ^b	PFCs ^c	SF ₆ ^d	HFCs ^b	PFCs ^c	SF ₆ ^d	HFCs	PFCs	SF ₆
	(CO ₂ equivalent in Gg) ^e			(CO ₂ equivalent in Gg) ^e			(Percentage)		
Australia		4 842			1 700				-59
Canada	500	7 144	2 868	2 000	7 420	1 912	300	3.9	-33
Finland	79	271	96	130	339	120	65	25	25
Germany	260	2 694	3 896	6 336	799	4 971	2 337	-70	28
Iceland		311		26	55		0		-82
Italy		106		2 500	63				
Netherlands	4 880	2 234	1 386	4 763	2 512	1 625	-2	12	17
New Zealand	183	601	550	213	230	5 067	16	-62	821
Norway	200	2 500	2 200	800	1 300	525	300	-48	-76
Sweden	200	400	1 000	800	500	1 200	300	25	20
UK	1 366	2 085	574	2 390	575	1 028	75	-72	79
USA	67 500	17 000		120 300	9 700		78		-43

^a The figures are rounded.

^b Finland, Germany, New Zealand and the United Kingdom only reported aggregated data for HFC. The secretariat therefore assumed that all these emissions were HFC-134a. Finland, New Zealand and Sweden used 1995 as base level for the HFC projections.

^c Finland, New Zealand and the United Kingdom reported only aggregated PFC figures. In order to estimate the CO₂ equivalent, the secretariat assumed that approximately 90 per cent was C₂F₆ and 10 per cent was C₃F₈. Finland and Sweden used 1995 as base level for the PFC projections.

^d Finland, New Zealand and Sweden used 1995 as base level for the SF₆ projections.

^e Australia, Italy and the USA reported emissions based on 1994 GWPs, as given in their first national communications, whilst all other countries presented in the table reported on the basis of 1995 GWPs as given in their second national communications. The assumed time-horizon = 100 years.

Table B.6. Projected anthropogenic emissions of all greenhouse gases, excluding land-use change and forestry^a (Gigagrams CO₂ equivalent)^b

	Data from inventory	Data from projection		Variations from projection	
	Base level (CO ₂ equivalent in Gg) ^c	Base level ^d (CO ₂ equivalent in Gg) ^e	2000 level	(Percentage)	
<i>Australia</i>	420 521	465 275		512 811	10.0
<i>Austria</i>	75 286	75 944	81 844		-8.0
<i>Belgium</i>	136 258	[121 000]	125 200		3.0
<i>Bulgaria (1990)</i>	120 536	112 213	101 011		-10.0
<i>Bulgaria (1988)</i>	141 345	129 862	101 011		-22.0
<i>Canada^d</i>	566 664	564 480	609 118		8.0
<i>Czech Republic</i>	191 578	178 848	148 056		-17.0
<i>Denmark</i>	63 974	71 660	66 106		-8.0
<i>Estonia</i>	45 309	37 800	17 500 -23 000	(-54.0)-(-39.0)	
<i>Finland</i>	64 546	64 546	70 000		9.0
<i>France</i>	503 181	510 857	498 643		-2.0
<i>Germany</i>	1 210 387	1 210 232	1 038 058		-14.0
<i>Greece</i>	93 550	94 888	107 288		13.0
<i>Hungary (1990)</i>	86 652	83 506	77 536		-7.0
<i>Hungary (1985-87)</i>	104 082	99 045	77 536		-22.0
<i>Iceland</i>	3 109	3 227	3 094		-4.0
<i>Ireland</i>	56 819	56 819	60 625		7.0
<i>Italy</i>	548 259	557 640	597 200		7.0
<i>Japan</i>	1 235 986	1 221 850	1 244 815		2.0
<i>Latvia</i>	27 059	27 640	20 197		-27.0
<i>Luxembourg</i>	12 123	12 081	8 417		-30.0
<i>Netherlands</i>	215 357	[223 313]	213 660		-4.0
<i>New Zealand</i>	77 188	77 178	83 211		8.0
<i>Norway</i>	54 011	54 515	60 279		11.0
<i>Poland (1990)</i>	591 390	401 386-518 386			
<i>Poland^d (1988)</i>	572 257	629 830	401 386 - 518 386	(-36.0) - (-18.0)	
<i>Portugal</i>	50 195	38 689	54 274		40.0
<i>Romania (1990)</i>	245 245				
<i>Romania^d (1989)</i>	285 404				
<i>Russian Federation</i>	3 006 781	2 330 000	1 930 000 - 2 026 000	(-17.0) - (-13.0)	
<i>Slovakia</i>	71 938	70 891	60 330		-15.0
<i>Spain</i>	301 602	222 908	276 523		24.0
<i>Sweden</i>	66 457	[68 225]	69 009		5.0
<i>Switzerland</i>	53 749	[55 749]	52 336		-6.0
<i>UK</i>	711 579	711 094	639 072		-10.0
<i>USA</i>	5 842 371	5 944 684	5 975 064		0.5

^a Figures from tables B.1, B.3, B.4 and B.5 have been used as the starting point for these projections. Only gases and sources that were projected are included.

^b All data presented in italics, i.e. all information from second national communications, the first national communication from Belgium and updated inventories submitted by the parties, are calculated using 1995 GWPs. All other figures are based on 1994 GWPs. The time-horizon = 100 years; figures differ from those in the communications where countries did not use those GWPs.

^c Major differences between inventory figures and projection figures for 1990 indicate that projections were not given for all gases reported in the inventories (for example Belgium) or for all sectors, or that temperature [Belgium, France, Netherlands, Switzerland] or electricity imports (Denmark) adjustments had been taken into account.

^d Some EIT parties by COP2 decision 9/CP.2 were allowed to use different base years from 1990; Bulgaria (1988), Hungary (average of 1985-1987), Poland (1988) and Romania (1989).

^e Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relations to 1995.

Table C.1. Projected anthropogenic emissions of CO₂ excluding land-use change and forestry until 2020 (Gigagrams)

	Base level (1990)			Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection ^a	Last reported inventory ^b	2000		2005		2010		2020	
	(Gg)	(Gg)	(Gg)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	464 000	463 700	499 526	500 600	8	522 900	13	549 900	19	628 300	36
Finland	53 800	53 800	56 050	58 000 - 60 000	8- 12			56 000 - 71 000	4 - 31	49 000 - 80 000	(-9) (46)
Germany	1 014 155	1 014 000	894 500	894 000	-12	867 000	-15	854 000	-16	847 000	-17
Ireland	30 719	30 719	33 931	34 988	14	38 828	26	40 775	33	..	
Netherlands	167 550	[173 000]	183 400	168 000	-3	170 000	-2	170 000	-2	170 000	-2
New Zealand	25 476	25 476	27 367	31 080	22	33 570	32	36 310	43	43 560	71
Norway	35 544	36 000	37 880	44 000	22	47 000	31	48 000	33	46 000	28
Sweden	55 445	[57 600]	58 108	60 100	4	62 100	8	64 300	12	81 000	41
Switzerland	45 070	[47 100]	44 170	43 900	-7	44 700	-5	45 700	-3		
UK	580 237	580 000	551 574	550 000	-5	593 000	2	595 000	3	682 000	18

^a Belgium, the Netherlands, Sweden, Switzerland have made temperature adjustments for the projection base level, as indicated through square brackets. Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

^b All countries reported their last inventory for 1995, with the exception of Belgium and the United Kingdom whose last inventory was reported for 1994.

Notes*

In the following no account is taken of uncertainties, methods used, nor is a thorough discussion of the projections presented here. This will be undertaken in the compilation and synthesis of the second national communications. The purpose of the notes is to give some background information, which may be essential for the understanding of the figures as presented in the table.

Belgium: The projection given in table B.1 is based on a scenario with “implemented measures”. In addition, Belgium provided two other projections scenarios, one “without measures” and one with “measures under consideration”. The “without measures” scenario projects CO₂ emissions to be 129,300 Gg in the year 2000, while the “measures under consideration” scenario leads to 116,300 Gg CO₂ emissions in the year 2000. Belgium also provided long-term projections for energy sector related emissions.

Finland: The range of emissions as given in the table reflects two scenarios, one being the energy market scenario (EMS) without national or international measures to curb CO₂ emissions, and the other one, the “energy policy scenario” (EPO), which assumes strengthening current control measures. Two different types of strengthening the control measures are examined within the EPO scenario, one in which the use of wood and gas is increased, and one in which more nuclear power is built.

Germany: The scenario presented in table B.1 is the “with-measures scenario”/“IWG-measures scenario” where CO₂-reduction measures are taken into account to the greatest possible extent. In addition, a “without-measures scenario”/“reference scenario” was presented where efficiency improvements are the main factor that counter increases in CO₂ emissions. The latter leads to a reduction of CO₂ emissions by 3% instead of 12 % under the scenario reported in the table.

The Netherlands: The “favourable CO₂ scenario”, which is presented in the table, is according to the Dutch second national communication the scenario which is “more-or-less consistent with the present policy goal” (p.75). This scenario is subdivided into two other scenarios, the “favourable-high” and the “favourable-low” scenario, which refer to different levels of resulting energy demand. In addition, a “trend-scenario” was developed that “can be considered as an existing-policy scenario” (p.75). This scenario leads to stabilisation of CO₂ emissions in the year 2000 with respect to the base level used in the projection.

New Zealand: The “with measure” scenario as presented in the table is estimated to reduce the growth in energy-related CO₂ emissions by about 21.5% below the “business-as-usual” scenario.

Norway: The emission projections presented in the table

are based on a variant of the “Reference Alternative” scenario based on current policies. In addition, a “baseline reference scenario” was developed, which assumes stabilization of global CO₂ emissions at 1990 levels by means of a global CO₂ tax.

Sweden: Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

Switzerland: The projection for the year 2000 as given in the table results from a scenario with “implemented measures”. Bunker fuel emissions were deducted from the total CO₂ emission level. A second scenario was developed with “measures under consideration”. Under this scenario, a 10% reduction of emissions would be reached as compared to the 3% reduction under the “implemented measures” scenario.

The United Kingdom: Land-use change and forestry were deducted from the summary CO₂ figure.

* All references in the parentheses are to the national communications.

Table C.2. CO₂ projections in land-use change and forestry until 2020 (Gigagrams)

	Base level (1990)			Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection ^b	Last reported inventory ^c	2000		2005		2010		2020	
	(Gg)	(Gg)	(Gg)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Finland ^d	(-31 000)- (-19 000)	-24 500	(-13 000)- (-7 000)	(-17 000)- (-12 000)	(31)-(52)			(-15 000)-(-22 000)	(39)-(11)	(-27 000)-(+1 000)	(-10)-(-100)
Ireland	-5 160	-5 160	-6 230	-7 580	-47	-8 630	67	-9 690	88		
Netherlands	-1 500	-1 500	-1 700	-1 700	-13	-1 700	-13	-1 700	-13	-1 700	-13
New Zealand	-20 569	-20 569	-13 490	-18 944	8	-20 807	-1	-21 208	-3	-31 654	-54
Norway	-9 400	-9 400	-13 637	-11 000	17	-12 200	30	-13 400	43	-12 800	36
Sweden ^e	-34 368	-34 000	NR	-29 000	15	-26 000	24	-22 000	35		
Switzerland	-4 360	-4 360	-5 100	-5 100	-17	-5 100	-17	-5 100	-17	-5 100	-17
UK	20 240	20 600	12 540	11 100	-46	8 900	-57	8 700	-58		

^a Negative values in Gg denote removal of CO₂. Positive values denote a net source of emissions. Negative values in percentage denote more removals in 2000 than in 1990, or a decrease in net emissions.

^b Differences in 1990 levels between inventories and projections are, for example, due to late revisions of inventories, rounding, or the fact that only a subset of the sources was projected.

^c All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

^d Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

^e Deviation relative to the projection base level calculated on the basis of the mean of the range (-30 000)-(-19 000) Gg.

Comments

The emissions for land-use change and forestry in both Finland and the United Kingdom include emissions and uptakes from wetland drainage and peat extraction. The range of emissions given for Finland results from the two scenarios given in the national communication. New Zealand reported three different scenarios on the basis of different planting strategies. The "Central estimate of New Planting post 1997" is given in the table.

Table C.3. Projected anthropogenic emissions of CH₄ until 2020

	Base level (1990)		Last reported inventory ^a (Gg)	Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection		2000		2005		2010		2020	
	(Gg)	(Gg)		(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	3 200	3 148	3 732	3 546	13	3 600	14	3 719	18	4 179	33
Finland	246	246	241	226	-8	206	-16	191	-22	179	-27
Germany	5 682	5 682	4 788	3 892	-32	3 004	-47	2 759	-51	2 505	-56
Ireland	811	811	812	837	3	838	3	839	4		
Netherlands	1 103	1 067	1 062	788	-34	700	-34	611	-43	594	-44
New Zealand	1 706	1 706	1 635	1 541	-10	1 552	9	1 573	-8	1 604	-6
Norway	432	432	469	414	-4	377	-13	332	-23	325	-25
Sweden ^b	324	302	296	284	-6	284	-6	211	-30	262	-13
Switzerland	244	244	235	229	-6	211	-13	192	-21		
UK	4 402	4 402	3 843	3 418	-22	3 227	-27	2 852	-35	2 670	-39

^a All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

^b Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

Table C.4. Projected anthropogenic emissions of NO until 2020 (Gigagrams)

	Base level (1990)		Last reported inventory ^a (Gg)	Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection		2000		2005		2010		2020	
	(Gg)	(Gg)		(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	86.0	86.0	107.8	74.0	-14	77.1	-10	81.1	-6	88.3	3
Finland	18.0	18.0	18.0	21.5	19	23 - 25	28 - 38	24 - 25	33 - 39	23 - 26	28 - 44
Germany	226.0	226.0	210.0	162.0	-28	159.0	-30	157.0	-31	156.0	-31
Ireland	29.4	29.4	26.0	26.0	-12	26.0	-12	26.0	-12		
Netherlands	51.2	62.6	58.5	65.2	4	67.0	7	68.1	9	70.1	12
New Zealand	47.5	47.5	46.7	46.0	-3	45.6	-4	45.7	-4	45.7	-4
Norway	15.0	15.3	14.0	16.0	5	16.5	8	16.9	11	17.7	16
Sweden ^b	9.2	9.3	9.2	9.3	1	10.5	13	11.5	24	12.7	37
Switzerland	11.5	11.5	11.8	11.7	2	11.6	1	11.3	2		
UK	112.5	111.7	93.7	42.9	-62	48.3	-57	50.8	-55	53.3	-53

^a All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

^b Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.

Table C.5.1. Projected emissions of HFCs until 2020 (Gigagrams, CO₂ equivalent)^b

	Base level (1990)		Last reported inventory ^d (Gg)	Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection		2000		2005		2010		2020	
	(Gg)	(Gg)		(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada		500	500	2000	300	4000	700	7000	1 300	14 000	2 700
Finland		79		130	65	156	97	195	145	195	145
Germany	260	260	2 878	6 336	2 337	10 388	3 895	12 609	4 750	12 355	4 652
Netherlands	4 911	4 880	8 453	4 763	-2	5 767	18	8 964	84	16 119	230
New Zealand		183	183	213	16	247	35	287	57	583	219
Norway		200	200	800	300	1 300	550	1 600	700	1 900	850
Sweden		200	200	800	300	900	350	900	350		
UK	1 366	1 366	2 051	2 390	75	(2 095 - 3 771)	(53 - 176)	(2 263 - 4 578)	(66 - 235)		

^a Finland, Germany, New Zealand and the United Kingdom only reported aggregated data for HFC. The secretariat therefore assumed that all these emissions were HFC-134a. Finland, New Zealand and Sweden used 1995 as base level for the HFC projections.

^b Australia, Italy and the USA reported emissions based on 1994 GWPs, as given in their first national communications, whilst all other parties presented in the table reported on the basis of 1995 GWPs as given in their second national communications. The assumed time-horizon = 100 years.

^c The figures are rounded.

^d All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

Comment

With the exception of Canada, the Netherlands and the United Kingdom, parties did not express clearly whether emissions for other greenhouse gases reported included also potential emissions or only actual emissions.

Table C.5.2. Projected emissions of PFCs until 2020 (Gigagrams, CO₂ equivalent)^b

	Base level (1990)			Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection	Last reported inventory ^d	2000		2005		2010		2020	
	(Gg)	(Gg)	(Gg)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	5 936	7 144	6 019	7 420	4	7 420	4	7 420	4	7 420	4
Finland		271		339	25	339	150	677	150	677	150
Germany	2 694	2 694	1 665	799	-70	784	-71	784	-71	784	-71
Netherlands	2 459	2 234	2 391	2 512	12	2 640	18	2 776	24	3 033	36
New Zealand	601	601	196	230	-62	237	-61	237	-61	251	-58
Norway	2 545	2 500	1 441	1 300	-48	1 200	-52	1 200	-52	1 200	-52
Sweden	400	400	390	500	25	500	25	600	50		
UK	2 085	2 085	474	575	-72	745	-64	894	-57		

^a Finland, New Zealand and the United Kingdom reported only aggregated PFC figures. In order to estimate the CO₂ equivalent, the secretariat assumed that approximately 90 per cent was C₂F₆ and 10 per cent was C₃F₈. Finland and Sweden used 1995 as base level for the PFC projections.

^c Australia, Italy and the USA reported emissions based on 1994 GWPs, as given in their first national communications, whilst all other parties presented in the table reported on the basis of 1995 GWPs as given in their second national communications. The assumed time-horizon = 100 years.

^e The figures are rounded.

^d All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

Table C.5.3. Projected emissions of SF₆ until 2020^a (Gigagrams CO₂ equivalent)^b

	Base level (1990)			Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection ^c	Last reported inventory ^d	2000		2005		2010		2020	
	(Gg)	(Gg)	(Gg)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	2 868	2 868	1 888	1 912	-33	1 912	-33	1 912	-33	1 912	-33
Finland		96		120	25	143	49	143	49	143	49
Germany	3 896	3 896	5 999	4 971	28	4 445	14	5 401	39	6 979	79
Netherlands	1 386	1 386	1 458	1 625	17	1 793	29	1 960	41	2 271	64
New Zealand	550	550	4 374	5 067	821	5 879	969	6 812	1 139	9 154	1 564
Norway	2 200	2 200	574	525	-76	525	-76	600	-72	700	-68
Sweden	956	1 000	1 243	1 200	20	1 200	20	1 200	20		
UK	574	574	621	1 028	79	1 028	79	1 052	83		

^a Finland, New Zealand and Sweden used 1995 as base level for the SF₆ projections.

^b Australia, Italy and the USA reported emissions based on 1994 GWPs, as given in their first national communications, whilst all other parties presented in the table reported on the basis of 1995 GWPs as given in their second national communications. The assumed time-horizon = 100 years.

^c The figures are rounded.

^d All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

Table C.6. Projected anthropogenic emissions of all greenhouse gases, excluding land-use change and forestry until 2020 (Gigagrams, CO₂ equivalent)^b

	Base level (1990)			Projection and percentage deviation relative to the projection base level, base year = 100 per cent							
	Inventory	Projection ^c	Last reported inventory ^d	2000		2005		2010		2020	
	(Gg)	(Gg)	(Gg)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)	(Gg)	(%)
Canada	566 664	566 480	619 723	609 118	8	635 513	12	669 252	8	766 544	35
Finland	64 546	65 546	67 137	70 000	9			68 466 -68 576	6	60 904 -61 824	(-6) - (-4)
Germany	1 210 387	1 210 232	1 070 691	1 038 058	-14	994 991	-18	979 403	-19	968 083	-20
Ireland	56 864	56 864	59 043	60 625	7	64 486	13	66 454	17		
Netherlands	215 341	223 313	236 139	213 660	-4	215 670	-3	217 642	-3	225 628	1
New Zealand	77 184	77 178	80 932	83 211	8	86 661	12	90 784	18	101 399	31
Norway	54 011	54 515	54 284	60 279	11	63 057	16	63 611	17	62 112	14
Sweden ^d	66 457	68 225	69 009	71 447	5	73 919	8	74 996	10	90 439	33
Switzerland	53 759	55 789	53 806	52 336	-6	52 727	-6	53 235	-5		
UK	711 579	711 094	664 470	639 072	-10	679 608	-4	674 849	-5	754 593	6

^a Figures from tables C.1, C.3, C.4, C.5.1, C.5.2, and C.5.3 have been used as the starting point for these projections. Only gases and sources that were projected are included.

^b Using 1995 GWPs, time-horizon = 100 years.

^c Differences in 1990 levels between inventories and projections are, for example, due to revisions of inventories, rounding, and temperature adjustments for the projection base level (Netherlands, Sweden and Switzerland).

^d All parties reported their last inventory for 1995, with the exception of the United Kingdom which last inventory was reported for 1994.

^e Sweden reported 1995 rather than 1990 as the base level for projections. All variations from the base level are thus given in relation to 1995.