UNIVERSITY OF COPENHAGEN



The International Scientific Congress on Climate Change

CLIMATE CHANGE

Global Risks, Challenges & Decisions

COPENHAGEN 2009 10-12 March

www.climatecongress.ku.dk

























The Congress & Some Statistics...

- More than 2500 participants
- More than 300 volunteers
- 58 parallel sessions
- More than 1600 scientific contributions
- Participants from nearly 80 countries
- 215 journalists
- 1800+ articles online in more than 40 countries

Synthesis (Peer reviewed)
June 2009 – 30 pages
written for the nonscientist

Book (Cambridge University Press, 250 pages 2010)







Writing team:

- Katherine Richardson,
- Will Steffen,
- Joe Alcamo,
- Terry Barker,
- Daniel Kammen,
- Rik Leemans,

- Diana Liverman,
- Mohan Monasinghe,
- Balgis Osman-Elasha,
- John Schellnhuber,
- Lord Nicholas Stern
- Ole Wæver






KEY MESSAGE 1: CLIMATIC TRENDS

- •Recent observations show that greenhouse gas emissions and many aspects of the climate are changing near the upper boundary of the IPCC range of projections.
- •Many key climate indicators are already moving beyond the patterns of natural variability within which contemporary society and economy have developed and thrived. These indicators include global mean surface temperature, sea-level rise, global ocean temperature, Arctic sea ice extent, ocean acidification, and extreme climatic events.
- •With unabated emissions, many trends in climate will likely accelerate, leading to an increasing risk of abrupt or irreversible





AIR TEMPERATURE CHANGE




Changes in global average surface air temperature (smoothed over 11 years) relative to 1990. The blue line represents data from Hadley Center (UK Meteorological Office); the red line is GISS (NASA Goddard Institute for Space Studies, USA) data. The broken lines are projections from the IPCC Third Assessment Report, with the shading indicating the uncertainties around the projections (Rahmstorf et al. 2007 with data for 2007 and 2008 from S. Rahmstorf).






Surface ocean temp rise








Polar Ice sheets melting





Change in the mass of the Greenland ice sheet from 2003 to 2008, as estimated from satellite measurements of changes in the gravitational field. The grey shaded area shows the 90% confidence level of the fitted straight line. The vertical axis is set to an arbitrary value of zero at the beginning of the observational period.




Konrad Steffen and Russell Huff, CIRES, University of Colorado at Boulder

Area of surface melting across the Greenland Ice Sheet, as inferred from satellite observations of the surface temperature.



Sea-level rising



Rise of approx. 1 m or more likely by 2100

Change in sea level from 1970 to 2008, relative to the sea level at 1990. The solid lines are based on observations. The envelope of IPCC projections is shown for comparison; broken lines are individual projections; shading is the uncertainty around the projections. After Rahmstorf et al. 2007, based on data from Cazenave and Narem (2004); Cazenave (2006) and A. Cazenave for 2006-2008 data.




KEY MESSAGE 2:

SOCIAL and ENVIRONMENTAL DISRUPTION

- •The research community provides much information to support discussions on "dangerous climate change".
- •Recent observations show that societies and ecosystems are highly vulnerable to even modest levels of climate change, with poor nations and communities, ecosystem services and biodiversity particularly at risk.
- •Temperature rises above 2°C will be difficult for contemporary societies to cope with, and are likely to cause major societal and environmental disruptions through the rest of the century and beyond.



Updated Reasons for Concern



Source: H.J. Schellnhuber



- Key message 3: Long-term strategy: Global Targets and Timetables
- Key Message 4: Equity Dimensions
- Key Message 5: Inaction is inexcusable
- Key Message 6: Meeting the Challenge





