



Distr. GENERAL

FCCC/SBI/2000/14 24 October 2000

ENGLISH ONLY

SUBSIDIARY BODY FOR IMPLEMENTATION Thirteenth session, Part II The Hague, 13-18 November 2000 Agenda item 9

NATIONAL COMMUNICATIONS FROM PARTIES INCLUDED IN ANNEX I TO THE CONVENTION: GREENHOUSE GAS INVENTORY DATA FROM 1990 TO 1998

Report on progress with the implementation of decision 6/CP.5

Note by the secretariat

I. INTRODUCTION

A. Mandate

- 1. At its fifth session, the Conference of the Parties (COP) adopted decision 6/CP.5, which established a trial period for the technical review of greenhouse gas (GHG) inventories, covering inventory submissions due in 2000 and 2001 and using the guidelines for the technical review of GHG inventories from Parties included in Annex I to the Convention (Annex I Parties) (FCCC/CP/1999/7). The COP requested the secretariat to conduct, during the trial period, annual initial checks and an annual synthesis and assessment of GHG inventories for all Annex I Parties, beginning in 2000, and individual reviews of the GHG inventories for a limited number of Annex I Parties.
- 2. The COP also requested the secretariat to report to the Subsidiary Body for Implementation (SBI) at its thirteenth session, on progress with the implementation of this decision.

B. Scope of the note

3. This note was prepared in response to the above mandate. It covers the progress, to date, with the technical inventory review, including development of the database required for storage, processing and presentation of the GHG inventory data. The note briefly describes the results of the initial checks and suggests possible approaches to the next stages of the technical review of GHG inventories, namely the synthesis and assessment and individual reviews. Although the

figures presented in this note are based on inventory submissions from Annex I Parties received in 2000, they are shown for illustrative purposes only hence the individual Parties concerned are not identified.

C. Possible action by the SBI

4. The SBI may wish to consider the information contained in this note and provide additional guidance to the secretariat on the conduct of initial checks, the synthesis and assessment and individual reviews for Annex I Parties.

II. REVIEW OF GREENHOUSE GAS INVENTORIES

A. Background

- 5. By its decision 3/CP.5, the COP adopted UNFCCC reporting guidelines on annual inventories for the preparation of national communications by Annex I Parties. These guidelines include the common reporting format (CRF). It decided that Annex I Parties should use these guidelines for reporting inventories due by 15 April each year, beginning in 2000. By the date of publication of this note, the secretariat had received 23 submissions from Annex I Parties using these guidelines and these were used as the basis for the initial checks. Initial checks were not conducted for submissions based on earlier reporting guidelines.
- 6. In preparation for the technical inventory review and, in particular, the initial checks, the secretariat began the development of a new database in October 1999 and has continued to work on its development. This is being designed to store, process and retrieve data submitted electronically in the numerous CRF tables and to analyse data for the purposes of technical review at different levels of detail.
- 7. A simplified diagram of the database structure is given in figure 1 (see the figures at the end of the document). Apart from storing the data submitted in the CRF format, the database is also designed to store various elements of administrative information, such as date of submission, version (draft, revision, final submission, etc.), name and address of the responsible national official, and year for which the inventory was submitted. The database is being designed in such a way that, if required, it will be able to store summary information derived from national registries, although national registries have not yet been designed. A prototype of the database was presented to Parties during the twelfth sessions of the subsidiary bodies.

B. Initial checks and status reports

8. In accordance with the guidelines for the technical review of GHG inventories from Annex I Parties, the first stage of the review process consists of the initial check of annual inventories, covering the national inventory submission and, in particular, the data electronically submitted in the CRF. The guidelines describe the coverage of the initial checks and what they should identify, including what the assessment of completeness should determine, and state that the results should be published on the UNFCCC web site as a status report for each Annex I Party, mainly in tabular format, within four weeks of the date of receipt of the submission by the secretariat. In May 2000, the secretariat invited eight inventory experts involved in the preparation of national inventories using the new reporting guidelines and the CRF to provide

advice on the more precise nature and scope of the initial checks, whilst following the requirements of the guidelines.

- 9. All of the experts consulted were of the opinion that the initial check should be based upon both the CRF and the national inventory report submitted by each Annex I Party. They indicated that, due to the time constraint, the purpose of the initial check should be to provide a simplified and, ideally, fully automated status report, which would summarize information related to the completeness of the submission. They unanimously agreed that, during this stage of the review, the secretariat should not determine whether the national inventory report fulfils the requirements of the UNFCCC reporting guidelines on national inventories, but instead should focus on a general description of its contents. To a large extent, the secretariat followed the advice provided by this group in conducting the initial checks.
- 10. The secretariat, following the advice of the experts who participated in the May 2000 meeting, developed a standard format for the status reports of all Annex I Parties that submitted their annual inventories using the CRF (see figure 2). Status reports consist of three parts that each provide an assessment of the completeness of the CRF tables submitted. The first part concentrates on the information provided for the latest inventory year, which was 1998 in the case of submissions in 2000, and the second on the information provided in relation to recalculations whilst the third provides information on the CRFs for all years submitted to the secretariat. In addition, the status report provides information on the date and format of submission (i.e. electronic, hard copy), base year, gases covered and, if submitted, a brief description of the national inventory report.
- 11. Responding to the request contained in decision 6/CP.5, the secretariat completed the initial checks for 23¹ Annex I Parties that provided GHG data using the CRF, in 2000, and published the status reports on its web site (www.unfccc.int/resource/statrep00.html). In general, Annex I Parties made substantial efforts to present data in the required format and as complete as possible, although in a number of cases there were gaps and inconsistencies, which is probably unavoidable at the initial stage of using the new reporting guidelines. Detailed information on the results of the initial checks as well as suggestions on further improvement of the CRF will be presented in a report on the technical review as soon as practicable after the end of the trial period, as requested by decision 6/CP.5, paragraph 5.
- 12. Whilst it is intended that the initial checks should be virtually fully automated in the future, at this stage, it was necessary to perform many of the checks and cross-checks manually. However, even at the present stage of the database development it is already possible to conduct some automatic checks on electronic submissions. Thus the software tool performs a simple consistency check, i.e. allows verification if all the tables and sheets required by the CRF have been submitted and if any of the in-built calculation formulas have been modified or deleted. Figure 3 provides an example of the quantitative results of automatic checks performed on the actual CRF submitted by an Annex I Party in 2000.

An additional seven Annex I Parties submitted greenhouse gas data in 2000 but not in the CRF format (see document FCCC/SBI/2000/11).

C. Synthesis and assessment and individual reviews

- 13. According to the guidelines for the technical review of GHG inventories from Annex I Parties, initial checks should be followed by the synthesis and assessment and individual reviews, following the outline provided in the guidelines. It is envisaged that, to the largest extent possible, the synthesis and assessment should use information generated by the database based on the information submitted in the CRF. Simple statistical analysis could be included in the database such as the calculation of means and standard deviations for data sets in order to detect outliers whilst other tests could identify anomalies or inconsistencies in emission trends for a particular Annex I Party.
- 14. It is envisaged that the results of this stage would be incorporated in a synthesis and assessment report that would provide comparisons of emissions and emission factors for various sectors and categories across Annex I Parties and possibly comparisons of activity data from other sources. A comprehensive synthesis and assessment report would serve as a basis for the first and subsequent individual reviews.
- 15. The third phase of the review process, the individual reviews, would aim to be as detailed as possible. It is expected that the expert review teams would not limit their task to identifying problems only, but would examine methodologies and the process of inventory compilation, especially the identification of key source categories as defined by the Intergovernmental Panel on Climate Change (IPCC) *Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories* (GPG) which, as the Subsidiary Body for Scientific and Technological Advice (SBSTA) concluded at its twelfth session, should be applied by Annex I Parties to the extent possible for inventories due in 2001 and 2002 and should be used for inventories due in 2003 and beyond (FCCC/SBSTA/2000/5, para. 40 (c)).
- 16. Using the prototype GHG database, the secretariat tested some possible approaches to the presentation of data for the purposes of the synthesis and assessment and individual reviews. For example, changes in implied emission factors (IEF) for a given Annex I Party from year to year can be examined at a very detailed level (see figure 4). Comparisons of implied emission factors (IEF) across Annex I Parties for a given category would be another way of detecting possible discrepancies in the reported data (see figure 5).
- 17. In accordance with the tasks outlined in the part of the guidelines related to the review of individual GHG inventories, the secretariat is developing a checklist of issues that would require consideration by expert review teams. Part of the draft checklist is presented in figure 6. It should be noted that figure 6 does not include issues related to the review of individual sectors, since checklists would differ depending on the sector (see also figure 7 as an example). Furthermore, a review of, *inter alia*, quality assurance and quality control procedures, of methods for estimating uncertainties, and of the recalculation of earlier estimates for previous years, where methodologies or national systems have changed, would also occur at this stage, but for the sake of brevity these are not indicated in figure 6.
- 18. It should be noted that, when developing the draft checklist for review by sector, the secretariat relied on some elements of the GPG although it is understood that no Party has yet prepared its inventory submission using the GPG, given that the document was only approved by the IPCC in mid-2000. Nevertheless, it was felt that the GPG would serve as a reliable guide for designing the individual review process, as well as other stages of the review.

19. Individual reviews would require detailed examination of methodologies and analysis of data submitted for various activities within sectors. The secretariat is preparing preliminary outlines for the review of individual sectors. An excerpt from such an outline developed for the agricultural sector is presented in figure 7. It is envisaged that both the checklist and outlines for the review of individual sectors, including methodologies, will be tested and refined as necessary during the individual review stage in 2001 (see section D below).

D. Future work

- 20. The time constraints faced by the secretariat due to the scheduling of subsidiary body and COP meetings during 2000 as well as the complexity of the database's design and implementation prevented the secretariat from conducting the synthesis and assessment and individual reviews in the first half of 2000. Nevertheless, the secretariat intends to start preparing the synthesis and assessment for some Annex I Parties in early December 2000 with a view to finalizing the trial period technical review in 2001.
- 21. The secretariat is determined to fully implement decision 6/CP.5, namely to conduct during the trial period five to seven desk reviews, two centralized reviews, each covering five to ten inventories, and three or four in-country reviews.

Figure 1. Simplified database structure




Figure 2. Status report for Annex I Party

			C4-4	C								
				eport for								
			Annex	I Party								
	Date of submission:	29 April 2000										
General information	Format:	Electronic:				Hardcopy:	V					
orm:	Base year or period:											
ji ji	CRF provided for years:	1990-1998										
nera	Gases covered:	CO ₂ CH ₄	N ₂ O HFC	PFCs	SF ₆	NOx	СО	NMVOCs	SO ₂			
Ğ		V V	7	V	V	✓	V	V	V			
		1	•									
ᄪᅕᆠ	Description:	A National Inventory differences compared										
National Inventory Report			P									
R II N	Language	English										
	Language: Language: PART I:											
	I	Provision of informat	ion for the latest r	eported inven	tory year i	n the CRF:	1998					
		-	Industrial Process		nt Use			Land-Use C	Change and	***		
		Energy				Agric		Fore	estry	Waste		
	Sectoral report tables:	1 🗸	2(I) 🗸	3	✓	4 🗸		5	✓	6 ☑		
			2(II) 🗸									
	Sectoral background data tables:	1.A(a) 🗹	2(I).A-G	3.A-D	✓	4.A	<u> </u>	5.A*		6.A 🔽		
		1.A(b) 🗸	2(II).C,E			4.B(a)	<a> 	5.B*		6.B ☑		
æ		1.A(c)	2(II).F 🗸			4.B(b)	V	5.C*		6.C 🗹		
Tables		1.A(d) ☑ 1.B.1 ☑				4.C	<a>	5.D*				
		1.B.1 ✓ 1.B.2 ✓				4.D 4.E	<u>√</u>					
		1.B.2 ▼				4.E	V	-				
	Summary tables (emission totals):	Summary 1A		Summary 1	Cummoru 1D		4.5 🗸		Summary 2			
	Other tables:	Summary 3		Table 7 (Ov			<u> </u>	Table 9 (Completeness)				
		Table 10 (Trends)		`	Table 11 (Checklist)				inpreteness)	🖰		
	Comments:											
		CO ₂	CH ₄	N	,0	LIE	Co	DE	Co.	SF ₆		
Trends	Totals provided for:		CH ₄		<u>,</u> 0	HFCs		PFCs				
Tr	Totals provided for years:	1990-1998	1990-1998		-1998	1993-		1990-		1990-1998		
						Diffe	ranca more	thon	If diffe	ranca is mora than		
.O ₂	Comparison of CO ₂ from fuel combustion:	Reference appro	oach Sect	oral (national) a	pproach	Diffe	rence more 2 per cent	than	If diffe	rence is more than 2 per cent		
CO ₂	Comparison of CO ₂ from fuel combustion:	Reference appro	pach Sect	oral (national) a	pproach	Diffe			If diffe	2 per cent		
	Comparison of CO ₂ from fuel combustion:	V					2 per cent		Explanation	2 per cent provided		
		HI	pach Sect		PF	Diffe FCs	2 per cent			2 per cent provided		
	Disaggregation by species: Reporting of Actual and/ or Potential	HI	FCs	V	PF	FCs	2 per cent		Explanation S	2 per cent provided		
.cs,	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of	√ HI [FCs	Ac	PF	Pote:	2 per cent	Act	Explanation S	2 per cent provided		
	Disaggregation by species: Reporting of Actual and/ or Potential	HI Actual	FCs Potential	Ac	PF [: tual	Pote:	2 per cent	Act	Explanation S	2 per cent provided F6 Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ :	HI Actual	Potential	Ac	PF [: tual	Cs Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in:	HI Actual	Potential	Ac	PF [: tual	Cs Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ :	HI Actual	Potential	Ac	PF [: tual	Cs Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in:	HI Actual Summary tables 1A &	Potential Potential PAF	Ac Sectoral rep	PF	Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in:	HI Actual Summary tables 1A &	Potential V B V	Ac Sectoral rep	PF	Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments:	HI Actual Summary tables 1A &	PAF	Ac Sectoral rep	PF	Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data):	HI Actual Summary tables 1A & :	Potential Potential PAF	Ac Sectoral rep	PF	Pote:	2 per cent	Act	Explanation S tual	2 per cent provided Potential		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculation for years:	HI Actual Summary tables 1A & : Proving: 1990-1997	Potential Potential Potential PAF Sion of informatio	Ac Sectoral rep	PF E tual Doort tables	Pote	2 per cent	Act [Explanation S sual Z ckground da	2 per cent provided Potential a tables		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data):	HI Actual Summary tables 1A & :	PAF	Ac Sectoral rep	PF	Pote:	2 per cent	Act	Explanation S tual S skground da Change and	2 per cent provided Potential		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculation for years: Recalculated sectors/gases:	Actual Actual Summary tables 1A & Proving 1990-1997 Energy	Potential Potential Potential PAF sion of informatio Comme	Ac Sectoral rep	PF [tual	Pote:	2 per cent	Act [[Sectoral back Sector	Explanation S sual ckground da Change and estry	2 per cent provided Potential a tables		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ :	HI Actual Summary tables 1A & 1 Proving 1990-1997 Energy I	Potential Potential Potential PAF sion of informatio Comme	Sectoral rep T II: related to re	PF [tual	Poter [2 per cent	Act [[Sectoral back Sector	Explanation S sual Change and stry	2 per cent provided Potential a tables Waste		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O:	Actual Actual Summary tables 1A & Proving 1990-1997 Energy	Potential Potential Potential PAF sion of informatio Comme	Sectoral rep T II: related to re	PF [tual	Pote:	2 per cent	Act [[Sectoral back Sector	Explanation S sual Change and stry	2 per cent provided Potential a tables		
HFCs, PFCs, SF_6	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O: HFCs:	HI Actual Summary tables 1A & 1 Proving 1990-1997 Energy I	Potential Potential Potential PAF sion of informatio Comme	Sectoral rep T II: related to re	PF [tual	Poter [2 per cent	Act [[Sectoral back Sector	Explanation S sual Change and stry	2 per cent provided Potential a tables Waste		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O: HFCs:	HI Actual Summary tables 1A & 1 Proving 1990-1997 Energy I	Potential Potential Potential PAF sion of informatio Comme	Sectoral rep T II: related to re	PF [tual	Poter [2 per cent	Act [[Sectoral back Sector	Explanation S sual Change and stry	2 per cent provided Potential a tables Waste		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O: HFCs: PFCs: SF ₆ :	HI Actual Summary tables IA & Proving 1990-1997 Energy Z Z	Potential Potential PAF sion of informatio Comme	Sectoral rep T II: related to re	PF E tual Doort tables calculation tuse E E E E E E E E E E E E E E E E E E E	Potes Agricular Agricular Y	2 per cent	Act [[Sectoral back Sector	Explanation S tual Change and stry 3	2 per cent provided Potential a tables Waste		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O: HFCs: PFCs: SF ₆ : Table 8(b) (Explanatory information):	HI Actual Summary tables I A & Provi: 1990-1997 Energy 2 2 2	Potential Potential Par Fain of informatio Comme Industrial Process	Sectoral rep T II: a related to re ats:	PF [] [] [] [] [] [] [] [Agrice V	2 per cent	Land-Use C Fore	Explanation S tual Change and sstry 3	2 per cent provided Potential A tables Waste V V		
Indicators HFCs, PFCs, SF ₆	Disaggregation by species: Reporting of Actual and/ or Potential estimates in the consumption of Halocarbons and SF ₆ : Used in: Comments: Table 8(a) (Recalculated data): Recalculated sectors/gases: CO ₂ : CH ₄ : N ₂ O: HFCs: PFCs: SF ₆ :	HI Actual Summary tables IA & Proving 1990-1997 Energy Z Z	Potential Potential Par Fain of informatio Comme Industrial Process	Sectoral rep T II: related to re	PF [] [] [] [] [] [] [] [Agrice V	2 per cent	Land-Use C Fore	Explanation S tual Change and sstry T T T T T T T T T T T T T	2 per cent provided Potential a tables Waste		

LUCF: Land-use change and forestry

* According to the UNFCCC reporting guidelines on annual inventories (FCCC/CP/1999/7), these tables should be filled in only by Parties that use the IPCC default methodology.

Figure 2 (continued)

Ct. to a constant Pro-																
Status report for Annex I Party																
Part III: Provision of CRF tables for years reported																
					1990	1991	1992	1993	ears 1994	1995	1996	1997	1998	Information gaps related to reporting®	Comments	
	Г	Sectoral report -	Table 1	year	V	V	V	V	V	V	V	V	<i>V</i>	reporting		
		Table 1A(a)			V	V	V	~	V	V	V	V	~			
Energy	SBDT	Table 1A(b) Table 1A(c)			ν ν	~	~	ν ν	<i>v</i>	<i>v</i>	ν ν	ν ν	٧ ٧		No explanation of the difference (greater than 2 per cent) between the national and reference approach for the years 1990-1996	
4	S	Table 1A(d)			'	~	~	~	~	~	١,	٧	١,			
		Table 1B1 Table 1B2			~	V	V	V	V	V	٧ ٧	V	~			
		Table 1C			~	~	~	~	~	~	~	~	~			
			Table 2(I)		~	~	<i>V</i>	~	· ·	· ·	~	~	~			
trial		Sectoral reports -	Table 2(II)		~	V	V	~	V	V	~	١	~			
Industrial	SBDT	Table 2(I). A-G Table 2(II).C, E			<u> </u>	V	V	V V	V	V	٧ ٧	٧ ٧	V			
П	SB	Table 2(II).F			~	~	~	V	~	~	V	۷	~			
		G 4 1	T 11 2					.,								
Solvent	L	Sectoral report -	Table 3		~	~	~	~	~	~	~	~	~			
Sol	SBDT	Table 3.A-D			~	-	-	~	~	-	~	~	~			
2		Table 4.A Table 4.B(a)	Table 4		V V	ン ン	ν ν	\ \ \ \ \ \	\(\triangle \)	У У	٧ ٧	٧ ٧	7 7 7			
Agriculture	ī	Table 4.B(b)			~	~	~	>	~	~	٧	٧	~			
gric	SBDT	Table 4.C Table 4.D			V	V	V	V	V	V	٧ ٧	V	V			
~		Table 4.E			~	~	V	~	~	~	~	~	~			
		Table 4.F			~		~	~	~	~	~	~	~			
Land-use change and forestry		Sectoral report -	Table 5		~	~	~	~	~	~	~	~	~		Documentation for this sector has been provided in the National Inventory Report	
ınd-use chan and forestry	Т	Table 5.A* * Table 5.B* *														
n-bu	SBDT	Table 5.B* *														
La	• 2	Table 5.D* *														
	1	Sectoral report -	Table 6		~	~	~	~	·	·	V	~	~	1		
Waste	Т	Table 6.A	2 4010 0		~	~	~	٧	~	~	٧	١	~			
Wa	SBDT	Table 6.B Table 6.C			<i>V</i>	٧ ٧	V V	V	٧ ٧	٧ ٧	۲۲	۷	1			
		Table 6.C			•			~			•	~	•			
	-															
		mmary 1A mmary 1B			~	V	V	V	V	V	V	V	~			
		mmary 2 (CO ₂ equivale	ent emissions)		~	~	V	~	~	~	~	١,	~			
səlc		mmary 3 (Methods/Em	nission factors)		V	V	V	V	<i>v</i>	V	٧ ١	٧ ١	~			
rtak	Table 7 (Overview) Table 8(a) (Recalculation -		1 -		V	V	<i>V</i>	V		<i>V</i>	V	V	~		Recalculation data tables, covering all recalculated years	
othe		calculated data)			~	~	~	~	~	~	~	~			(1990-1997), were included in the 1998 CRF	
Summary and other tables		ble 8(b) (Recalculation planatory information)			~	~	~	٧	~	~	>	٧			Recalculation explanation tables, covering all recalculated years (1990-1997), were included in the 1998 CRF	
nma	Tal	ble 9 (Completeness)			'	~	~	~	~	~	~	~	~			
Sur	Tal	ble 10 (Trends)											~		Table 10, covering 1990 to 1998, was provided once together with the 1998 CRF. HFC emission estimates were provided for 1993-1998 only (potential emissions).	
	Tal	ble 11 (Checklist)											~		Table 11 was provided once together with the 1998 CRF	

SBDT: Sectoral background data tables.

^{*} This column indicates that reporting gaps (blank cells) have been identified in a given table of the CRF. In most cases this was due to lack of use of indicators (NO, NE, NA, IE, C, 0).


^{**} According to the UNFCCC reporting guidelines on annual inventories (FCCC/CP/1999/7), these tables should be filled in only by Parties that use the IPCC default methodology.


Figure 3. Overview of the quantitative completeness check

	An Annex I Party				
Inventory year	1990				
Title of inventory	National Greenhouse Gas Inventory				
Status	Revised submission				
Submission	Submission 2000				
Comments	Rounding errors have resulted in a small difference between the resubmitted CRF tables for 1990-1997 and the trends in the 1998 CRF tables				
Required number of sheets	62				
Number of sheets in this submission	45				
Number of missing sheets:	17				
Number of added sheets:	0				
Number of overwritten formulas	723				
Number of added cell comments	0				

Worksheet	Cell Address	Standard formula	Overwritten with
Table1s1	H9	=SUM(H10:H12)	NE
Table1s1	H13	=SUM(H14:H19)	NE
Table1s2	H7	=SUM(H8:H10)	NE
Table1s2	H16	=SUM(H17,H22)	NA
Table1s2	B17	=SUM(B18:B20)	NE
Table1s2	D17	=SUM(D18:D20)	NE
Table1s2	E17	=SUM(E18:E20)	NE
Table1s2	F17	=SUM(F18:F20)	NE
Table1s2	G17	=SUM(G18:G20)	NE
Table1s2	H17	=SUM(H19:H20)	NA
Table1s2	B18	=Table1.B.1!F9	NE
Table1s2	B20	=Table1.B.1!F17	NA
Table1s2	C20	=Table1.B.1!E17	NA
		Etc.	

Figure 4. CO₂ implied emission factors for an Annex I Party (percentage difference from 1990)²





² Implied emission factors are obtained by dividing estimated aggregate emissions by underlying aggregate activity data.

FCCC/SBI/2000/14 Page 9




Figure 5. CO₂ implied emission factors: energy industries

Figure 6. Preliminary checklist for the individual review (excerpt)

Checklist for the individual review (draft outline)

- Identification of materials to be considered during the review
 (National inventory report, CRF, supplementary information, previous submissions, in-depth review reports, etc.)
- II. Retrieval and presentation of data stored in the database in the form required for the review

General

- (a) Identify the Party's key source categories according to tier 1 of the IPCC Guidelines
- (b) Graphical presentation of the Party's GHG trends (gas-by-gas and aggregate) and percentage contributions of gases and source to the total
- => Check for any discontinuities

Analysis of key sources

- (c) Emission factors: Graphical representation of cross-country comparison of implied emission factors over the time period (minimum, maximum and average values) for the identified key sources and comparison with any IPCC default values and ranges
- => Check if any further analysis is needed, if yes identify areas and conduct the analysis
- (d) <u>Time-series</u>: For the base year and years prior to the latest reported inventory year: Comparison of current estimates with estimates provided in a previous submission graphical presentation of the trends (per key source and aggregated)
- => Flag sources or subcategories that show a change greater than, e.g. 10 per cent compared to the previous year's inventory (for trends and possible recalculations)
- (e) <u>Activity data</u>: Comparison of GHG emission trends with trends in underlying activity data (at the level provided in the CRF) for major key sources
- => Check for any discontinuities
- III. Verification of data and estimates for key sources (by experts with the assistance of the secretariat)
 - (a) Activity data cross-checks within the country
 - (b) Activity data international comparisons
- IV. Examination of the methodologies to calculate emission and removal estimates:
 - (a) Perform 'order of magnitude checks'
 - (b) Compare national estimates with estimates or analysis from the international scientific literature (where available) or from atmospheric measurements

Figure 7. Outline for GHG inventory review (excerpt)

AGRICULTURE – ENTERIC FERMENTATION

		Methodological issues									
Sector	Source	Methods		Activity data (AD)	Emissi	on factors (EF)	Completeness				
	ommon issues cross sources:	Has the appropriate method and E been chosen according to national circumstances? (See decision trees GPG)	s in								
	Livestock population characteri- zation	 - Are characterizations and data for each livestock species used consistently across all livestock-related source categories [4.A (CH₄), 4.B (CH₄, N₂O), 4.D (N₂O)]? - Is the method used to estimate the average annual population fully documented? - Have additional tables for reporting detailed livestock characterization been provided (which include information per livestock species for estimating EF, such as type, weight (kg), weight gain (kg/day), feeding situation, milk (kg/day), work (hrs/day), % pregnant, digestibility of feed (%), CH₄ conversion (%), day weighted population mix (%), EF (kg/head/yr))? Have the sources for the data clear been cited? 									
AGRICULTURE Livestock	CH ₄ : enteric fermenta- tion in domestic livestock	: What method (tier 1/tier 2)? If tier 1: Are the animal characteristics (weight, growth rate, milk production) used to develop default EF similar to those in the country? Is the following documented? If methods other than those of the PCC Guidelines were	- Anima categor - Full re AD use - Inforn to deve availabl	ollowing documented? all population data by y and region eference to the sources of	If model Help and the search Help control of the search Help control of the search Help and the search Hel	Etier 1: default or country-specific EF? Etier 2: Have disaggregated EF for the lost relevant subcategories been eveloped? Eave the data developed through the vestock characterization been used for eveloping EF? Eave differentiated, appropriate CH ₄ conversion rates been used? (see table .8/4.9 GPG)	If animals are included in the inventory for which no guidelines or default data are available: Are estimates developed using the same principles as for				
				es of accuracy & precisio	If I	the following documented? Stier 1: All default EF Stier 2: Values for CH ₄ conversion rate Gross energy intake values (MJ/head/yr) Documentation of data used, including efferences Stregion- or country-specific EF: Scientific basis (e.g. definitions of input arameters, process of development)	developing tier 2 EF?				

- - - - -